

Line1

Identification

Display Name	<input type="text" value="ZZZ"/>
Address	<input type="text" value="5387"/>
Authentication User ID	<input type="text"/>
Authentication Password	<input type="text"/>
Label	<input type="text" value="5378"/>
Type	<input checked="" type="radio"/> Private <input type="radio"/> Shared
Third Party Name	<input type="text"/>
Number of Line Keys	<input type="text" value="1"/>
Calls Per Line	<input type="text" value="8"/>
Ring Type	<input type="text" value="1"/> <input type="text" value="Low Trill"/>

Outbound Proxy

Address	<input type="text" value="10.20.200.200"/>
Port	<input type="text" value="5060"/>
Transport	<input type="text" value="UDPOnly"/>

Server1

Address	<input type="text" value="10.20.200.200"/>
Port	<input type="text" value="5060"/>
Transport	<input type="text" value="UDPOnly"/>
Expires (s)	<input type="text" value="3600"/>
Register	<input checked="" type="radio"/> Yes <input type="radio"/> No
Retry Timeout (ms)	<input type="text" value="0"/>
Retry Maximum Count	<input type="text" value="3"/>
Line Seize Timeout (s)	<input type="text" value="30"/>

Server2

Address

Port

Transport

Expires (s)

Register Yes No

Retry Timeout (ms)

Retry Maximum Count

Line Seize Timeout (s)

+ Call Diversion

*Always Forward Enable Disable

*Always Forward To Contact

*If Busy, Forward Enable Disable

*If Busy, Forward To Contact

*On No Answer, Forward Enable Disable

*On No Answer, Forward To Contact

*No Answer Timeout (seconds)

*On Do Not Disturb, Forward Enable Disable

*On Do Not Disturb, Forward To Contact

*Disable Forward For Shared Lines Yes No

*Forward Specific Caller Enable Disable

+ Message Center

Subscription Address

Callback Mode

Callback Contact

Note:

* Fields require a phone reboot/restart.

Cancel Reset to Default View Modifications Save

