

0004f2873907-app.log

```
0214154204|em |*|00|authorisation 7e
0214154204|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214154204|pwr |4|00|Enough power available for device type=3

0214154204|pwr |4|00|ALLOW power for device 3

0214154214|em |5|00|Watchdog expired for EM1
0214154215|em |*|00|EM1 is detected
0214154215|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214154215|pwr |4|00|ATTACH called for already detecetd EM1

0214154215|pwr |4|00|Free power from device=3

0214154215|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0214154215|pwr |4|00|Enough power available for device type=3

0214154215|pwr |4|00|ALLOW power for device 3

0214154215|em |*|00|authorisation 7e
0214154215|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214154225|em |5|00|Watchdog expired for EM1
0214154226|em |*|00|EM1 is detected
0214154226|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214154226|pwr |4|00|ATTACH called for already detecetd EM1

0214154226|pwr |4|00|Free power from device=3

0214154226|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0214154226|pwr |4|00|Enough power available for device type=3

0214154226|pwr |4|00|ALLOW power for device 3

0214154226|em |*|00|authorisation 7e
0214154226|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214154236|em |5|00|Watchdog expired for EM1
0214154237|em |*|00|EM1 is detected
0214154237|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214154237|pwr |4|00|ATTACH called for already detecetd EM1

0214154237|pwr |4|00|Free power from device=3

0214154237|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1
```

0004f2873907-app.log

0214154237|pwr |4|00|Enough power available for device type=3  
0214154237|pwr |4|00|ALLOW power for device 3  
0214154237|em |\*|00|authorisation 7e  
0214154237|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154246|em |5|00|Watchdog expired for EM1  
0214154247|em |\*|00|EM1 is detected  
0214154247|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154247|pwr |4|00|ATTACH called for already detecetd EM1  
0214154247|pwr |4|00|Free power from device=3  
0214154247|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214154247|pwr |4|00|Enough power available for device type=3  
0214154247|pwr |4|00|ALLOW power for device 3  
0214154247|em |\*|00|authorisation 7e  
0214154247|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154257|em |5|00|Watchdog expired for EM1  
0214154258|em |\*|00|EM1 is detected  
0214154258|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154258|pwr |4|00|ATTACH called for already detecetd EM1  
0214154258|pwr |4|00|Free power from device=3  
0214154258|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214154258|pwr |4|00|Enough power available for device type=3  
0214154258|pwr |4|00|ALLOW power for device 3  
0214154258|em |\*|00|authorisation 7e  
0214154258|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154308|em |5|00|Watchdog expired for EM1  
0214154309|em |\*|00|EM1 is detected  
0214154309|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154309|pwr |4|00|ATTACH called for already detecetd EM1  
0214154309|pwr |4|00|Free power from device=3  
0214154309|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0004f2873907-app.log

0214154309|pwr |4|00|Enough power available for device type=3  
0214154309|pwr |4|00|ALLOW power for device 3  
0214154309|em |\*|00|authorisation 7e  
0214154309|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154319|em |5|00|Watchdog expired for EM1  
0214154320|em |\*|00|EM1 is detected  
0214154320|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154320|pwr |4|00|ATTACH called for already detecetd EM1  
0214154320|pwr |4|00|Free power from device=3  
0214154320|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214154320|pwr |4|00|Enough power available for device type=3  
0214154320|pwr |4|00|ALLOW power for device 3  
0214154320|em |\*|00|authorisation 7e  
0214154320|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154327|cfg |5|00|Prm|Parameter voIpProt.SIP.allowTransferOnProceeding  
requested type 2 but is of type 0  
0214154327|sip |5|00|CUser::CallNew Call SubscribeDialogBla absent  
0214154327|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [2], previous - [1].  
0214154330|em |5|00|Watchdog expired for EM1  
0214154331|em |\*|00|EM1 is detected  
0214154331|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154331|pwr |4|00|ATTACH called for already detecetd EM1  
0214154331|pwr |4|00|Free power from device=3  
0214154331|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154331|pwr |4|00|Enough power available for device type=3  
0214154331|pwr |4|00|ALLOW power for device 3  
0214154331|em |\*|00|authorisation 7e  
0214154331|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154340|em |5|00|Watchdog expired for EM1  
0214154341|em |\*|00|EM1 is detected  
0214154341|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154341|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0214154341|pwr |4|00|Free power from device=3  
0214154341|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154341|pwr |4|00|Enough power available for device type=3  
0214154341|pwr |4|00|ALLOW power for device 3  
0214154341|em |\*|00|authorisation 7e  
0214154341|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154350|em |5|00|Watchdog expired for EM1  
0214154351|em |\*|00|EM1 is detected  
0214154351|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154351|pwr |4|00|ATTACH called for already detecetd EM1  
0214154351|pwr |4|00|Free power from device=3  
0214154351|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154351|pwr |4|00|Enough power available for device type=3  
0214154351|pwr |4|00|ALLOW power for device 3  
0214154351|em |\*|00|authorisation 7e  
0214154351|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154400|em |5|00|Watchdog expired for EM1  
0214154401|em |\*|00|EM1 is detected  
0214154401|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214154401|pwr |4|00|ATTACH called for already detecetd EM1  
0214154401|pwr |4|00|Free power from device=3  
0214154401|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154401|pwr |4|00|Enough power available for device type=3  
0214154401|pwr |4|00|ALLOW power for device 3  
0214154401|em |\*|00|authorisation 7e  
0214154401|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154407|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states - present - [0], previous - [2].  
0214154411|em |5|00|Watchdog expired for EM1  
0214154412|em |\*|00|EM1 is detected  
0214154412|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154412|pwr |4|00|ATTACH called for already deteced EM1  
0214154412|pwr |4|00|Free power from device=3  
0214154412|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154412|pwr |4|00|Enough power available for device type=3  
0214154412|pwr |4|00|ALLOW power for device 3  
  
0214154412|em |\*|00|authorisation 7e  
0214154412|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154421|em |5|00|Watchdog expired for EM1  
0214154422|em |\*|00|EM1 is detected  
0214154422|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154422|pwr |4|00|ATTACH called for already deteced EM1  
0214154422|pwr |4|00|Free power from device=3  
0214154422|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154422|pwr |4|00|Enough power available for device type=3  
0214154422|pwr |4|00|ALLOW power for device 3  
  
0214154422|em |\*|00|authorisation 7e  
0214154422|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154432|em |5|00|Watchdog expired for EM1  
0214154433|em |\*|00|EM1 is detected  
0214154433|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154433|pwr |4|00|ATTACH called for already deteced EM1  
0214154433|pwr |4|00|Free power from device=3  
0214154433|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154433|pwr |4|00|Enough power available for device type=3  
0214154433|pwr |4|00|ALLOW power for device 3  
  
0214154433|em |\*|00|authorisation 7e  
0214154433|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154443|em |5|00|Watchdog expired for EM1  
0214154444|em |\*|00|EM1 is detected  
0214154444|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154444|pwr |4|00|ATTACH called for already deteced EM1  
0214154444|pwr |4|00|Free power from device=3  
0214154444|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154444|pwr |4|00|Enough power available for device type=3  
0214154444|pwr |4|00|ALLOW power for device 3  
  
0214154444|em |\*|00|authorisation 7e  
0214154444|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154454|em |5|00|Watchdog expired for EM1  
0214154455|em |\*|00|EM1 is detected  
0214154455|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154455|pwr |4|00|ATTACH called for already deteced EM1  
0214154455|pwr |4|00|Free power from device=3  
0214154455|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154455|pwr |4|00|Enough power available for device type=3  
0214154455|pwr |4|00|ALLOW power for device 3  
  
0214154455|em |\*|00|authorisation 7e  
0214154455|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154505|em |5|00|Watchdog expired for EM1  
0214154506|em |\*|00|EM1 is detected  
0214154506|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154506|pwr |4|00|ATTACH called for already deteced EM1  
0214154506|pwr |4|00|Free power from device=3  
0214154506|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154506|pwr |4|00|Enough power available for device type=3  
0214154506|pwr |4|00|ALLOW power for device 3  
  
0214154506|em |\*|00|authorisation 7e  
0214154506|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154515|em |5|00|Watchdog expired for EM1  
0214154516|em |\*|00|EM1 is detected  
0214154516|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154516|pwr |4|00|ATTACH called for already deteced EM1  
0214154516|pwr |4|00|Free power from device=3  
0214154516|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154516|pwr |4|00|Enough power available for device type=3  
0214154516|pwr |4|00|ALLOW power for device 3  
  
0214154516|em |\*|00|authorisation 7e  
0214154516|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154525|em |5|00|Watchdog expired for EM1  
0214154526|em |\*|00|EM1 is detected  
0214154526|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154526|pwr |4|00|ATTACH called for already deteced EM1  
0214154526|pwr |4|00|Free power from device=3  
0214154526|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154526|pwr |4|00|Enough power available for device type=3  
0214154526|pwr |4|00|ALLOW power for device 3  
  
0214154526|em |\*|00|authorisation 7e  
0214154526|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154535|em |5|00|Watchdog expired for EM1  
0214154536|em |\*|00|EM1 is detected  
0214154536|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154536|pwr |4|00|ATTACH called for already deteced EM1  
0214154536|pwr |4|00|Free power from device=3  
0214154536|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154536|pwr |4|00|Enough power available for device type=3  
0214154536|pwr |4|00|ALLOW power for device 3  
  
0214154536|em |\*|00|authorisation 7e  
0214154536|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154546|em |5|00|Watchdog expired for EM1  
0214154547|em |\*|00|EM1 is detected  
0214154547|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154547|pwr |4|00|ATTACH called for already deteced EM1  
0214154547|pwr |4|00|Free power from device=3  
0214154547|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154547|pwr |4|00|Enough power available for device type=3  
0214154547|pwr |4|00|ALLOW power for device 3  
  
0214154547|em |\*|00|authorisation 7e  
0214154547|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154557|em |5|00|Watchdog expired for EM1  
0214154558|em |\*|00|EM1 is detected  
0214154558|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154558|pwr |4|00|ATTACH called for already deteced EM1  
0214154558|pwr |4|00|Free power from device=3  
0214154558|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154558|pwr |4|00|Enough power available for device type=3  
0214154558|pwr |4|00|ALLOW power for device 3  
  
0214154558|em |\*|00|authorisation 7e  
0214154558|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154607|em |5|00|Watchdog expired for EM1  
0214154608|em |\*|00|EM1 is detected  
0214154608|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154608|pwr |4|00|ATTACH called for already deteced EM1  
0214154608|pwr |4|00|Free power from device=3  
0214154608|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154608|pwr |4|00|Enough power available for device type=3  
0214154608|pwr |4|00|ALLOW power for device 3  
  
0214154608|em |\*|00|authorisation 7e  
0214154608|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154618|em |5|00|Watchdog expired for EM1  
0214154619|em |\*|00|EM1 is detected  
0214154619|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0



0004f2873907-app.log

0214154619|pwr |4|00|ATTACH called for already deteced EM1  
0214154619|pwr |4|00|Free power from device=3  
0214154619|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154619|pwr |4|00|Enough power available for device type=3  
0214154619|pwr |4|00|ALLOW power for device 3  
  
0214154619|em |\*|00|authorisation 7e  
0214154619|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154629|em |5|00|Watchdog expired for EM1  
0214154630|em |\*|00|EM1 is detected  
0214154630|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154630|pwr |4|00|ATTACH called for already deteced EM1  
0214154630|pwr |4|00|Free power from device=3  
0214154630|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154630|pwr |4|00|Enough power available for device type=3  
0214154630|pwr |4|00|ALLOW power for device 3  
  
0214154630|em |\*|00|authorisation 7e  
0214154630|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154640|em |5|00|Watchdog expired for EM1  
0214154641|em |\*|00|EM1 is detected  
0214154641|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154641|pwr |4|00|ATTACH called for already deteced EM1  
0214154641|pwr |4|00|Free power from device=3  
0214154641|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154641|pwr |4|00|Enough power available for device type=3  
0214154641|pwr |4|00|ALLOW power for device 3  
  
0214154641|em |\*|00|authorisation 7e  
0214154641|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154651|em |5|00|Watchdog expired for EM1  
0214154652|em |\*|00|EM1 is detected  
0214154652|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154652|pwr |4|00|ATTACH called for already detecetd EM1  
0214154652|pwr |4|00|Free power from device=3  
0214154652|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154652|pwr |4|00|Enough power available for device type=3  
0214154652|pwr |4|00|ALLOW power for device 3  
  
0214154652|em |\*|00|authorisation 7e  
0214154652|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154701|em |5|00|Watchdog expired for EM1  
0214154702|em |\*|00|EM1 is detected  
0214154702|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154702|pwr |4|00|ATTACH called for already detecetd EM1  
0214154702|pwr |4|00|Free power from device=3  
0214154702|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
  
0214154702|em |\*|00|authorisation 7e  
0214154702|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154702|pwr |4|00|Enough power available for device type=3  
  
0214154702|pwr |4|00|ALLOW power for device 3  
  
0214154712|em |5|00|Watchdog expired for EM1  
0214154713|em |\*|00|EM1 is detected  
0214154713|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154713|pwr |4|00|ATTACH called for already detecetd EM1  
0214154713|pwr |4|00|Free power from device=3  
0214154713|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154713|pwr |4|00|Enough power available for device type=3  
0214154713|pwr |4|00|ALLOW power for device 3  
  
0214154713|em |\*|00|authorisation 7e  
0214154713|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154722|em |5|00|Watchdog expired for EM1  
0214154723|em |\*|00|EM1 is detected  
0214154723|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154723|pwr |4|00|ATTACH called for already deteced EM1  
0214154723|pwr |4|00|Free power from device=3  
0214154723|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154723|pwr |4|00|Enough power available for device type=3  
0214154723|pwr |4|00|ALLOW power for device 3  
  
0214154723|em |\*|00|authorisation 7e  
0214154723|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154733|em |5|00|Watchdog expired for EM1  
0214154734|em |\*|00|EM1 is detected  
0214154734|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154734|pwr |4|00|ATTACH called for already deteced EM1  
0214154734|pwr |4|00|Free power from device=3  
0214154734|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154734|pwr |4|00|Enough power available for device type=3  
0214154734|pwr |4|00|ALLOW power for device 3  
  
0214154734|em |\*|00|authorisation 7e  
0214154734|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154744|em |5|00|Watchdog expired for EM1  
0214154745|em |\*|00|EM1 is detected  
0214154745|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154745|pwr |4|00|ATTACH called for already deteced EM1  
0214154745|pwr |4|00|Free power from device=3  
0214154745|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154745|pwr |4|00|Enough power available for device type=3  
0214154745|pwr |4|00|ALLOW power for device 3  
  
0214154745|em |\*|00|authorisation 7e  
0214154745|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154755|em |5|00|Watchdog expired for EM1  
0214154756|em |\*|00|EM1 is detected  
0214154756|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154756|pwr |4|00|ATTACH called for already deteced EM1  
0214154756|pwr |4|00|Free power from device=3  
0214154756|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154756|pwr |4|00|Enough power available for device type=3  
0214154756|pwr |4|00|ALLOW power for device 3  
  
0214154756|em |\*|00|authorisation 7e  
0214154756|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154806|em |5|00|Watchdog expired for EM1  
0214154807|em |\*|00|EM1 is detected  
0214154807|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154807|pwr |4|00|ATTACH called for already deteced EM1  
0214154807|pwr |4|00|Free power from device=3  
0214154807|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154807|pwr |4|00|Enough power available for device type=3  
0214154807|pwr |4|00|ALLOW power for device 3  
  
0214154807|em |\*|00|authorisation 7e  
0214154807|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154816|em |5|00|Watchdog expired for EM1  
0214154817|em |\*|00|EM1 is detected  
0214154817|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154817|pwr |4|00|ATTACH called for already deteced EM1  
0214154817|pwr |4|00|Free power from device=3  
0214154817|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154817|pwr |4|00|Enough power available for device type=3  
0214154817|pwr |4|00|ALLOW power for device 3  
  
0214154817|em |\*|00|authorisation 7e  
0214154817|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154826|em |5|00|Watchdog expired for EM1  
0214154827|em |\*|00|EM1 is detected  
0214154827|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154827|pwr |4|00|ATTACH called for already deteced EM1  
0214154827|pwr |4|00|Free power from device=3  
0214154827|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154827|pwr |4|00|Enough power available for device type=3  
0214154827|pwr |4|00|ALLOW power for device 3  
  
0214154827|em |\*|00|authorisation 7e  
0214154827|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154836|em |5|00|Watchdog expired for EM1  
0214154837|em |\*|00|EM1 is detected  
0214154837|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154837|pwr |4|00|ATTACH called for already deteced EM1  
0214154837|pwr |4|00|Free power from device=3  
0214154837|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154837|pwr |4|00|Enough power available for device type=3  
0214154837|pwr |4|00|ALLOW power for device 3  
  
0214154837|em |\*|00|authorisation 7e  
0214154837|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154846|em |5|00|Watchdog expired for EM1  
0214154847|em |\*|00|EM1 is detected  
0214154847|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154847|pwr |4|00|ATTACH called for already deteced EM1  
0214154847|pwr |4|00|Free power from device=3  
0214154847|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154847|pwr |4|00|Enough power available for device type=3  
0214154847|pwr |4|00|ALLOW power for device 3  
  
0214154847|em |\*|00|authorisation 7e  
0214154847|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154856|em |5|00|Watchdog expired for EM1  
0214154857|em |\*|00|EM1 is detected  
0214154857|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154857|pwr |4|00|ATTACH called for already deteced EM1  
0214154857|pwr |4|00|Free power from device=3  
0214154857|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154857|pwr |4|00|Enough power available for device type=3  
0214154857|pwr |4|00|ALLOW power for device 3  
  
0214154857|em |\*|00|authorisation 7e  
0214154857|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154906|em |5|00|Watchdog expired for EM1  
0214154907|em |\*|00|EM1 is detected  
0214154907|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154907|pwr |4|00|ATTACH called for already deteced EM1  
0214154907|pwr |4|00|Free power from device=3  
0214154907|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154907|pwr |4|00|Enough power available for device type=3  
0214154907|pwr |4|00|ALLOW power for device 3  
  
0214154907|em |\*|00|authorisation 7e  
0214154907|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154916|em |5|00|Watchdog expired for EM1  
0214154917|em |\*|00|EM1 is detected  
0214154917|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154917|pwr |4|00|ATTACH called for already deteced EM1  
0214154917|pwr |4|00|Free power from device=3  
0214154917|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154917|pwr |4|00|Enough power available for device type=3  
0214154917|pwr |4|00|ALLOW power for device 3  
  
0214154917|em |\*|00|authorisation 7e  
0214154917|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154926|em |5|00|Watchdog expired for EM1  
0214154927|em |\*|00|EM1 is detected  
0214154927|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154927|pwr |4|00|ATTACH called for already deteced EM1  
0214154927|pwr |4|00|Free power from device=3  
0214154927|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154927|pwr |4|00|Enough power available for device type=3  
0214154927|pwr |4|00|ALLOW power for device 3  
  
0214154927|em |\*|00|authorisation 7e  
0214154927|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154936|em |5|00|Watchdog expired for EM1  
0214154937|em |\*|00|EM1 is detected  
0214154937|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154937|pwr |4|00|ATTACH called for already deteced EM1  
0214154937|pwr |4|00|Free power from device=3  
0214154937|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154937|pwr |4|00|Enough power available for device type=3  
0214154937|pwr |4|00|ALLOW power for device 3  
  
0214154937|em |\*|00|authorisation 7e  
0214154937|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154946|em |5|00|Watchdog expired for EM1  
0214154947|em |\*|00|EM1 is detected  
0214154947|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214154947|pwr |4|00|ATTACH called for already deteced EM1  
0214154947|pwr |4|00|Free power from device=3  
0214154947|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154947|pwr |4|00|Enough power available for device type=3  
0214154947|pwr |4|00|ALLOW power for device 3  
  
0214154947|em |\*|00|authorisation 7e  
0214154947|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214154956|em |5|00|Watchdog expired for EM1  
0214154957|em |\*|00|EM1 is detected  
0214154957|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214154957|pwr |4|00|ATTACH called for already deteced EM1  
0214154957|pwr |4|00|Free power from device=3  
0214154957|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214154957|pwr |4|00|Enough power available for device type=3  
0214154957|pwr |4|00|ALLOW power for device 3  
  
0214154957|em |\*|00|authorisation 7e  
0214154957|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155006|em |5|00|Watchdog expired for EM1  
0214155007|em |\*|00|EM1 is detected  
0214155007|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155007|pwr |4|00|ATTACH called for already deteced EM1  
0214155007|pwr |4|00|Free power from device=3  
0214155007|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155007|pwr |4|00|Enough power available for device type=3  
0214155007|pwr |4|00|ALLOW power for device 3  
  
0214155007|em |\*|00|authorisation 7e  
0214155007|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155016|em |5|00|Watchdog expired for EM1  
0214155017|em |\*|00|EM1 is detected  
0214155017|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155017|pwr |4|00|ATTACH called for already deteced EM1  
0214155017|pwr |4|00|Free power from device=3  
0214155017|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155017|pwr |4|00|Enough power available for device type=3  
0214155017|pwr |4|00|ALLOW power for device 3  
  
0214155017|em |\*|00|authorisation 7e  
0214155017|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155026|em |5|00|Watchdog expired for EM1  
0214155027|em |\*|00|EM1 is detected  
0214155027|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0



0004f2873907-app.log

0214155027|pwr |4|00|ATTACH called for already deteced EM1  
0214155027|pwr |4|00|Free power from device=3  
0214155027|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155027|pwr |4|00|Enough power available for device type=3  
0214155027|pwr |4|00|ALLOW power for device 3  
  
0214155027|em |\*|00|authorisation 7e  
0214155027|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155036|em |5|00|Watchdog expired for EM1  
0214155037|em |\*|00|EM1 is detected  
0214155037|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155037|pwr |4|00|ATTACH called for already deteced EM1  
0214155037|pwr |4|00|Free power from device=3  
0214155037|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155037|pwr |4|00|Enough power available for device type=3  
0214155037|pwr |4|00|ALLOW power for device 3  
  
0214155037|em |\*|00|authorisation 7e  
0214155037|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155046|em |5|00|Watchdog expired for EM1  
0214155047|em |\*|00|EM1 is detected  
0214155047|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155047|pwr |4|00|ATTACH called for already deteced EM1  
0214155047|pwr |4|00|Free power from device=3  
0214155047|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155047|pwr |4|00|Enough power available for device type=3  
0214155047|pwr |4|00|ALLOW power for device 3  
  
0214155047|em |\*|00|authorisation 7e  
0214155047|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155056|em |5|00|Watchdog expired for EM1  
0214155057|em |\*|00|EM1 is detected  
0214155057|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214155057|pwr |4|00|ATTACH called for already deteced EM1  
0214155057|pwr |4|00|Free power from device=3  
0214155057|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155057|pwr |4|00|Enough power available for device type=3  
0214155057|pwr |4|00|ALLOW power for device 3  
  
0214155057|em |\*|00|authorisation 7e  
0214155057|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155059|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [2], previous - [0].  
0214155106|em |5|00|Watchdog expired for EM1  
0214155107|em |\*|00|EM1 is detected  
0214155107|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155107|pwr |4|00|ATTACH called for already deteced EM1  
0214155107|pwr |4|00|Free power from device=3  
0214155107|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155107|pwr |4|00|Enough power available for device type=3  
0214155107|pwr |4|00|ALLOW power for device 3  
  
0214155107|em |\*|00|authorisation 7e  
0214155107|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155117|em |5|00|Watchdog expired for EM1  
0214155118|em |\*|00|EM1 is detected  
0214155118|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155118|pwr |4|00|ATTACH called for already deteced EM1  
0214155118|pwr |4|00|Free power from device=3  
0214155118|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155118|pwr |4|00|Enough power available for device type=3  
0214155118|pwr |4|00|ALLOW power for device 3  
  
0214155118|em |\*|00|authorisation 7e  
0214155118|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155128|em |5|00|Watchdog expired for EM1

0004f2873907-app.log

```
0214155129|em   |*|00|EM1 is detected
0214155129|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155129|pwr  |4|00|ATTACH called for already detecetd EM1

0214155129|pwr  |4|00|Free power from device=3

0214155129|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155129|pwr  |4|00|Enough power available for device type=3

0214155129|pwr  |4|00|ALLOW power for device 3

0214155129|em   |*|00|authorisation 7e
0214155129|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155138|em   |5|00|Watchdog expired for EM1
0214155139|em   |*|00|EM1 is detected
0214155139|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155139|pwr  |4|00|ATTACH called for already detecetd EM1

0214155139|pwr  |4|00|Free power from device=3

0214155139|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155139|pwr  |4|00|Enough power available for device type=3

0214155139|pwr  |4|00|ALLOW power for device 3

0214155139|em   |*|00|authorisation 7e
0214155139|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155148|em   |5|00|Watchdog expired for EM1
0214155149|em   |*|00|EM1 is detected
0214155149|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155149|pwr  |4|00|ATTACH called for already detecetd EM1

0214155149|pwr  |4|00|Free power from device=3

0214155149|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155149|pwr  |4|00|Enough power available for device type=3

0214155149|pwr  |4|00|ALLOW power for device 3

0214155149|em   |*|00|authorisation 7e
0214155149|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155158|em   |5|00|Watchdog expired for EM1
```

0004f2873907-app.log

```
0214155159|em   |*|00|EM1 is detected
0214155159|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155159|pwr  |4|00|ATTACH called for already detecetd EM1

0214155159|pwr  |4|00|Free power from device=3

0214155159|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155159|pwr  |4|00|Enough power available for device type=3

0214155159|pwr  |4|00|ALLOW power for device 3

0214155159|em   |*|00|authorisation 7e
0214155159|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155209|em   |5|00|Watchdog expired for EM1
0214155210|em   |*|00|EM1 is detected
0214155210|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155210|pwr  |4|00|ATTACH called for already detecetd EM1

0214155210|pwr  |4|00|Free power from device=3

0214155210|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155210|pwr  |4|00|Enough power available for device type=3

0214155210|pwr  |4|00|ALLOW power for device 3

0214155210|em   |*|00|authorisation 7e
0214155210|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155220|em   |5|00|Watchdog expired for EM1
0214155221|em   |*|00|EM1 is detected
0214155221|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155221|pwr  |4|00|ATTACH called for already detecetd EM1

0214155221|pwr  |4|00|Free power from device=3

0214155221|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155221|pwr  |4|00|Enough power available for device type=3

0214155221|pwr  |4|00|ALLOW power for device 3

0214155221|em   |*|00|authorisation 7e
0214155221|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155222|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
```

0004f2873907-app.log

```
present - [1], previous - [2].
0214155225|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [1].
0214155230|em |5|00|Watchdog expired for EM1
0214155231|em |*|00|EM1 is detected
0214155231|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155231|pwr |4|00|ATTACH called for already detecetd EM1

0214155231|pwr |4|00|Free power from device=3

0214155231|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155231|pwr |4|00|Enough power available for device type=3

0214155231|pwr |4|00|ALLOW power for device 3

0214155231|em |*|00|authorisation 7e
0214155231|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155241|em |5|00|Watchdog expired for EM1
0214155242|em |*|00|EM1 is detected
0214155242|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155242|pwr |4|00|ATTACH called for already detecetd EM1

0214155242|pwr |4|00|Free power from device=3

0214155242|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155242|pwr |4|00|Enough power available for device type=3

0214155242|pwr |4|00|ALLOW power for device 3

0214155242|em |*|00|authorisation 7e
0214155242|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155242|app1 |*|00|Factory reset, log files uploading...
0214155444|cfg |*|00|RT| Time server is 192.168.8.15.
0214155444|cfg |*|00|RT| GMT offset is -21600 seconds.
0214155444|cfg |*|00|RT| DNS server is 192.168.8.15.
0214155444|cfg |*|00|RT| DNS alternate server is 10.6.0.10.
0214155444|cfg |*|00|RT| DNS domain is office.padtechnologies.com.
0214155444|cfg |*|00|RT| Time server is 192.168.8.15.
0214155444|cfg |*|00|RT| GMT offset is -21600 seconds.
0214155444|copy |4|00|Configuration of URL failed
0214155444|clist|4|00|dbSet::ioRequest:dir=<0> m_status=<true>
src=<0004f2873907-directory.xml>
dst=</ffs0/user/0004f2873907/0004f2873907-directory.xml> m_sync=<0x10>
0214155444|cfg |*|00|Prov|Finished updating configuration
```

0004f2873907-app.log

0214155444|cfg |\*|00|Prov|Starting to provision  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|cfg |4|00|Prov|Download of master configuration file failed  
0214155444|cfg |4|00|Prov|Trying to boot from existing configuration  
0214155444|cfg |4|00|Prov|Update configuration failed  
0214155444|cfg |\*|00|Prm|Not proceeding with reboot/restart, as device parameters  
needs to be updated, before making a decision  
0214155444|cfg |4|00|Prov|Not setting device parameters since configuration was  
not updated.  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|clist|4|00|dbSet::ioRequest:dir=<0> m\_status=<true>  
src=<000000000000-directory.xml>  
dst=</ffs0/user/0004f2873907/000000000000-directory.xml> m\_sync=<0x10>  
0214155444|cfg |\*|00|Prov|Finished updating configuration  
0214155444|so |4|00|[MsgSoTR069Init] Start  
0214155444|cfg |\*|00|Prov|Starting to provision  
0214155444|dectU|\*|00|Initial log entry. Current logging level 4  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|log |4|00|UtilLogServerC::uploadFifoLog: upload error. protocol 0  
result = 0  
0214155444|log |4|00|Failed to upload boot log on start up.  
0214155444|dectU|4|00|DECT\_UPDATER SDectUpdaterS0: BaseEventInit: Wait, NotPaired  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|cfg |4|00|Prov|Download of master configuration file failed  
0214155444|cfg |4|00|Prov|Trying to boot from existing configuration  
0214155444|cfg |4|00|Prov|Update configuration failed  
0214155444|cfg |\*|00|Prm|Not proceeding with reboot/restart, as device parameters  
needs to be updated, before making a decision  
0214155444|cfg |4|00|Prov|Not setting device parameters since configuration was  
not updated.  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|clist|4|00|dbSet::ioRequest:dir=<0> m\_status=<true>  
src=<0004f2873907-directory.xml>  
dst=</ffs0/user/0004f2873907/0004f2873907-directory.xml> m\_sync=<0x10>  
0214155444|cfg |\*|00|Prov|Finished updating configuration  
0214155444|copy |4|00|Configuration of URL failed  
0214155444|copy |4|00|Configuration of URL failed  
0214155446|dectU|4|00|DECT\_UPDATER size of (updateStatusDetails) 384  
0214155446|dectU|4|00|DECT\_UPDATER Read Could not open file  
0214155446|dect |\*|00|RePairing with BS  
0214155446|dect |4|00|Dect Feature not enabled!:0  
0214155446|dect |\*|00|Dect module is initialized changing state to : 1,  
0214155449|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]  
0214155450|em |5|00|Watchdog expired for EM1  
0214155451|em |\*|00|EM1 is detected  
0214155451|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214155451|pwr |4|00|ATTACH called for already deteced EM1  
0214155451|pwr |4|00|Free power from device=3  
0214155451|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155451|pwr |4|00|Enough power available for device type=3  
0214155451|pwr |4|00|ALLOW power for device 3  
  
0214155451|em |\*|00|authorisation 7e  
0214155451|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155501|em |5|00|Watchdog expired for EM1  
0214155502|em |\*|00|EM1 is detected  
0214155502|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155502|pwr |4|00|ATTACH called for already deteced EM1  
0214155502|pwr |4|00|Free power from device=3  
0214155502|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155502|pwr |4|00|Enough power available for device type=3  
0214155502|pwr |4|00|ALLOW power for device 3  
  
0214155502|em |\*|00|authorisation 7e  
0214155502|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155511|em |5|00|Watchdog expired for EM1  
0214155512|em |\*|00|EM1 is detected  
0214155512|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155512|pwr |4|00|ATTACH called for already deteced EM1  
0214155512|pwr |4|00|Free power from device=3  
0214155512|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155512|pwr |4|00|Enough power available for device type=3  
0214155512|pwr |4|00|ALLOW power for device 3  
  
0214155512|em |\*|00|authorisation 7e  
0214155512|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155520|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [0], previous - [2].  
0214155521|em |5|00|Watchdog expired for EM1

0004f2873907-app.log

```
0214155522|em   |*|00|EM1 is detected
0214155522|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155522|pwr  |4|00|ATTACH called for already deteced EM1

0214155522|pwr  |4|00|Free power from device=3

0214155522|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155522|pwr  |4|00|Enough power available for device type=3

0214155522|pwr  |4|00|ALLOW power for device 3

0214155522|em   |*|00|authorisation 7e
0214155522|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155531|em   |5|00|Watchdog expired for EM1
0214155532|em   |*|00|EM1 is detected
0214155532|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155532|pwr  |4|00|ATTACH called for already deteced EM1

0214155532|pwr  |4|00|Free power from device=3

0214155532|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155532|pwr  |4|00|Enough power available for device type=3

0214155532|pwr  |4|00|ALLOW power for device 3

0214155532|em   |*|00|authorisation 7e
0214155532|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155542|em   |5|00|Watchdog expired for EM1
0214155543|em   |*|00|EM1 is detected
0214155543|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155543|pwr  |4|00|ATTACH called for already deteced EM1

0214155543|pwr  |4|00|Free power from device=3

0214155543|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155543|pwr  |4|00|Enough power available for device type=3

0214155543|pwr  |4|00|ALLOW power for device 3

0214155543|em   |*|00|authorisation 7e
0214155543|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155546|copy  |4|00|Configuration of URL failed
```



0004f2873907-app.log

```
0214155546|log |4|00|UtilLogServerC::uploadFifoLog: upload error. protocol 0
result = 0
0214155552|em |5|00|Watchdog expired for EM1
0214155553|em |*|00|EM1 is detected
0214155553|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155553|pwr |4|00|ATTACH called for already deteced EM1

0214155553|pwr |4|00|Free power from device=3

0214155553|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155553|pwr |4|00|Enough power available for device type=3

0214155553|pwr |4|00|ALLOW power for device 3

0214155553|em |*|00|authorisation 7e
0214155553|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155559|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0214155602|em |5|00|Watchdog expired for EM1
0214155603|em |*|00|EM1 is detected
0214155603|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155603|pwr |4|00|ATTACH called for already deteced EM1

0214155603|pwr |4|00|Free power from device=3

0214155603|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155603|pwr |4|00|Enough power available for device type=3

0214155603|pwr |4|00|ALLOW power for device 3

0214155603|em |*|00|authorisation 7e
0214155603|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155612|em |5|00|Watchdog expired for EM1
0214155613|em |*|00|EM1 is detected
0214155613|em |*|00|EM1 is detected
0214155613|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155613|pwr |4|00|ATTACH called for already deteced EM1

0214155613|pwr |4|00|Free power from device=3

0214155613|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155613|pwr |4|00|Enough power available for device type=3
```

0004f2873907-app.log

0214155613|pwr |4|00|ALLOW power for device 3  
0214155613|em |\*|00|authorisation 7e  
0214155613|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155614|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214155614|pwr |4|00|ATTACH called for already detecetd EM1  
0214155614|pwr |4|00|Free power from device=3  
0214155614|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155614|pwr |4|00|Enough power available for device type=3  
0214155614|pwr |4|00|ALLOW power for device 3  
0214155614|em |\*|00|authorisation 7e  
0214155622|em |5|00|Watchdog expired for EM1  
0214155623|em |\*|00|EM1 is detected  
0214155623|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214155623|pwr |4|00|ATTACH called for already detecetd EM1  
0214155623|pwr |4|00|Free power from device=3  
0214155623|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155623|pwr |4|00|Enough power available for device type=3  
0214155623|pwr |4|00|ALLOW power for device 3  
0214155623|em |\*|00|authorisation 7e  
0214155623|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155633|em |5|00|Watchdog expired for EM1  
0214155634|em |\*|00|EM1 is detected  
0214155634|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0214155634|pwr |4|00|ATTACH called for already detecetd EM1  
0214155634|pwr |4|00|Free power from device=3  
0214155634|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214155634|pwr |4|00|Enough power available for device type=3  
0214155634|pwr |4|00|ALLOW power for device 3

0004f2873907-app.log

```
0214155634|em   |*|00|authorisation 7e
0214155634|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155640|cfg   |*|00|RT|Changed prov general
0214155640|cfg   |*|00|RT|  DNS server is 192.168.8.15.
0214155640|cfg   |*|00|RT|  DNS alternate server is 10.6.0.10.
0214155640|cfg   |*|00|RT|  DNS domain is office.padtechnologies.com.
0214155640|cfg   |*|00|RT|  Time server is 192.168.8.15.
0214155640|cfg   |*|00|RT|  GMT offset is -21600 seconds.
0214155640|cfg   |*|00|Prov|Starting to provision
0214155641|cfg   |*|00|Prov|Starting to update SIP551/3111-44600-001.sip.ld
0214155643|em   |5|00|Watchdog expired for EM1
0214155643|app1  |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [0], previous - [2].
0214155643|hw   |4|00|hwDescSecurityCombinedValidate: CRC ffffffff does not match
expected 83ddd6d9
0214155643|lic   |5|00|cfgCfsFlashKeyScratchLoad: could not load flash len 976
0214155643|lic   |*|00|License: new key for USB Call Recording expiry Tue Mar 15
19:00:00 2022 added
0214155643|lic   |*|00|License: new key for Conference Management expiry Tue Mar 15
19:00:00 2022 added
0214155643|lic   |*|00|License: new key for Corporate Directory expiry Tue Mar 15
19:00:00 2022 added
0214155643|lic   |*|00|License: new key for uaCSTA expiry Tue Mar 15 19:00:00 2022
added
0214155643|lic   |*|00|License: new key for Access URL expiry Tue Mar 15 19:00:00
2022 added
0214155643|lic   |*|00|License: new key for Enhanced Feature Keys expiry Tue Mar 15
19:00:00 2022 added
0214155643|hw   |4|00|hwDescSecurityCombinedValidate: CRC ffffffff does not match
expected 83ddd6d9
0214155643|lic   |5|00|cfgCfsFlashKeyScratchLoad: could not load flash len 976
0214155643|hw   |4|00|hwDescSecurityCombinedValidate: CRC ffffffff does not match
expected 83ddd6d9
0214155644|em   |*|00|EM1 is detected
0214155644|cfg   |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.5.index is invalid, ignoring
0214155644|cfg   |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.6.index is invalid, ignoring
0214155644|cfg   |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.7.index is invalid, ignoring
0214155644|cfg   |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.8.index is invalid, ignoring
0214155644|cfg   |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.9.index is invalid, ignoring
0214155644|cfg   |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.10.index is invalid, ignoring
0214155644|cfg   |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.11.index is invalid, ignoring
```

0004f2873907-app.log

0214155644|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.12.index is invalid, ignoring  
0214155644|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.13.index is invalid, ignoring  
0214155644|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.14.index is invalid, ignoring  
0214155644|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.15.index is invalid, ignoring  
0214155644|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.16.index is invalid, ignoring  
0214155644|cfg |\*|00|Prm|SIP551/Config/features.cfg: Value 9999 for configuration  
parameter dir.local.contacts.maxNum is too large, using 500, the maximum allowed  
0214155644|cfg |4|00|Prm|SIP551/Config/video.cfg: Unknown parameter  
"video.enable.SSTRVOIP" found, ignoring.  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0214155644|app1 |4|00|AppBrowserUiC::updateConfiguration() - Idle url - []  
0214155644|app1 |4|00|AppBrowserUiC::updateConfiguration() - Home url - []  
0214155644|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [2], previous - [0].  
0214155644|cfg |\*|00|Prm|Not proceeding with reboot/restart, as device parameters  
needs to be updated, before making a decision  
0214155644|app1 |\*|00|SoRegistrationEventLineChanged - success lineIndex 0  
RegListSize 0  
0214155644|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]  
0214155644|cfg |\*|00|Prov|Restarting due to config parameter changes.  
0214155644|acom |4|00|Application browser from 127.0.0.1 [18153] has been  
disconnected.

0004f2873907-app.log

```
0214155644|cfg |*|00|Prov|Restarting due to license changes
0214155644|cfg |*|00|Prov|Restart to handle change in master configuration file
0214155644|cfg |*|00|Prov|Finished updating configuration
0214155644|brow |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:browser
0214155645|em |*|00|authorisation 7e
0214155645|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155645|ec |4|00|[EWS WebTicket] Stopped web ticket service
0214155645|ec |4|00|Stopped access token service
0214155644|app1 |*|00|SoRegistrationEventLast - new AppRegLineC, szUser = 200
0214155644|so |4|00|[SoNcasC]: appncascontext termination:1
0214155644|cfg |5|00|Prm|Parameter attendant.reg requested type 2 but is of type 0
0214155644|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]
0214155644|cfg |*|00|RT| Time server is 192.168.8.15.
0214155644|cfg |*|00|RT| GMT offset is -21600 seconds.
0214155644|so |4|00|[SoNcasC]: Case Handling termination:1
0214155644|app1 |*|00|Event: Multiple Key Combo 7
0214155644|app1 |*|00|Manual Restart
0214155644|app1 |4|00|Sending restart/reboot event to exchange
0214155644|app1 |4|00|AppBrowserUiC::browserSetRebootFlag Setting the reboot flag
to true for browser.

0214155644|sip |*|00|Sip Register Usr:200 Dsp:200 Auth:'200' Inx:0
0214155644|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/sip.usr
doesn't exist or is empty
0214155645|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155645|pwr |4|00|ATTACH called for already detecetd EM1

0214155645|pwr |4|00|Free power from device=3

0214155645|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155645|pwr |4|00|Enough power available for device type=3

0214155645|pwr |4|00|ALLOW power for device 3

0214155645|app1 |4|00|AppBrowserUiC::handleRestart - Restarting the browser app.
0214155645|ldap |4|00|ldapXfer::start:xferStart failed cState=-1
0214155645|app1 |*|00|AppC::appReboot cDynamicData shutdown complete
0214155645|AuthS|2|00|Request(-1)AuthSvc,(4)ServiceSetMsgKey,(-1),(-1),(Expiry,Tran
sactionId,Time,Type):(-1,-1,1487109405,0)IndicationLevel:(200)
0214155645|AuthS|2|00|ShutDown event is received, Running SMS(0)
0214155646|cfg |*|00|Edit|Save attempted after shutdown
0214155646|dect |*|00|Initial log entry. Current logging level 4
0214155646|dect |*|00|createCmbsDectInstance :: cmbs Dect Instance is created
0214155647|log |4|00|UtilLogServerC: Upload succeeded. (ConsecutiveFailures 2
```

0004f2873907-app.log

Total 2 MsgSendErr 0)

```
0214155647|so   |*|00|SoNcasC::procMsg: Client service shutdown complete
0214155654|em   |5|00|Watchdog expired for EM1
0214155655|em   |*|00|EM1 is detected
0214155655|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155655|pwr  |4|00|ATTACH called for already detecetd EM1

0214155655|pwr  |4|00|Free power from device=3

0214155655|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155655|pwr  |4|00|Enough power available for device type=3

0214155655|pwr  |4|00|ALLOW power for device 3

0214155655|em   |*|00|authorisation 7e
0214155655|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155656|brow |*|00|Initial log entry. Current logging level 4
0214155702|wdog |*|00|Watchdog Expired: tApp0, 48
0214155702|log   |*|00|----- Final log entry -----
000336.554|log   |*|00|----- Initial log entry -----
000334.460|pgui  |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:spigui
000334.462|dbs   |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:dbs
000334.464|em   |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:em
000334.466|osd   |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:osd
000334.468|ec    |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:ec
000334.471|brow |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:browser
000336.533|rdisk |*|00|Initial log entry. Current logging level 4
000336.535|rdisk |*|00|RAM disk created and mounted at "/rfs0"
000336.535|rdisk |*|00|RAM disk created, size: 16,777,216 bytes
000336.548|so    |*|00|Platform: Model=VWX 600, Assembly=3111-44600-001 Rev=A
Region=0
000336.548|so    |*|00|Platform: Interface   eth0 MAC=0004f2873907
000336.549|so    |*|00|Platform: BootBlock=3.0.4.0061 (44600-001) 13-Sep-12 09:09
000336.550|so    |*|00|Platform: BootL1=1.0.0.0041 (44600-001) 13-Sep-12 10:01
```

0004f2873907-app.log

000336.551|so |\*|00|Platform: Updater=5.7.1.13914 11-Jan-17 19:40  
000336.551|so |\*|00|Application, main: Label=SIP, Version=Elbe1 5.5.1.12442  
11-Jan-17 19:01  
000336.552|so |\*|00|Application, main: P/N=3150-11530-551  
000336.552|pec |\*|00|Initial log entry. Current logging level 4  
000336.553|rdisk|\*|00|RAM disk created, size: 16,777,216 bytes  
000336.553|ocsp |\*|00|O.C.S.P. Enabled = 0  
000336.740|tls |\*|00|Initial log entry. Current logging level 4  
000336.769|pmt |\*|00|Initial log entry. Current logging level 4  
000336.772|wdog |\*|00|Initial log entry. Current logging level 4  
000336.772|ethf |\*|00|Initial log entry. Current logging level 4  
000336.772|hw |\*|00|Initial log entry. Current logging level 4  
000336.773|ares |\*|00|Initial log entry. Current logging level 4  
000336.773|dns |\*|00|Initial log entry. Current logging level 4  
000336.773|cfg |\*|00|Initial log entry. Current logging level 4  
000336.773|cfg |\*|00|Prm|cfgParamBaseProfileUpdate: Using Base Profile Generic  
000336.775|dot1x|\*|00|Initial log entry. Current logging level 4  
000336.888|lic |\*|00|Initial log entry. Current logging level 4  
000336.901|lic |\*|00|License expiry check in 14599 seconds  
000336.905|curl |\*|00|Initial log entry. Current logging level 4  
000336.905|utilm|\*|00|Initial log entry. Current logging level 4  
000336.905|copy |\*|00|Initial log entry. Current logging level 4  
000336.905|rtos |\*|00|Initial log entry. Current logging level 4  
000336.906|sec |\*|00|Initial log entry. Current logging level 4  
000336.908|so |\*|00|Configuration files:  
SIP551/Config/extensions/reg-basic-0004f2873907.cfg, SIP551/Config/features.cfg,  
SIP551/Config/sip-basic.cfg, SIP551/Config/sip-interop.cfg, SIP551/Config/site.cfg,  
SIP551/Config/video.cfg, SIP551/Config/H323.cfg, SIP551/Config/applications.cfg  
000336.908|so |\*|00|Configuration file  
"SIP551/Config/extensions/reg-basic-0004f2873907.cfg" SHA1 digest:  
332DD0BC48A99FA6634AE3A5137014E1580086FA  
000336.908|so |\*|00|Configuration file "SIP551/Config/features.cfg" SHA1 digest:  
DEF171573B2983337EE443B40AD2FE5FC1C15540  
000336.908|so |\*|00|Configuration file "SIP551/Config/sip-basic.cfg" SHA1 digest:  
DB01E6543B82E9320E11076C20E74539876F9F33  
000336.908|so |\*|00|Configuration file "SIP551/Config/sip-interop.cfg" SHA1  
digest: F0DF2F5C7C14E1A7C581C458B135DB1B75245B3A  
000336.908|so |\*|00|Configuration file "SIP551/Config/site.cfg" SHA1 digest:  
A400C1E54DFD081879AD6C0A9BBEB085C1AA32EB  
000336.908|so |\*|00|Configuration file "SIP551/Config/video.cfg" SHA1 digest:  
1D025955C6910AC98E0FAD5945EA1EB9B829D6D1  
000336.908|so |\*|00|Configuration file "SIP551/Config/H323.cfg" SHA1 digest:  
CC67550C967187242A12360F24CF34A09CAE1328  
000336.908|so |\*|00|Configuration file "SIP551/Config/applications.cfg" SHA1  
digest: 7A8A9D72A4E22EB7CCD9F0CEF90E688AEB8E2D12  
000336.908|cfg |4|00|Prm|Configuration file(s) statistics: 1 parameters were  
invalid and could not be interpreted.  
000336.908|cfg |4|00|Prm|Configuration file(s) statistics: 1 parameter values were

0004f2873907-app.log

used but were out of range. 12 were invalid and ignored.

```
000336.925|log |*|00|Log render level set to 1
000336.931|pcap |*|00|On-Phone Packet Capture disabled
000336.932|srtp |*|00|Initial log entry. Current logging level 4
000336.932|cfg |5|00|Prm|Parameter 0 is out of range
000336.934|res |*|00|Initial log entry. Current logging level 4
000336.935|httpa |*|00|Initial log entry. Current logging level 4
000336.935|lldp |*|00|Initial log entry. Current logging level 4
000336.935|cdp |*|00|Initial log entry. Current logging level 4
000336.935|pcd |*|00|Initial log entry. Current logging level 4
000336.938|ssps |*|00|Initial log entry. Current logging level 4
000336.940|ssps |5|00|Allocated 36992 bytes for SpsHdiMemBase=0x19cce58
000337.142|ssps |*|00|sspsMain: sspsDspLoad successful using default image.
000337.143|so |*|00|System Info Reports:
000337.143|so |*|00| Cpu is ARMv6-compatible processor rev 7 (v6l), ID:
0x111070b2, running at 500MHz.
000337.143|so |*|00| Board is identified as PolycomV VX-VVX_600.
000337.143|so |*|00| DRAM_SIZE: 224 MB
000337.143|so |*|00| NAND flash detected is 20
000337.143|key |*|00|Initial log entry. Current logging level 4
000337.158|httpd |*|00|Initial log entry. Current logging level 4
000337.158|poll |*|00|Initial log entry. Current logging level 4
000337.158|push |*|00|Initial log entry. Current logging level 4
000337.159|poll |*|00|Initial log entry. Current logging level 4
000337.159|poll |*|00|Initial log entry. Current logging level 4
000337.160|rest |*|00|Initial log entry. Current logging level 4
000337.161|ht |*|00|Initial log entry. Current logging level 4
000337.162|ht |*|00|HTTP TA Initialized
000337.162|cap |*|00|Initial log entry. Current logging level 4
000337.162|vid |*|00|Initial log entry. Current logging level 4
000337.162|vid |5|00|init: Could not start display driver.
000337.164|dbuf |*|00|Initial log entry. Current logging level 4
000337.168|ssps |*|00|sspsMain: Set HDI mem to be 0, was 0
000337.170|ice |*|00|Initial log entry. Current logging level 4
000337.171|pps |*|00|Initial log entry. Current logging level 4
000337.171|sip |*|00|Initial log entry. Current logging level 4
000337.171|sipt |*|00|Initial log entry. Current logging level 4
000337.171|sipp |*|00|Initial log entry. Current logging level 4
000337.172|ssps |*|00|Application, comp. 1: Label=PolyDSP Vino BCM11107 Mem1 FS1,
Version=8.4.7.1002B 09-Nov-2016 18:58
000337.172|ssps |*|00|Application, comp. 1: P/N=3150-11580-847.
000337.173|ptt |*|00|Initial log entry. Current logging level 4
000337.174|xmpp |*|00|Initial log entry. Current logging level 4
000337.175|btoe |*|00|Initial log entry. Current logging level 4
000337.176|pdect |*|00|Initial log entry. Current logging level 4
000337.532|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=1
```



0004f2873907-app.log

```
000337.533|ssps |5|00|Failed to create 'SoVidDecoderFacadeC' object
000337.533|ssps |5|00|Failed to create 'SoVidDecoderFacadeC' object
000337.533|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=3
000338.400|pwrsv|*|00|Initial log entry. Current logging level 4
000338.421|so |*|00|Using TCP IP Media Port, configured initial RTP port 2222
000338.421|so |*|00|Using TCP IP Video Port, configured initial RTP port 2272
000338.452|usb |*|00|Initial log entry. Current logging level 4
000338.454|pwr |*|00|Initial log entry. Current logging level 4
000338.454|pwr |5|00|Initialising Power Manager - Polyapp
000338.455|sshc |*|00|Initial log entry. Current logging level 4
000338.455|gbLoc|*|00|Initial log entry. Current logging level 4
000338.455|app1 |*|00|Initial log entry. Current logging level 4
000338.501|app1 |*|00|AppPhoneC::AppPhoneC() Number Of Line Keys = 48
000338.501|app1 |*|00|AppPhoneC::AppPhoneC() - new AppRegLineC, szUser = 200
000338.566|ldap |*|00|Initial log entry. Current logging level 4
000338.578|bluet|*|00|Initial log entry. Current logging level 4
000338.611|pwr |5|00|Powering up USB ports from Power Manager usb0power 1
usb1power 1
000339.431|pwr |4|00|device=2, Name='À`À', state=0, powerReq=7500,
emtype=-841646916

000339.431|pwr |4|00|ATTACH called for already detecetd USB1

000339.431|pwr |4|00|Free power from device=2

000339.432|pwr |4|00|Requested power by device=2, powerreq=7500, pallocPriority=0

000339.432|pwr |4|00|REJECT power for device=2

000339.432|pwr |4|00|device=2, Name='À`À', state=0, powerReq=2500,
emtype=-841646916

000339.433|pwr |4|00|Requested power by device=2, powerreq=2500, pallocPriority=0

000339.434|pwr |4|00|Enough power available for device type=2

000339.434|pwr |4|00|ALLOW power for device 2

000339.494|pgui |*|00|Qt Keyboard driver created.
000339.495|pgui |4|00|Reconnected with core app, reload the keyboard
000339.618|btapp|*|00|Initial log entry. Current logging level 4
000339.709|app1 |4|00|AppBrowserUiC::AppBrowserUiC Home url - [], idle url - []
000339.725|efk |*|00|Initial log entry. Current logging level 4
000339.745|flk |*|00|Initial log entry. Current logging level 4
000339.749|cmp |*|00|Initial log entry. Current logging level 4
000339.749|wmgr |*|00|Initial log entry. Current logging level 4
```

0004f2873907-app.log

```
000339.785|drvbt|*|00|Initial log entry. Current logging level 4
000339.786|so |4|00|SoKeyC::procMsg unexpected message 4099
000339.791|slog |*|00|Initial log entry. Current logging level 3
000340.179|app1 |4|00|AppUiC::onConnected - Resetting the previous backlight state.
000340.258|app1 |4|00|AppBrowserUiC::browserResetRebootFlag Setting the reboot flag
to false for browser.

000340.258|app1 |4|00|AppBrowserUiC::configure() Enter
000340.276|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External
EWS url's are empty
000340.314|clist|*|00|Initial log entry. Current logging level 4
000340.332|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000340.333|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000340.339|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000340.340|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000340.420|app1 |4|00|AppBrowserUiC::configure() Enter
000340.654|clist|4|00|dbSet::startLoadLocalSet:No local copy, requesting backup
from server
000340.747|wdog |*|00|Hw Watchdog timer interface successfully opened from polyapp
000340.755|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [4].
000340.879|so |5|00|SoCoreAudioC::videoWindowResizeMove: Requested yuv chan has
not been activated yet.
000341.168|em |*|00|Upgrade in progress, resetting the EM0 because of polyapp
restart
000341.205|app1 |*|00|[AppHybridC]: App is completely initialized.
000341.246|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=5
000341.899|so |5|00|SoCoreAudioC::videoWindowResizeMove: Requested yuv chan has
not been activated yet.
000342.149|so |5|00|SoCoreAudioC::videoWindowResizeMove: Requested yuv chan has
not been activated yet.
000342.407|pgui |4|00|'Table Names' or 'Tabels Data' update is not required due to
unavailablity of token (en) from the cached table list, notification ignored
000342.591|pgui |4|00|'Table Names' or 'Tabels Data' update is not required due to
unavailablity of token (en) from the cached table list, notification ignored
000342.910|dhcpc|*|00|Initial log entry. Current logging level 4
000345.570|em |5|00|Watchdog expired for EM1
000345.714|cfg |5|00|RT|cfgRtRunDvdOnDhcpLease:DVD is not in progress
000345.716|cfg |*|00|RT| Phone IP address is 192.168.8.202.
000345.716|cfg |*|00|RT| Subnet mask is 255.255.255.0.
000345.716|cfg |*|00|RT| Gateway address is 192.168.8.1.
000345.722|cfg |*|00|RT|Primary IP: 192.168.8.202 subnet mask 255.255.255.0
000345.722|cfg |*|00|RT| DNS server is 192.168.8.15.
000345.722|cfg |*|00|RT| DNS alternate server is 10.6.0.10.
000345.722|cfg |*|00|RT| DNS domain is office.padtechnologies.com.
0214155716|ec |4|00|Got new timezone CST6CDT,J71/2:0:0,J309/2:0:0
```

0004f2873907-app.log

```
0214155716|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Enter
0214155716|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Default
0214155716|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Exit

0214155657|cfg |*|00|RT| Time server is 192.168.8.15.
0214155657|cfg |*|00|RT| GMT offset is -21600 seconds.
0214155657|dns |*|00|DNS resolver servers are '192.168.8.15' '10.6.0.10'
0214155657|dns |*|00|DNS resolver search domain is 'office.padtechnologies.com'
0214155657|so |*|00|Network initialized. Starting network tasks.
0214155657|tickt|*|00|Initial log entry. Current logging level 4
0214155657|loc |*|00|Initial log entry. Current logging level 4
0214155657|AuthS|*|00|Initial log entry. Current logging level 2
0214155657|Devic|*|00|Initial log entry. Current logging level 4
0214155657|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer
0214155657|proxy|*|00|Initial log entry. Current logging level 2
0214155657|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer
0214155657|proxy|3|00|Proxy Service intialized
0214155657|WADSe|*|00|Initial log entry. Current logging level 2
0214155657|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer
0214155657|log |*|00|Install file upload callback for 'so'

0214155657|pps |*|00| vqmon Process Service Route is Disabled
0214155657|btoe |5|00|MsgPpsNcasProcessStartStopCmd: BTOE is disabled. Cannot
start Pairing
0214155657|so |4|00|[SoNcasC]: appncascontext termination:1
0214155657|so |4|00|[SoNcasC]: Case Handling termination:1
0214155657|sip |*|00|Sip Register Usr:200 Dsp:200 Auth:'200' Inx:0
0214155657|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/sip.usr
doesn't exist or is empty
0214155657|sip |*|00|Fast Boot Measurement Point: Ready for Call, uptime: 225.815
sec.
0214155657|dect |*|00|Initial log entry. Current logging level 4
0214155657|dect |*|00|createCmbsDectInstance :: cmbs Dect Instance is created
0214155657|app1 |4|00|fsmLclEvent - context=0, index=2, lineKeyNum=1, numLineKeys=4
0214155657|app1 |4|00|setFlexLineKeyIndex -Index: 0, Position: 0
0214155657|app1 |4|00|fsmLclEvent - context=0, index=3, lineKeyNum=2, numLineKeys=4
0214155657|app1 |4|00|setFlexLineKeyIndex -Index: 1, Position: 1
0214155657|app1 |4|00|fsmLclEvent - context=0, index=4, lineKeyNum=3, numLineKeys=4
0214155657|app1 |4|00|setFlexLineKeyIndex -Index: 2, Position: 2
0214155657|app1 |4|00|fsmLclEvent - context=0, index=5, lineKeyNum=4, numLineKeys=4
0214155657|app1 |4|00|setFlexLineKeyIndex -Index: 3, Position: 3
0214155657|app1 |4|00|AppBrowserUiC::configure() Enter
0214155657|app1 |4|00|AppBrowserUiC::configure() - Home url - [], idle url - []
0214155658|app1 |4|00|Corporate directory is not Enabled.
0214155658|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0214155658|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
```

0004f2873907-app.log

0214155658|moh |\*|00|Initial log entry. Current logging level 4  
0214155658|moh |4|00|SoNcasMohC::soNcasmohCfgInit: File provisioning for Music On Hold is defined only for Lync Profile and if Music On Hold feature is enabled  
0214155658|cfg |\*|00|Prov|Starting to provision  
0214155716|cfg |\*|00|Prov|Starting to update SIP551/3111-44600-001.sip.ld  
0214155716|brow |4|00|Timezone value = CST6CDT,J71/2:0:0,J309/2:0:0, Browser state - 1, Visible - 0

0214155716|em |\*|00|EM1 is detected  
0214155717|em |\*|00|EM1 is detected  
0214155717|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155717|pwr |4|00|ATTACH called for already detected EM1

0214155717|pwr |4|00|Free power from device=3

0214155717|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155717|pwr |4|00|Enough power available for device type=3

0214155717|pwr |4|00|ALLOW power for device 3

0214155717|em |\*|00|authorisation 7e  
0214155717|em |\*|00|LC Log: Switched Communication to Legacy Mode  
0214155717|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155717|pwr |4|00|ATTACH called for already detected EM1

0214155717|pwr |4|00|Free power from device=3

0214155717|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155717|pwr |4|00|Enough power available for device type=3

0214155717|pwr |4|00|ALLOW power for device 3

0214155717|em |\*|00|authorisation 7e  
0214155718|brow |4|00|Timezone value = CST6CDT,J71/2:0:0,J309/2:0:0, Browser state - 1, Visible - 0

0214155719|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.5.index is invalid, ignoring  
0214155719|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.6.index is invalid, ignoring  
0214155719|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.7.index is invalid, ignoring  
0214155719|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.8.index is invalid, ignoring

0004f2873907-app.log

```
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.9.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.10.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.11.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.12.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.13.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.14.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.15.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.16.index is invalid, ignoring
0214155719|cfg |*|00|Prm|SIP551/Config/features.cfg: Value 9999 for configuration
parameter dir.local.contacts.maxNum is too large, using 500, the maximum allowed
0214155719|cfg |4|00|Prm|SIP551/Config/video.cfg: Unknown parameter
"video.enable.SSTRVOIP" found, ignoring.
0214155719|cfg |*|00|Prm|Not proceeding with reboot/restart, as device parameters
needs to be updated, before making a decision
0214155719|cfg |*|00|Prov|Finished updating configuration
0214155719|so |4|00|[MsgSoTR069Init] Start
0214155719|dectU|*|00|Initial log entry. Current logging level 4
0214155719|dectU|4|00|DECT_UPDATER SDEctUpdaterS0: BaseEventInit: Wait, NotPaired
0214155721|dectU|4|00|DECT_UPDATER size of (updateStatusDetails) 384
0214155721|dectU|4|00|DECT_UPDATER Read Could not open file
0214155721|dect |*|00|RePairing with BS
0214155721|dect |4|00|Dect Feature not enabled!:0
0214155721|dect |*|00|Dect module is initialized changing state to : 1,
0214155725|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]
0214155726|em |5|00|Watchdog expired for EM1
0214155727|em |*|00|EM1 is detected
0214155728|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155728|pwr |4|00|ATTACH called for already detecetd EM1

0214155728|pwr |4|00|Free power from device=3

0214155728|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155728|pwr |4|00|Enough power available for device type=3

0214155728|pwr |4|00|ALLOW power for device 3

0214155728|em |*|00|authorisation 7e
0214155728|em |*|00|LC Log: Switched Communcation to Legacy Mode
```

0004f2873907-app.log

0214155737|em |5|00|Watchdog expired for EM1  
0214155738|em |\*|00|EM1 is detected  
0214155739|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155739|pwr |4|00|ATTACH called for already deteced EM1  
  
0214155739|pwr |4|00|Free power from device=3  
  
0214155739|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
  
0214155739|pwr |4|00|Enough power available for device type=3  
  
0214155739|pwr |4|00|ALLOW power for device 3  
  
0214155739|em |\*|00|authorisation 7e  
0214155739|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155747|em |5|00|Watchdog expired for EM1  
0214155748|em |\*|00|EM1 is detected  
0214155749|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155749|pwr |4|00|ATTACH called for already deteced EM1  
  
0214155749|pwr |4|00|Free power from device=3  
  
0214155749|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
  
0214155749|pwr |4|00|Enough power available for device type=3  
  
0214155749|pwr |4|00|ALLOW power for device 3  
  
0214155749|em |\*|00|authorisation 7e  
0214155749|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214155758|em |5|00|Watchdog expired for EM1  
0214155758|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [0], previous - [2].  
0214155759|em |\*|00|EM1 is detected  
0214155800|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214155800|pwr |4|00|ATTACH called for already deteced EM1  
  
0214155800|pwr |4|00|Free power from device=3  
  
0214155800|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
  
0214155800|pwr |4|00|Enough power available for device type=3  
  
0214155800|pwr |4|00|ALLOW power for device 3

0004f2873907-app.log

```
0214155800|em   |*|00|authorisation 7e
0214155800|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155808|em   |5|00|Watchdog expired for EM1
0214155809|em   |*|00|EM1 is detected
0214155810|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155810|pwr  |4|00|ATTACH called for already detecetd EM1

0214155810|pwr  |4|00|Free power from device=3

0214155810|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155810|pwr  |4|00|Enough power available for device type=3

0214155810|pwr  |4|00|ALLOW power for device 3

0214155810|em   |*|00|authorisation 7e
0214155810|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155818|em   |5|00|Watchdog expired for EM1
0214155819|em   |*|00|EM1 is detected
0214155820|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155820|pwr  |4|00|ATTACH called for already detecetd EM1

0214155820|pwr  |4|00|Free power from device=3

0214155820|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155820|pwr  |4|00|Enough power available for device type=3

0214155820|pwr  |4|00|ALLOW power for device 3

0214155820|em   |*|00|authorisation 7e
0214155820|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155829|em   |5|00|Watchdog expired for EM1
0214155830|em   |*|00|EM1 is detected
0214155831|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155831|pwr  |4|00|ATTACH called for already detecetd EM1

0214155831|pwr  |4|00|Free power from device=3

0214155831|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155831|pwr  |4|00|Enough power available for device type=3

0214155831|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214155831|em   |*|00|authorisation 7e
0214155831|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155839|em   |5|00|Watchdog expired for EM1
0214155840|em   |*|00|EM1 is detected
0214155841|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155841|pwr  |4|00|ATTACH called for already detecetd EM1

0214155841|pwr  |4|00|Free power from device=3

0214155841|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155841|pwr  |4|00|Enough power available for device type=3

0214155841|pwr  |4|00|ALLOW power for device 3

0214155841|em   |*|00|authorisation 7e
0214155841|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155849|em   |5|00|Watchdog expired for EM1
0214155850|em   |*|00|EM1 is detected
0214155851|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155851|pwr  |4|00|ATTACH called for already detecetd EM1

0214155851|pwr  |4|00|Free power from device=3

0214155851|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155851|pwr  |4|00|Enough power available for device type=3

0214155851|pwr  |4|00|ALLOW power for device 3

0214155851|em   |*|00|authorisation 7e
0214155851|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155859|em   |5|00|Watchdog expired for EM1
0214155900|em   |*|00|EM1 is detected
0214155901|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155901|pwr  |4|00|ATTACH called for already detecetd EM1

0214155901|pwr  |4|00|Free power from device=3

0214155901|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155901|pwr  |4|00|Enough power available for device type=3

0214155901|pwr  |4|00|ALLOW power for device 3
```



0004f2873907-app.log

```
0214155901|em |*|00|authorisation 7e
0214155901|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155909|em |5|00|Watchdog expired for EM1
0214155910|em |*|00|EM1 is detected
0214155911|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155911|pwr |4|00|ATTACH called for already detecetd EM1

0214155911|pwr |4|00|Free power from device=3

0214155911|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155911|pwr |4|00|Enough power available for device type=3

0214155911|pwr |4|00|ALLOW power for device 3

0214155911|em |*|00|authorisation 7e
0214155911|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155919|em |5|00|Watchdog expired for EM1
0214155920|em |*|00|EM1 is detected
0214155921|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155921|pwr |4|00|ATTACH called for already detecetd EM1

0214155921|pwr |4|00|Free power from device=3

0214155921|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155921|pwr |4|00|Enough power available for device type=3

0214155921|pwr |4|00|ALLOW power for device 3

0214155921|em |*|00|authorisation 7e
0214155921|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214155929|em |5|00|Watchdog expired for EM1
0214155930|em |*|00|EM1 is detected
0214155931|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155931|pwr |4|00|ATTACH called for already detecetd EM1

0214155931|pwr |4|00|Free power from device=3

0214155931|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155931|pwr |4|00|Enough power available for device type=3

0214155931|pwr |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214155931|em   |*|00|authorisation 7e
0214155931|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155939|em   |5|00|Watchdog expired for EM1
0214155940|em   |*|00|EM1 is detected
0214155941|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155941|pwr  |4|00|ATTACH called for already detecetd EM1

0214155941|pwr  |4|00|Free power from device=3

0214155941|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155941|pwr  |4|00|Enough power available for device type=3

0214155941|pwr  |4|00|ALLOW power for device 3

0214155941|em   |*|00|authorisation 7e
0214155941|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155949|em   |5|00|Watchdog expired for EM1
0214155950|em   |*|00|EM1 is detected
0214155951|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214155951|pwr  |4|00|ATTACH called for already detecetd EM1

0214155951|pwr  |4|00|Free power from device=3

0214155951|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214155951|pwr  |4|00|Enough power available for device type=3

0214155951|pwr  |4|00|ALLOW power for device 3

0214155951|em   |*|00|authorisation 7e
0214155951|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214155959|em   |5|00|Watchdog expired for EM1
0214160000|em   |*|00|EM1 is detected
0214160001|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160001|pwr  |4|00|ATTACH called for already detecetd EM1

0214160001|pwr  |4|00|Free power from device=3

0214160001|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160001|em   |*|00|authorisation 7e
0214160001|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160001|pwr  |4|00|Enough power available for device type=3
```

0004f2873907-app.log

0214160001|pwr |4|00|ALLOW power for device 3

0214160009|em |5|00|Watchdog expired for EM1  
0214160010|em |\*|00|EM1 is detected  
0214160011|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160011|pwr |4|00|ATTACH called for already detecetd EM1

0214160011|pwr |4|00|Free power from device=3

0214160011|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160011|pwr |4|00|Enough power available for device type=3

0214160011|pwr |4|00|ALLOW power for device 3

0214160011|em |\*|00|authorisation 7e  
0214160011|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160020|em |5|00|Watchdog expired for EM1  
0214160021|em |\*|00|EM1 is detected  
0214160022|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160022|pwr |4|00|ATTACH called for already detecetd EM1

0214160022|pwr |4|00|Free power from device=3

0214160022|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160022|pwr |4|00|Enough power available for device type=3

0214160022|pwr |4|00|ALLOW power for device 3

0214160022|em |\*|00|authorisation 7e  
0214160022|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160030|em |5|00|Watchdog expired for EM1  
0214160031|em |\*|00|EM1 is detected  
0214160032|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160032|pwr |4|00|ATTACH called for already detecetd EM1

0214160032|pwr |4|00|Free power from device=3

0214160032|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160032|pwr |4|00|Enough power available for device type=3

0214160032|pwr |4|00|ALLOW power for device 3

0004f2873907-app.log

```
0214160032|em   |*|00|authorisation 7e
0214160032|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160040|em   |5|00|Watchdog expired for EM1
0214160041|em   |*|00|EM1 is detected
0214160042|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160042|pwr  |4|00|ATTACH called for already detecetd EM1

0214160042|pwr  |4|00|Free power from device=3

0214160042|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160042|pwr  |4|00|Enough power available for device type=3

0214160042|pwr  |4|00|ALLOW power for device 3

0214160042|em   |*|00|authorisation 7e
0214160042|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160050|em   |5|00|Watchdog expired for EM1
0214160051|em   |*|00|EM1 is detected
0214160052|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160052|pwr  |4|00|ATTACH called for already detecetd EM1

0214160052|pwr  |4|00|Free power from device=3

0214160052|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160052|pwr  |4|00|Enough power available for device type=3

0214160052|pwr  |4|00|ALLOW power for device 3

0214160052|em   |*|00|authorisation 7e
0214160052|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160100|em   |5|00|Watchdog expired for EM1
0214160101|em   |*|00|EM1 is detected
0214160102|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160102|pwr  |4|00|ATTACH called for already detecetd EM1

0214160102|pwr  |4|00|Free power from device=3

0214160102|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160102|pwr  |4|00|Enough power available for device type=3

0214160102|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160102|em   |*|00|authorisation 7e
0214160102|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160111|em   |5|00|Watchdog expired for EM1
0214160112|em   |*|00|EM1 is detected
0214160113|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160113|pwr  |4|00|ATTACH called for already detecetd EM1

0214160113|pwr  |4|00|Free power from device=3

0214160113|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160113|pwr  |4|00|Enough power available for device type=3

0214160113|pwr  |4|00|ALLOW power for device 3

0214160113|em   |*|00|authorisation 7e
0214160113|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160121|em   |5|00|Watchdog expired for EM1
0214160122|em   |*|00|EM1 is detected
0214160123|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160123|pwr  |4|00|ATTACH called for already detecetd EM1

0214160123|pwr  |4|00|Free power from device=3

0214160123|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160123|pwr  |4|00|Enough power available for device type=3

0214160123|pwr  |4|00|ALLOW power for device 3

0214160123|em   |*|00|authorisation 7e
0214160123|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160131|em   |5|00|Watchdog expired for EM1
0214160132|em   |*|00|EM1 is detected
0214160133|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160133|pwr  |4|00|ATTACH called for already detecetd EM1

0214160133|pwr  |4|00|Free power from device=3

0214160133|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160133|pwr  |4|00|Enough power available for device type=3

0214160133|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160133|em   |*|00|authorisation 7e
0214160133|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160141|em   |5|00|Watchdog expired for EM1
0214160142|em   |*|00|EM1 is detected
0214160143|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160143|pwr  |4|00|ATTACH called for already detecetd EM1

0214160143|pwr  |4|00|Free power from device=3

0214160143|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160143|pwr  |4|00|Enough power available for device type=3

0214160143|pwr  |4|00|ALLOW power for device 3

0214160143|em   |*|00|authorisation 7e
0214160143|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160151|em   |5|00|Watchdog expired for EM1
0214160152|em   |*|00|EM1 is detected
0214160153|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160153|pwr  |4|00|ATTACH called for already detecetd EM1

0214160153|pwr  |4|00|Free power from device=3

0214160153|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160153|pwr  |4|00|Enough power available for device type=3

0214160153|pwr  |4|00|ALLOW power for device 3

0214160153|em   |*|00|authorisation 7e
0214160153|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160201|em   |5|00|Watchdog expired for EM1
0214160202|em   |*|00|EM1 is detected
0214160203|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160203|pwr  |4|00|ATTACH called for already detecetd EM1

0214160203|pwr  |4|00|Free power from device=3

0214160203|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160203|pwr  |4|00|Enough power available for device type=3

0214160203|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160203|em   |*|00|authorisation 7e
0214160203|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160211|em   |5|00|Watchdog expired for EM1
0214160212|em   |*|00|EM1 is detected
0214160213|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160213|pwr  |4|00|ATTACH called for already detecetd EM1

0214160213|pwr  |4|00|Free power from device=3

0214160213|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160213|pwr  |4|00|Enough power available for device type=3

0214160213|pwr  |4|00|ALLOW power for device 3

0214160213|em   |*|00|authorisation 7e
0214160213|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160221|em   |5|00|Watchdog expired for EM1
0214160222|em   |*|00|EM1 is detected
0214160223|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160223|pwr  |4|00|ATTACH called for already detecetd EM1

0214160223|pwr  |4|00|Free power from device=3

0214160223|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160223|pwr  |4|00|Enough power available for device type=3

0214160223|pwr  |4|00|ALLOW power for device 3

0214160223|em   |*|00|authorisation 7e
0214160223|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160231|em   |5|00|Watchdog expired for EM1
0214160232|em   |*|00|EM1 is detected
0214160233|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160233|pwr  |4|00|ATTACH called for already detecetd EM1

0214160233|pwr  |4|00|Free power from device=3

0214160233|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160233|pwr  |4|00|Enough power available for device type=3

0214160233|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160233|em   |*|00|authorisation 7e
0214160233|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160241|em   |5|00|Watchdog expired for EM1
0214160242|em   |*|00|EM1 is detected
0214160243|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160243|pwr  |4|00|ATTACH called for already detecetd EM1

0214160243|pwr  |4|00|Free power from device=3

0214160243|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160243|pwr  |4|00|Enough power available for device type=3

0214160243|pwr  |4|00|ALLOW power for device 3

0214160243|em   |*|00|authorisation 7e
0214160243|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160251|em   |5|00|Watchdog expired for EM1
0214160252|em   |*|00|EM1 is detected
0214160253|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160253|pwr  |4|00|ATTACH called for already detecetd EM1

0214160253|pwr  |4|00|Free power from device=3

0214160253|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160253|pwr  |4|00|Enough power available for device type=3

0214160253|pwr  |4|00|ALLOW power for device 3

0214160253|em   |*|00|authorisation 7e
0214160253|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160301|em   |5|00|Watchdog expired for EM1
0214160302|em   |*|00|EM1 is detected
0214160303|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160303|pwr  |4|00|ATTACH called for already detecetd EM1

0214160303|pwr  |4|00|Free power from device=3

0214160303|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160303|pwr  |4|00|Enough power available for device type=3

0214160303|pwr  |4|00|ALLOW power for device 3
```



0004f2873907-app.log

```
0214160303|em   |*|00|authorisation 7e
0214160303|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160311|em   |5|00|Watchdog expired for EM1
0214160312|em   |*|00|EM1 is detected
0214160313|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160313|pwr  |4|00|ATTACH called for already detecetd EM1

0214160313|pwr  |4|00|Free power from device=3

0214160313|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160313|pwr  |4|00|Enough power available for device type=3

0214160313|pwr  |4|00|ALLOW power for device 3

0214160313|em   |*|00|authorisation 7e
0214160313|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160321|em   |5|00|Watchdog expired for EM1
0214160322|em   |*|00|EM1 is detected
0214160323|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160323|pwr  |4|00|ATTACH called for already detecetd EM1

0214160323|pwr  |4|00|Free power from device=3

0214160323|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160323|pwr  |4|00|Enough power available for device type=3

0214160323|pwr  |4|00|ALLOW power for device 3

0214160323|em   |*|00|authorisation 7e
0214160323|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160331|em   |5|00|Watchdog expired for EM1
0214160332|em   |*|00|EM1 is detected
0214160333|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160333|pwr  |4|00|ATTACH called for already detecetd EM1

0214160333|pwr  |4|00|Free power from device=3

0214160333|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160333|pwr  |4|00|Enough power available for device type=3

0214160333|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160333|em   |*|00|authorisation 7e
0214160333|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160341|em   |5|00|Watchdog expired for EM1
0214160342|em   |*|00|EM1 is detected
0214160343|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160343|pwr  |4|00|ATTACH called for already detecetd EM1

0214160343|pwr  |4|00|Free power from device=3

0214160343|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160343|pwr  |4|00|Enough power available for device type=3

0214160343|pwr  |4|00|ALLOW power for device 3

0214160343|em   |*|00|authorisation 7e
0214160343|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160351|em   |5|00|Watchdog expired for EM1
0214160352|em   |*|00|EM1 is detected
0214160353|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160353|pwr  |4|00|ATTACH called for already detecetd EM1

0214160353|pwr  |4|00|Free power from device=3

0214160353|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160353|pwr  |4|00|Enough power available for device type=3

0214160353|pwr  |4|00|ALLOW power for device 3

0214160353|em   |*|00|authorisation 7e
0214160353|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160401|em   |5|00|Watchdog expired for EM1
0214160402|em   |*|00|EM1 is detected
0214160403|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160403|pwr  |4|00|ATTACH called for already detecetd EM1

0214160403|pwr  |4|00|Free power from device=3

0214160403|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160403|pwr  |4|00|Enough power available for device type=3

0214160403|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160403|em   |*|00|authorisation 7e
0214160403|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160411|em   |5|00|Watchdog expired for EM1
0214160412|em   |*|00|EM1 is detected
0214160413|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160413|pwr  |4|00|ATTACH called for already detecetd EM1

0214160413|pwr  |4|00|Free power from device=3

0214160413|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160413|pwr  |4|00|Enough power available for device type=3

0214160413|pwr  |4|00|ALLOW power for device 3

0214160413|em   |*|00|authorisation 7e
0214160413|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160421|em   |5|00|Watchdog expired for EM1
0214160422|em   |*|00|EM1 is detected
0214160423|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160423|pwr  |4|00|ATTACH called for already detecetd EM1

0214160423|pwr  |4|00|Free power from device=3

0214160423|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160423|pwr  |4|00|Enough power available for device type=3

0214160423|pwr  |4|00|ALLOW power for device 3

0214160423|em   |*|00|authorisation 7e
0214160423|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160431|em   |5|00|Watchdog expired for EM1
0214160432|em   |*|00|EM1 is detected
0214160433|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160433|pwr  |4|00|ATTACH called for already detecetd EM1

0214160433|pwr  |4|00|Free power from device=3

0214160433|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160433|pwr  |4|00|Enough power available for device type=3

0214160433|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160433|em   |*|00|authorisation 7e
0214160433|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160441|em   |5|00|Watchdog expired for EM1
0214160442|em   |*|00|EM1 is detected
0214160443|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160443|pwr  |4|00|ATTACH called for already detecetd EM1

0214160443|pwr  |4|00|Free power from device=3

0214160443|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160443|pwr  |4|00|Enough power available for device type=3

0214160443|pwr  |4|00|ALLOW power for device 3

0214160443|em   |*|00|authorisation 7e
0214160443|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160451|em   |5|00|Watchdog expired for EM1
0214160452|em   |*|00|EM1 is detected
0214160453|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160453|em   |*|00|authorisation 7e
0214160453|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160453|pwr  |4|00|ATTACH called for already detecetd EM1

0214160453|pwr  |4|00|Free power from device=3

0214160453|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160453|pwr  |4|00|Enough power available for device type=3

0214160453|pwr  |4|00|ALLOW power for device 3

0214160501|em   |5|00|Watchdog expired for EM1
0214160502|em   |*|00|EM1 is detected
0214160503|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160503|pwr  |4|00|ATTACH called for already detecetd EM1

0214160503|pwr  |4|00|Free power from device=3

0214160503|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160503|pwr  |4|00|Enough power available for device type=3

0214160503|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160503|em   |*|00|authorisation 7e
0214160503|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160511|em   |5|00|Watchdog expired for EM1
0214160512|em   |*|00|EM1 is detected
0214160513|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160513|pwr  |4|00|ATTACH called for already detecetd EM1

0214160513|pwr  |4|00|Free power from device=3

0214160513|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160513|pwr  |4|00|Enough power available for device type=3

0214160513|pwr  |4|00|ALLOW power for device 3

0214160513|em   |*|00|authorisation 7e
0214160513|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160521|em   |5|00|Watchdog expired for EM1
0214160522|em   |*|00|EM1 is detected
0214160523|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160523|pwr  |4|00|ATTACH called for already detecetd EM1

0214160523|pwr  |4|00|Free power from device=3

0214160523|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160523|pwr  |4|00|Enough power available for device type=3

0214160523|pwr  |4|00|ALLOW power for device 3

0214160523|em   |*|00|authorisation 7e
0214160523|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160528|app1  |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0214160531|em   |5|00|Watchdog expired for EM1
0214160532|em   |*|00|EM1 is detected
0214160533|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160533|pwr  |4|00|ATTACH called for already detecetd EM1

0214160533|pwr  |4|00|Free power from device=3

0214160533|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160533|pwr  |4|00|Enough power available for device type=3
```

0004f2873907-app.log

0214160533|pwr |4|00|ALLOW power for device 3

0214160533|em |\*|00|authorisation 7e  
0214160533|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160539|net |4|00|rtosNetwork net02: netwSend() - sendto() call failed. fd 211  
errno=22  
0214160541|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn  
( ) fntpOut ( )  
0214160541|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn  
( ) fntpOut ( )  
0214160542|em |5|00|Watchdog expired for EM1  
0214160543|em |\*|00|EM1 is detected  
0214160544|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160544|pwr |4|00|ATTACH called for already detecetd EM1

0214160544|pwr |4|00|Free power from device=3

0214160544|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0214160544|pwr |4|00|Enough power available for device type=3

0214160544|pwr |4|00|ALLOW power for device 3

0214160544|em |\*|00|authorisation 7e  
0214160544|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160553|em |5|00|Watchdog expired for EM1  
0214160554|em |\*|00|EM1 is detected  
0214160555|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160555|pwr |4|00|ATTACH called for already detecetd EM1

0214160555|pwr |4|00|Free power from device=3

0214160555|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0214160555|pwr |4|00|Enough power available for device type=3

0214160555|pwr |4|00|ALLOW power for device 3

0214160555|em |\*|00|authorisation 7e  
0214160555|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160604|em |5|00|Watchdog expired for EM1  
0214160605|em |\*|00|EM1 is detected  
0214160606|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160606|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0214160606|pwr |4|00|Free power from device=3  
0214160606|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214160606|pwr |4|00|Enough power available for device type=3  
0214160606|pwr |4|00|ALLOW power for device 3  
  
0214160606|em |\*|00|authorisation 7e  
0214160606|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160614|em |5|00|Watchdog expired for EM1  
0214160615|em |\*|00|EM1 is detected  
0214160616|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214160616|pwr |4|00|ATTACH called for already detecetd EM1  
0214160616|pwr |4|00|Free power from device=3  
0214160616|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214160616|pwr |4|00|Enough power available for device type=3  
0214160616|pwr |4|00|ALLOW power for device 3  
  
0214160616|em |\*|00|authorisation 7e  
0214160616|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160622|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states - present - [1], previous - [2].  
0214160624|em |5|00|Watchdog expired for EM1  
0214160625|em |\*|00|EM1 is detected  
0214160626|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214160626|pwr |4|00|ATTACH called for already detecetd EM1  
0214160626|pwr |4|00|Free power from device=3  
0214160626|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214160626|pwr |4|00|Enough power available for device type=3  
0214160626|pwr |4|00|ALLOW power for device 3  
  
0214160626|em |\*|00|authorisation 7e  
0214160626|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160634|em |5|00|Watchdog expired for EM1  
0214160635|em |\*|00|EM1 is detected  
0214160636|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0214160636|pwr |4|00|ATTACH called for already deteced EM1  
0214160636|pwr |4|00|Free power from device=3  
0214160636|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214160636|pwr |4|00|Enough power available for device type=3  
0214160636|pwr |4|00|ALLOW power for device 3  
  
0214160636|em |\*|00|authorisation 7e  
0214160636|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160644|em |5|00|Watchdog expired for EM1  
0214160645|em |\*|00|EM1 is detected  
0214160646|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214160646|pwr |4|00|ATTACH called for already deteced EM1  
0214160646|pwr |4|00|Free power from device=3  
0214160646|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214160646|pwr |4|00|Enough power available for device type=3  
0214160646|pwr |4|00|ALLOW power for device 3  
  
0214160646|em |\*|00|authorisation 7e  
0214160646|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160654|em |5|00|Watchdog expired for EM1  
0214160655|em |\*|00|EM1 is detected  
0214160656|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214160656|pwr |4|00|ATTACH called for already deteced EM1  
0214160656|pwr |4|00|Free power from device=3  
0214160656|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214160656|pwr |4|00|Enough power available for device type=3  
0214160656|pwr |4|00|ALLOW power for device 3  
  
0214160656|em |\*|00|authorisation 7e  
0214160656|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160704|em |5|00|Watchdog expired for EM1  
0214160705|em |\*|00|EM1 is detected  
0214160706|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0



0004f2873907-app.log

0214160706|pwr |4|00|ATTACH called for already deteced EM1  
0214160706|pwr |4|00|Free power from device=3  
0214160706|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0214160706|pwr |4|00|Enough power available for device type=3  
0214160706|pwr |4|00|ALLOW power for device 3  
  
0214160706|em |\*|00|authorisation 7e  
0214160706|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160706|app1 |4|00|Event: Unrecognizable key - appKeyFunc = 328, scan code 0  
0214160706|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [2], previous - [1].  
0214160706|cfg |5|00|Prm|Parameter voIpProt.SIP.allowTransferOnProceeding  
requested type 2 but is of type 0  
0214160707|sip |5|00|CUser::CallNew Call SubscribeDialogBla absent  
0214160714|em |5|00|Watchdog expired for EM1  
0214160715|em |\*|00|EM1 is detected  
0214160716|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214160716|pwr |4|00|ATTACH called for already deteced EM1  
0214160716|pwr |4|00|Free power from device=3  
0214160716|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214160716|pwr |4|00|Enough power available for device type=3  
0214160716|pwr |4|00|ALLOW power for device 3  
  
0214160716|em |\*|00|authorisation 7e  
0214160716|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214160725|em |5|00|Watchdog expired for EM1  
0214160726|em |\*|00|EM1 is detected  
0214160727|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0214160727|pwr |4|00|ATTACH called for already deteced EM1  
0214160727|pwr |4|00|Free power from device=3  
0214160727|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0214160727|pwr |4|00|Enough power available for device type=3  
0214160727|pwr |4|00|ALLOW power for device 3

0004f2873907-app.log

```
0214160727|em   |*|00|authorisation 7e
0214160727|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160735|em   |5|00|Watchdog expired for EM1
0214160736|em   |*|00|EM1 is detected
0214160737|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160737|pwr  |4|00|ATTACH called for already detecetd EM1

0214160737|pwr  |4|00|Free power from device=3

0214160737|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160737|pwr  |4|00|Enough power available for device type=3

0214160737|pwr  |4|00|ALLOW power for device 3

0214160737|em   |*|00|authorisation 7e
0214160737|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160745|em   |5|00|Watchdog expired for EM1
0214160746|em   |*|00|EM1 is detected
0214160747|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160747|pwr  |4|00|ATTACH called for already detecetd EM1

0214160747|pwr  |4|00|Free power from device=3

0214160747|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160747|pwr  |4|00|Enough power available for device type=3

0214160747|pwr  |4|00|ALLOW power for device 3

0214160747|em   |*|00|authorisation 7e
0214160747|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160756|em   |5|00|Watchdog expired for EM1
0214160757|em   |*|00|EM1 is detected
0214160758|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160758|pwr  |4|00|ATTACH called for already detecetd EM1

0214160758|pwr  |4|00|Free power from device=3

0214160758|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160758|pwr  |4|00|Enough power available for device type=3

0214160758|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160758|em   |*|00|authorisation 7e
0214160758|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160806|em   |5|00|Watchdog expired for EM1
0214160807|em   |*|00|EM1 is detected
0214160808|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160808|pwr  |4|00|ATTACH called for already detecetd EM1

0214160808|pwr  |4|00|Free power from device=3

0214160808|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160808|pwr  |4|00|Enough power available for device type=3

0214160808|pwr  |4|00|ALLOW power for device 3

0214160808|em   |*|00|authorisation 7e
0214160808|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160816|em   |5|00|Watchdog expired for EM1
0214160817|em   |*|00|EM1 is detected
0214160818|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160818|pwr  |4|00|ATTACH called for already detecetd EM1

0214160818|pwr  |4|00|Free power from device=3

0214160818|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160818|pwr  |4|00|Enough power available for device type=3

0214160818|pwr  |4|00|ALLOW power for device 3

0214160818|em   |*|00|authorisation 7e
0214160818|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160821|bluet |4|00|ERROR: Stop discovery failed
0214160827|em   |5|00|Watchdog expired for EM1
0214160828|em   |*|00|EM1 is detected
0214160829|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160829|pwr  |4|00|ATTACH called for already detecetd EM1

0214160829|pwr  |4|00|Free power from device=3

0214160829|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160829|pwr  |4|00|Enough power available for device type=3

0214160829|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160829|em   |*|00|authorisation 7e
0214160829|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160837|em   |5|00|Watchdog expired for EM1
0214160838|em   |*|00|EM1 is detected
0214160839|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160839|pwr  |4|00|ATTACH called for already detecetd EM1

0214160839|pwr  |4|00|Free power from device=3

0214160839|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160839|pwr  |4|00|Enough power available for device type=3

0214160839|pwr  |4|00|ALLOW power for device 3

0214160839|em   |*|00|authorisation 7e
0214160839|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160847|em   |5|00|Watchdog expired for EM1
0214160848|em   |*|00|EM1 is detected
0214160849|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160849|pwr  |4|00|ATTACH called for already detecetd EM1

0214160849|pwr  |4|00|Free power from device=3

0214160849|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160849|pwr  |4|00|Enough power available for device type=3

0214160849|pwr  |4|00|ALLOW power for device 3

0214160849|em   |*|00|authorisation 7e
0214160849|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160858|em   |5|00|Watchdog expired for EM1
0214160859|em   |*|00|EM1 is detected
0214160900|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160900|pwr  |4|00|ATTACH called for already detecetd EM1

0214160900|pwr  |4|00|Free power from device=3

0214160900|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160900|pwr  |4|00|Enough power available for device type=3

0214160900|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0214160900|em   |*|00|authorisation 7e
0214160900|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160908|em   |5|00|Watchdog expired for EM1
0214160909|em   |*|00|EM1 is detected
0214160910|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160910|pwr  |4|00|ATTACH called for already detecetd EM1

0214160910|pwr  |4|00|Free power from device=3

0214160910|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160910|pwr  |4|00|Enough power available for device type=3

0214160910|pwr  |4|00|ALLOW power for device 3

0214160910|em   |*|00|authorisation 7e
0214160910|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160911|bluet |4|00|ERROR: Stop discovery failed
0214160918|em   |5|00|Watchdog expired for EM1
0214160919|em   |*|00|EM1 is detected
0214160920|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160920|pwr  |4|00|ATTACH called for already detecetd EM1

0214160920|pwr  |4|00|Free power from device=3

0214160920|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160920|pwr  |4|00|Enough power available for device type=3

0214160920|pwr  |4|00|ALLOW power for device 3

0214160920|em   |*|00|authorisation 7e
0214160920|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0214160929|em   |5|00|Watchdog expired for EM1
0214160953|em   |*|00|EM1 is detected
0214160953|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214160953|pwr  |4|00|ATTACH called for already detecetd EM1

0214160953|pwr  |4|00|Free power from device=3

0214160953|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214160953|pwr  |4|00|Enough power available for device type=3
```

0004f2873907-app.log

0214160953|pwr |4|00|ALLOW power for device 3

0214160953|em |\*|00|authorisation 7e  
0214160953|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214161002|em |5|00|Watchdog expired for EM1  
0214161003|em |\*|00|EM1 is detected  
0214161004|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214161004|pwr |4|00|ATTACH called for already detecetd EM1

0214161004|pwr |4|00|Free power from device=3

0214161004|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214161004|pwr |4|00|Enough power available for device type=3

0214161004|pwr |4|00|ALLOW power for device 3

0214161004|em |\*|00|authorisation 7e  
0214161004|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214161013|em |5|00|Watchdog expired for EM1  
0214161014|em |\*|00|EM1 is detected  
0214161015|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214161015|pwr |4|00|ATTACH called for already detecetd EM1

0214161015|pwr |4|00|Free power from device=3

0214161015|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214161015|pwr |4|00|Enough power available for device type=3

0214161015|pwr |4|00|ALLOW power for device 3

0214161015|em |\*|00|authorisation 7e  
0214161015|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214161023|em |5|00|Watchdog expired for EM1  
0214161024|em |\*|00|EM1 is detected  
0214161025|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214161025|pwr |4|00|ATTACH called for already detecetd EM1

0214161025|pwr |4|00|Free power from device=3

0214161025|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214161025|pwr |4|00|Enough power available for device type=3

0004f2873907-app.log

0214161025|pwr |4|00|ALLOW power for device 3

0214161025|em |\*|00|authorisation 7e  
0214161025|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214161033|em |5|00|Watchdog expired for EM1  
0214161039|em |\*|00|EM1 is detected  
0214161039|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214161039|pwr |4|00|ATTACH called for already detecetd EM1

0214161039|pwr |4|00|Free power from device=3

0214161039|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214161039|pwr |4|00|Enough power available for device type=3

0214161039|pwr |4|00|ALLOW power for device 3

0214161039|em |\*|00|authorisation 7e  
0214161039|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214161048|em |5|00|Watchdog expired for EM1  
0214161049|em |\*|00|EM1 is detected  
0214161050|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214161050|pwr |4|00|ATTACH called for already detecetd EM1

0214161050|pwr |4|00|Free power from device=3

0214161050|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214161050|pwr |4|00|Enough power available for device type=3

0214161050|pwr |4|00|ALLOW power for device 3

0214161050|em |\*|00|authorisation 7e  
0214161050|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0214161058|em |5|00|Watchdog expired for EM1  
0214161059|em |\*|00|EM1 is detected  
0214161100|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0214161100|pwr |4|00|ATTACH called for already detecetd EM1

0214161100|pwr |4|00|Free power from device=3

0214161100|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0214161100|pwr |4|00|Enough power available for device type=3

0004f2873907-app.log

```
0214161100|pwr |4|00|ALLOW power for device 3

0214161100|em |*|00|authorisation 7e
0214161100|em |*|00|LC Log: Switched Communcation to Legacy Mode
0214161108|em |5|00|Watchdog expired for EM1
0214161115|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [0], previous - [2].
0214161619|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn
() fntpOut ()
0214161619|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn
() fntpOut ()
0214161620|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0214161627|so |4|00|SoAudioChannelC::txGainSet drvCodecTxGainSet m_id=0, gain=0
returned -1
0214161627|so |4|00|SoAudioChannelC::rxGainSet drvCodecRxGainSet m_id=0, gain=0
returned -1
0214161627|so |4|00|SoAudioChannelC::txGainSet drvCodecTxGainSet m_id=0, gain=0
returned -1
0214161627|so |4|00|SoAudioChannelC::rxGainSet drvCodecRxGainSet m_id=0, gain=0
returned -1
0214161627|so |4|00|SoAudioChannelC::txGainSet drvCodecTxGainSet m_id=0, gain=0
returned -1
0214161627|so |4|00|SoAudioChannelC::rxGainSet drvCodecRxGainSet m_id=0, gain=0
returned -1
0214161725|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [1], previous - [2].
0214162304|net |4|00|rtosNetwork net01: netwSend() - sendto() call failed. fd 208
errno=22
0214163124|net |4|00|rtosNetwork net01: netwSend() - sendto() call failed. fd 208
errno=22
000017.260|log |*|00|----- Initial log entry -----
000017.207|rdisk|*|00|Initial log entry. Current logging level 4
000017.209|rdisk|*|00|RAM disk created and mounted at "/rfs0"
000017.211|rdisk|*|00|RAM disk created, size: 16,777,216 bytes
000017.236|so |*|00|Platform: Model=VVX 600, Assembly=3111-44600-001 Rev=A
Region=0
000017.237|so |*|00|Platform: Interface eth0 MAC=0004f2873907
000017.241|so |*|00|Platform: BootBlock=3.0.4.0061 (44600-001) 13-Sep-12 09:09
000017.242|so |*|00|Platform: BootL1=1.0.0.0041 (44600-001) 13-Sep-12 10:01
000017.247|so |*|00|Platform: Updater=5.7.1.13914 11-Jan-17 19:40
000017.247|so |*|00|Application, main: Label=SIP, Version=Elbe1 5.5.1.12442
11-Jan-17 19:01
000017.249|so |*|00|Application, main: P/N=3150-11530-551
000017.251|pec |*|00|Initial log entry. Current logging level 4
000017.255|rdisk|*|00|RAM disk created, size: 16,777,216 bytes
000017.256|ocsp |*|00|O.C.S.P. Enabled = 0
000017.499|tls |*|00|Initial log entry. Current logging level 4
```



0004f2873907-app.log

```
000017.528|pmt |*|00|Initial log entry. Current logging level 4
000017.543|wdog |*|00|Initial log entry. Current logging level 4
000017.544|ethf |*|00|Initial log entry. Current logging level 4
000017.546|hw |*|00|Initial log entry. Current logging level 4
000017.548|ares |*|00|Initial log entry. Current logging level 4
000017.551|dns |*|00|Initial log entry. Current logging level 4
000017.551|cfg |*|00|Initial log entry. Current logging level 4
000017.551|cfg |*|00|Prm|cfgParamBaseProfileUpdate: Using Base Profile Generic
000017.559|dot1x|*|00|Initial log entry. Current logging level 4
000017.727|lic |*|00|Initial log entry. Current logging level 4
000017.739|lic |*|00|License expiry check in 14568 seconds
000017.781|curl |*|00|Initial log entry. Current logging level 4
000017.781|utilm|*|00|Initial log entry. Current logging level 4
000017.781|copy |*|00|Initial log entry. Current logging level 4
000017.782|rtos |*|00|Initial log entry. Current logging level 4
000017.794|sec |*|00|Initial log entry. Current logging level 4
000017.803|so |*|00|Configuration files:
SIP551/Config/extensions/reg-basic-0004f2873907.cfg, SIP551/Config/features.cfg,
SIP551/Config/sip-basic.cfg, SIP551/Config/sip-interop.cfg, SIP551/Config/site.cfg,
SIP551/Config/video.cfg, SIP551/Config/H323.cfg, SIP551/Config/applications.cfg
000017.803|so |*|00|Configuration file
"SIP551/Config/extensions/reg-basic-0004f2873907.cfg" SHA1 digest:
332DD0BC48A99FA6634AE3A5137014E1580086FA
000017.803|so |*|00|Configuration file "SIP551/Config/features.cfg" SHA1 digest:
DEF171573B2983337EE443B40AD2FE5FC1C15540
000017.803|so |*|00|Configuration file "SIP551/Config/sip-basic.cfg" SHA1 digest:
DB01E6543B82E9320E11076C20E74539876F9F33
000017.803|so |*|00|Configuration file "SIP551/Config/sip-interop.cfg" SHA1
digest: F0DF2F5C7C14E1A7C581C458B135DB1B75245B3A
000017.803|so |*|00|Configuration file "SIP551/Config/site.cfg" SHA1 digest:
A400C1E54DFD081879AD6C0A9BBEB085C1AA32EB
000017.803|so |*|00|Configuration file "SIP551/Config/video.cfg" SHA1 digest:
1D025955C6910AC98E0FAD5945EA1EB9B829D6D1
000017.803|so |*|00|Configuration file "SIP551/Config/H323.cfg" SHA1 digest:
CC67550C967187242A12360F24CF34A09CAE1328
000017.803|so |*|00|Configuration file "SIP551/Config/applications.cfg" SHA1
digest: 7A8A9D72A4E22EB7CCD9F0CEF90E688AEB8E2D12
000017.807|cfg |4|00|Prm|Configuration file(s) statistics: 1 parameters were
invalid and could not be interpreted.
000017.807|cfg |4|00|Prm|Configuration file(s) statistics: 1 parameter values were
used but were out of range. 12 were invalid and ignored.
000017.827|log |*|00|Log render level set to 1
000017.830|pcap |*|00|On-Phone Packet Capture disabled
000017.832|srtp |*|00|Initial log entry. Current logging level 4
000017.841|cfg |5|00|Prm|Parameter 0 is out of range
000017.848|res |*|00|Initial log entry. Current logging level 4
000017.852|httpa|*|00|Initial log entry. Current logging level 4
000017.852|lldp |*|00|Initial log entry. Current logging level 4
```

0004f2873907-app.log

```
000017.852|cdp |*|00|Initial log entry. Current logging level 4
000017.854|pcd |*|00|Initial log entry. Current logging level 4
000017.869|ssps |*|00|Initial log entry. Current logging level 4
000017.901|ssps |5|00|Allocated 36992 bytes for SpsHdiMemBase=0x41900a50
000018.246|ssps |*|00|sspsMain: sspsDspLoad successful using default image.
000018.247|so |*|00|System Info Reports:
000018.247|so |*|00| Cpu is ARMv6-compatible processor rev 7 (v6l), ID:
0x111070b2, running at 500MHz.
000018.247|so |*|00| Board is identified as PolycomV VX-V VX_600.
000018.247|so |*|00| DRAM_SIZE: 224 MB
000018.247|so |*|00| NAND flash detected is 20
000018.248|key |*|00|Initial log entry. Current logging level 4
000018.273|httpd |*|00|Initial log entry. Current logging level 4
000018.277|poll |*|00|Initial log entry. Current logging level 4
000018.279|push |*|00|Initial log entry. Current logging level 4
000018.280|poll |*|00|Initial log entry. Current logging level 4
000018.280|poll |*|00|Initial log entry. Current logging level 4
000018.282|rest |*|00|Initial log entry. Current logging level 4
000018.286|ht |*|00|Initial log entry. Current logging level 4
000018.287|ht |*|00|HTTP TA Initialized
000018.289|cap |*|00|Initial log entry. Current logging level 4
000018.291|vid |*|00|Initial log entry. Current logging level 4
000018.292|vid |5|00|init: Could not start display driver.
000018.297|dbuf |*|00|Initial log entry. Current logging level 4
000018.305|ssps |*|00|sspsMain: Set HDI mem to be 0, was 0
000018.316|ice |*|00|Initial log entry. Current logging level 4
000018.326|pps |*|00|Initial log entry. Current logging level 4
000018.326|sip |*|00|Initial log entry. Current logging level 4
000018.326|sipt |*|00|Initial log entry. Current logging level 4
000018.326|sipp |*|00|Initial log entry. Current logging level 4
000018.335|ptt |*|00|Initial log entry. Current logging level 4
000018.335|ssps |*|00|Application, comp. 1: Label=PolyDSP Vino BCM11107 Mem1 FS1,
Version=8.4.7.1002B 09-Nov-2016 18:58
000018.335|ssps |*|00|Application, comp. 1: P/N=3150-11580-847.
000018.338|xmpp |*|00|Initial log entry. Current logging level 4
000018.344|btoe |*|00|Initial log entry. Current logging level 4
000018.347|pdect |*|00|Initial log entry. Current logging level 4
000018.748|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=1
000018.751|ssps |5|00|Failed to create 'SoVidDecoderFacadeC' object
000018.751|ssps |5|00|Failed to create 'SoVidDecoderFacadeC' object
000018.752|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=3
000019.627|pwrsv |*|00|Initial log entry. Current logging level 4
000019.651|so |*|00|Using TCP IP Media Port, configured initial RTP port 2222
000019.652|so |*|00|Using TCP IP Video Port, configured initial RTP port 2272
```

0004f2873907-app.log

```
000019.716|usb |*|00|Initial log entry. Current logging level 4
000019.730|pwr |*|00|Initial log entry. Current logging level 4
000019.730|pwr |5|00|Initialising Power Manager - Polyapp
000019.731|sshc |*|00|Initial log entry. Current logging level 4
000019.732|gbLoc|*|00|Initial log entry. Current logging level 4
000019.738|app1 |*|00|Initial log entry. Current logging level 4
000019.793|pwr |5|00|Powering up USB ports from Power Manager usb0power 1
usb1power 1
000019.820|app1 |*|00|AppPhoneC::AppPhoneC() Number Of Line Keys = 48
000019.820|app1 |*|00|AppPhoneC::AppPhoneC() - new AppRegLineC, szUser = 200
000019.936|ldap |*|00|Initial log entry. Current logging level 4
000019.958|bluet |*|00|Initial log entry. Current logging level 4
000020.611|pwr |4|00|device=2, Name=U[ÿÀ], state=0, powerReq=7500,
emtype=-857285444

000020.611|pwr |4|00|Requested power by device=2, powerreq=7500, pallocPriority=0

000020.612|pwr |4|00|REJECT power for device=2

000020.612|pwr |4|00|device=2, Name=U[ÿÀ], state=0, powerReq=2500,
emtype=-857285444

000020.612|pwr |4|00|Requested power by device=2, powerreq=2500, pallocPriority=0

000020.613|pwr |4|00|Enough power available for device type=2

000020.613|pwr |4|00|ALLOW power for device 2

000021.061|btapp|*|00|Initial log entry. Current logging level 4
000021.164|app1 |4|00|AppBrowserUiC::AppBrowserUiC Home url - [], idle url - []
000021.211|efk |*|00|Initial log entry. Current logging level 4
000021.272|flk |*|00|Initial log entry. Current logging level 4
000021.332|cmp |*|00|Initial log entry. Current logging level 4
000021.335|wmgr |*|00|Initial log entry. Current logging level 4
000021.394|slog |*|00|Initial log entry. Current logging level 3
000021.442|drvbt|*|00|Initial log entry. Current logging level 4
000021.449|so |4|00|SoKeyC::procMsg unexpected message 4099
000021.768|pgui |*|00|Initial log entry. Current logging level 4
000022.329|wdog |*|00|Hw Watchdog timer interface successfully opened from polyapp
000022.341|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [4].
000023.782|dhcpc|*|00|Initial log entry. Current logging level 4
000023.994|app1 |4|00|AppUiC::onConnected - Resetting the previous backlight state.
000024.332|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [4].
000026.771|cfg |5|00|RT|cfgRtRunDvdOnDhcpLease:DVD is not in progress
000026.773|cfg |*|00|RT| Phone IP address is 192.168.8.202.
000026.774|cfg |*|00|RT| Subnet mask is 255.255.255.0.
```

0004f2873907-app.log

```

000026.774|cfg |*|00|RT| Gateway address is 192.168.8.1.
000026.780|cfg |*|00|RT|Primary IP: 192.168.8.202 subnet mask 255.255.255.0
000026.780|cfg |*|00|RT| DNS server is 192.168.8.15.
000026.780|cfg |*|00|RT| DNS alternate server is 10.6.0.10.
000026.780|cfg |*|00|RT| DNS domain is office.padtechnologies.com.
000026.780|cfg |*|00|RT| Time server is 192.168.8.15.
000026.780|cfg |*|00|RT| GMT offset is -21600 seconds.
000026.782|dns |*|00|DNS resolver servers are '192.168.8.15' '10.6.0.10'
000026.783|dns |*|00|DNS resolver search domain is 'office.padtechnologies.com'
000026.800|so |*|00|Network initialized. Starting network tasks.
000026.802|tickt|*|00|Initial log entry. Current logging level 4
000026.805|loc |*|00|Initial log entry. Current logging level 4
000026.859|AuthS|*|00|Initial log entry. Current logging level 2
000026.862|Devic|*|00|Initial log entry. Current logging level 4
000026.862|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer
000026.864|proxy|*|00|Initial log entry. Current logging level 2
000026.864|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer
000026.869|proxy|3|00|Proxy Service intialized
000026.871|WADSe|*|00|Initial log entry. Current logging level 2
000026.871|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer
000026.882|log |*|00|Install file upload callback for 'so'

000026.884|btoe |5|00|MsgPpsNcasProcessStartStopCmd: BTOE is disabled. Cannot
start Pairing
0214155729|pps |*|00| vqmon Process Service Route is Disabled
0214163653|pgui |*|00|Qt Mouse driver created.
0214163653|so |5|00|SoCoreAudioC::videoWindowResizeMove: Requested yuv chan has
not been activated yet.
0214163653|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=5
0214163656|em |*|00|Initial log entry. Current logging level 4
0214163656|dbs |*|00|Initial log entry. Current logging level 4
0214163656|osd |*|00|Initial log entry. Current logging level 4
0214163656|brow |*|00|Initial log entry. Current logging level 4
0214163656|clist|*|00|Initial log entry. Current logging level 4
0214163656|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0214163656|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0214163656|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0214163656|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0214163659|em |4|00|EMLayoutMgr::EMLayoutMgr- Initalization finished

0214163702|app1 |*|00|[AppHybridC]: App is completely initialized.
0214163702|so |4|00|[SoNcasC]: appncascontext termination:1
0214163702|so |4|00|[SoNcasC]: Case Handling termination:1
0214163702|app1 |4|00|Corporate directory is not Enabled.
0214163702|dect |*|00|Initial log entry. Current logging level 4
0214163702|dect |*|00|createCmbsDectInstance :: cmbs Dect Instance is created

```

0004f2873907-app.log

```
0214163702|app1 |4|00|fsmLclEvent - context=0, index=2, lineKeyNum=1, numLineKeys=4
0214163702|app1 |4|00|setFlexLineKeyIndex -Index: 0, Position: 0
0214163702|app1 |4|00|fsmLclEvent - context=0, index=3, lineKeyNum=2, numLineKeys=4
0214163702|app1 |4|00|setFlexLineKeyIndex -Index: 1, Position: 1
0214163702|app1 |4|00|fsmLclEvent - context=0, index=4, lineKeyNum=3, numLineKeys=4
0214163702|app1 |4|00|setFlexLineKeyIndex -Index: 2, Position: 2
0214163702|app1 |4|00|fsmLclEvent - context=0, index=5, lineKeyNum=4, numLineKeys=4
0214163702|app1 |4|00|setFlexLineKeyIndex -Index: 3, Position: 3
0214163702|sip |*|00|Sip Register Usr:200 Dsp:200 Auth:'200' Inx:0
0214163702|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/sip.usr
doesn't exist or is empty
0214163702|sip |*|00|Fast Boot Measurement Point: Ready for Call, uptime: 48.454
sec.
0214163702|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0214163702|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0214163702|moh |*|00|Initial log entry. Current logging level 4
0214163702|moh |4|00|SoNcasMohC::soNcasMohCfgInit: File provisioning for Music On
Hold is defined only for Lync Profile and if Music On Hold feature is enabled
0214163702|cfg |*|00|Prov|Starting to provision
0214163703|cfg |*|00|Prov|Starting to update SIP551/3111-44600-001.sip.ld
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.5.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.6.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.7.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.8.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.9.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.10.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.11.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.12.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.13.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.14.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.15.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.16.index is invalid, ignoring
0214163705|cfg |*|00|Prm|SIP551/Config/features.cfg: Value 9999 for configuration
parameter dir.local.contacts.maxNum is too large, using 500, the maximum allowed
0214163705|cfg |4|00|Prm|SIP551/Config/video.cfg: Unknown parameter
"video.enable.SSTRVOIP" found, ignoring.
```

0004f2873907-app.log

```
0214163705|cfg |*|00|Prm|Not proceeding with reboot/restart, as device parameters
needs to be updated, before making a decision
0214163705|cfg |*|00|Prov|Finished updating configuration
0214163705|so |4|00|[MsgSoTR069Init] Start
0214163705|dectU|*|00|Initial log entry. Current logging level 4
0214163705|dectU|4|00|DECT_UPDATER SDectUpdaterS0: BaseEventInit: Wait, NotPaired
0214163707|dectU|4|00|DECT_UPDATER size of (updateStatusDetails) 384
0214163707|dectU|4|00|DECT_UPDATER Read Could not open file
0214163707|dect |*|00|RePairing with BS
0214163707|dect |4|00|Dect Feature not enabled!:0
0214163707|dect |*|00|Dect module is initialized changing state to : 1,
0214163709|ec |*|00|Initial log entry. Current logging level 4
0214163709|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External
EWS url's are empty
0214163710|app1 |4|00|AppBrowserUiC::browserResetRebootFlag Setting the reboot flag
to false for browser.

0214163710|app1 |4|00|AppBrowserUiC::configure() Enter
0214163710|app1 |4|00|AppBrowserUiC::configure() - Home url - [], idle url - []
0214163711|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Enter

0214163711|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Default

0214163711|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Exit

0214163711|brow |4|00|Timezone value = CST6CDT,J71/2:0:0,J309/2:0:0, Browser state
- 1, Visible - 0

0214163718|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]
0214163802|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [0], previous - [2].
0214172433|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching ftmpIn
() ftmpOut ()
0214172433|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching ftmpIn
() ftmpOut ()
0214172434|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0214172437|so |4|00|SoAudioChannelC::txGainSet drvCodecTxGainSet m_id=0, gain=0
returned -1
0214172437|so |4|00|SoAudioChannelC::rxGainSet drvCodecRxGainSet m_id=0, gain=0
returned -1
0214172437|so |4|00|SoAudioChannelC::txGainSet drvCodecTxGainSet m_id=0, gain=0
returned -1
0214172437|so |4|00|SoAudioChannelC::rxGainSet drvCodecRxGainSet m_id=0, gain=0
returned -1
0214172437|so |4|00|SoAudioChannelC::txGainSet drvCodecTxGainSet m_id=0, gain=0
returned -1
0214172437|so |4|00|SoAudioChannelC::rxGainSet drvCodecRxGainSet m_id=0, gain=0
```

0004f2873907-app.log

```
returned -1
0214172438|net |4|00|rtosNetwork net04: netwSend() - sendto() call failed. fd 206
errno=22
0214172500|cfg |5|00|Prm|Parameter voIpProt.SIP.allowTransferOnProceeding
requested type 2 but is of type 0
0214172500|sip |5|00|CUser::CallNew Call SubscribeDialogBla absent
0214172541|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [0], previous - [2].
0214203923|lic |*|00|License expiry check in 19245 seconds
0215020008|lic |*|00|License expiry check in 86400 seconds
0215083441|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching ftmpIn
() ftmpOut ()
0215083441|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching ftmpIn
() ftmpOut ()
0215083442|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0215083445|app1 |4|00|Event: Unrecognizable key - appKeyFunc = 328, scan code 0
0215083450|sip |5|00|CUser::CallNew Call SubscribeDialogBla absent
0215083458|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching ftmpIn
() ftmpOut ()
0215083458|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching ftmpIn
() ftmpOut ()
0215083501|app1 |4|00|Event: Unrecognizable key - appKeyFunc = 328, scan code 0
0215083541|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [1], previous - [2].
0215083603|sip |5|00|CUser::CallNew Call SubscribeDialogBla absent
0215083604|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [1].
0215083613|em |*|00|EM1 is detected
0215083614|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083614|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215083614|pwr |4|00|Enough power available for device type=3

0215083614|pwr |4|00|ALLOW power for device 3

0215083614|em |*|00|authorisation 7e
0215083614|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215083623|em |5|00|Watchdog expired for EM1
0215083624|em |*|00|EM1 is detected
0215083624|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083624|pwr |4|00|ATTACH called for already detecetd EM1

0215083624|pwr |4|00|Free power from device=3

0215083624|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
```

0004f2873907-app.log

0215083624|pwr |4|00|Enough power available for device type=3  
0215083624|pwr |4|00|ALLOW power for device 3  
0215083624|em |\*|00|authorisation 7e  
0215083624|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083634|em |5|00|Watchdog expired for EM1  
0215083635|em |\*|00|EM1 is detected  
0215083635|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215083635|pwr |4|00|ATTACH called for already detecetd EM1  
0215083635|pwr |4|00|Free power from device=3  
0215083635|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215083635|pwr |4|00|Enough power available for device type=3  
0215083635|pwr |4|00|ALLOW power for device 3  
0215083635|em |\*|00|authorisation 7e  
0215083635|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083644|em |5|00|Watchdog expired for EM1  
0215083644|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [0], previous - [2].  
0215083645|em |\*|00|EM1 is detected  
0215083645|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215083645|pwr |4|00|ATTACH called for already detecetd EM1  
0215083645|pwr |4|00|Free power from device=3  
0215083645|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215083645|pwr |4|00|Enough power available for device type=3  
0215083645|pwr |4|00|ALLOW power for device 3  
0215083645|em |\*|00|authorisation 7e  
0215083645|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083655|em |5|00|Watchdog expired for EM1  
0215083656|em |\*|00|EM1 is detected  
0215083656|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215083656|pwr |4|00|ATTACH called for already detecetd EM1  
0215083656|pwr |4|00|Free power from device=3



0004f2873907-app.log

```
0215083656|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215083656|pwr |4|00|Enough power available for device type=3
0215083656|pwr |4|00|ALLOW power for device 3
0215083656|em |*|00|authorisation 7e
0215083656|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215083705|em |5|00|Watchdog expired for EM1
0215083706|em |*|00|EM1 is detected
0215083706|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215083706|pwr |4|00|ATTACH called for already detecetd EM1
0215083706|pwr |4|00|Free power from device=3
0215083706|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215083706|pwr |4|00|Enough power available for device type=3
0215083706|pwr |4|00|ALLOW power for device 3
0215083706|em |*|00|authorisation 7e
0215083706|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215083715|em |5|00|Watchdog expired for EM1
0215083716|em |*|00|EM1 is detected
0215083716|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215083716|pwr |4|00|ATTACH called for already detecetd EM1
0215083716|pwr |4|00|Free power from device=3
0215083716|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215083716|pwr |4|00|Enough power available for device type=3
0215083716|pwr |4|00|ALLOW power for device 3
0215083716|em |*|00|authorisation 7e
0215083716|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215083724|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn
() fntpOut ()
0215083724|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn
() fntpOut ()
0215083725|em |5|00|Watchdog expired for EM1
0215083725|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
```

0004f2873907-app.log

```
0215083726|em   |*|00|EM1 is detected
0215083726|app1  |4|00|Event: Unrecognizable key - appKeyFunc = 328, scan code 0
0215083726|pwr   |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083726|pwr   |4|00|ATTACH called for already deteced EM1

0215083726|pwr   |4|00|Free power from device=3

0215083726|pwr   |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215083726|pwr   |4|00|Enough power available for device type=3

0215083726|pwr   |4|00|ALLOW power for device 3

0215083726|em   |*|00|authorisation 7e
0215083726|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215083736|em   |5|00|Watchdog expired for EM1
0215083737|em   |*|00|EM1 is detected
0215083737|pwr   |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083737|pwr   |4|00|ATTACH called for already deteced EM1

0215083737|pwr   |4|00|Free power from device=3

0215083737|pwr   |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215083737|pwr   |4|00|Enough power available for device type=3

0215083737|pwr   |4|00|ALLOW power for device 3

0215083737|em   |*|00|authorisation 7e
0215083737|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215083747|em   |5|00|Watchdog expired for EM1
0215083748|em   |*|00|EM1 is detected
0215083748|pwr   |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083748|pwr   |4|00|ATTACH called for already deteced EM1

0215083748|pwr   |4|00|Free power from device=3

0215083748|pwr   |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215083748|pwr   |4|00|Enough power available for device type=3

0215083748|pwr   |4|00|ALLOW power for device 3

0215083748|em   |*|00|authorisation 7e
0215083748|em   |*|00|LC Log: Switched Communcation to Legacy Mode
```

0004f2873907-app.log

```
0215083758|em |5|00|Watchdog expired for EM1
0215083759|em |*|00|EM1 is detected
0215083759|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083759|pwr |4|00|ATTACH called for already deteced EM1

0215083759|pwr |4|00|Free power from device=3

0215083759|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215083759|pwr |4|00|Enough power available for device type=3

0215083759|pwr |4|00|ALLOW power for device 3

0215083759|em |*|00|authorisation 7e
0215083759|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215083806|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [1], previous - [2].
0215083809|em |5|00|Watchdog expired for EM1
0215083810|em |*|00|EM1 is detected
0215083810|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083810|pwr |4|00|ATTACH called for already deteced EM1

0215083810|pwr |4|00|Free power from device=3

0215083810|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215083810|pwr |4|00|Enough power available for device type=3

0215083810|pwr |4|00|ALLOW power for device 3

0215083810|em |*|00|authorisation 7e
0215083810|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215083820|em |5|00|Watchdog expired for EM1
0215083821|em |*|00|EM1 is detected
0215083821|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083821|pwr |4|00|ATTACH called for already deteced EM1

0215083821|pwr |4|00|Free power from device=3

0215083821|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215083821|pwr |4|00|Enough power available for device type=3

0215083821|pwr |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0215083821|em   |*|00|authorisation 7e
0215083821|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215083831|em   |5|00|Watchdog expired for EM1
0215083832|em   |*|00|EM1 is detected
0215083832|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083832|pwr  |4|00|ATTACH called for already detecetd EM1

0215083832|pwr  |4|00|Free power from device=3

0215083832|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215083832|pwr  |4|00|Enough power available for device type=3

0215083832|pwr  |4|00|ALLOW power for device 3

0215083832|em   |*|00|authorisation 7e
0215083832|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215083839|sip  |5|00|CUser::CallNew Call SubscribeDialogBla absent
0215083840|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [1].
0215083842|em   |5|00|Watchdog expired for EM1
0215083843|em   |*|00|EM1 is detected
0215083843|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083843|pwr  |4|00|ATTACH called for already detecetd EM1

0215083843|pwr  |4|00|Free power from device=3

0215083843|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215083843|pwr  |4|00|Enough power available for device type=3

0215083843|pwr  |4|00|ALLOW power for device 3

0215083843|em   |*|00|authorisation 7e
0215083843|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215083853|em   |5|00|Watchdog expired for EM1
0215083854|em   |*|00|EM1 is detected
0215083854|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083854|pwr  |4|00|ATTACH called for already detecetd EM1

0215083854|pwr  |4|00|Free power from device=3

0215083854|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215083854|pwr  |4|00|Enough power available for device type=3
```

0004f2873907-app.log

0215083854|pwr |4|00|ALLOW power for device 3

0215083854|em |\*|00|authorisation 7e  
0215083854|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083903|em |5|00|Watchdog expired for EM1  
0215083904|em |\*|00|EM1 is detected  
0215083904|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083904|pwr |4|00|ATTACH called for already detecetd EM1

0215083904|pwr |4|00|Free power from device=3

0215083904|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215083904|pwr |4|00|Enough power available for device type=3

0215083904|pwr |4|00|ALLOW power for device 3

0215083904|em |\*|00|authorisation 7e  
0215083904|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083913|em |5|00|Watchdog expired for EM1  
0215083913|em |\*|00|EM1 is detected  
0215083914|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083914|pwr |4|00|ATTACH called for already detecetd EM1

0215083914|pwr |4|00|Free power from device=3

0215083914|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215083914|pwr |4|00|Enough power available for device type=3

0215083914|pwr |4|00|ALLOW power for device 3

0215083914|em |\*|00|authorisation 7e  
0215083914|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083920|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [0], previous - [2].  
0215083923|em |5|00|Watchdog expired for EM1  
0215083924|em |\*|00|EM1 is detected  
0215083924|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215083924|pwr |4|00|ATTACH called for already detecetd EM1

0215083924|pwr |4|00|Free power from device=3

0215083924|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0004f2873907-app.log

0215083924|pwr |4|00|Enough power available for device type=3  
0215083924|pwr |4|00|ALLOW power for device 3  
0215083924|em |\*|00|authorisation 7e  
0215083924|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083933|em |5|00|Watchdog expired for EM1  
0215083934|em |\*|00|EM1 is detected  
0215083934|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215083934|pwr |4|00|ATTACH called for already detecetd EM1  
0215083934|pwr |4|00|Free power from device=3  
0215083934|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215083934|pwr |4|00|Enough power available for device type=3  
0215083934|pwr |4|00|ALLOW power for device 3  
0215083934|em |\*|00|authorisation 7e  
0215083934|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083943|em |5|00|Watchdog expired for EM1  
0215083943|em |\*|00|EM1 is detected  
0215083943|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215083943|pwr |4|00|ATTACH called for already detecetd EM1  
0215083943|pwr |4|00|Free power from device=3  
0215083943|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215083943|pwr |4|00|Enough power available for device type=3  
0215083943|pwr |4|00|ALLOW power for device 3  
0215083943|em |\*|00|authorisation 7e  
0215083943|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215083947|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [2], previous - [0].  
0215083953|em |5|00|Watchdog expired for EM1  
0215083954|em |\*|00|EM1 is detected  
0215083954|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215083954|pwr |4|00|ATTACH called for already detecetd EM1  
0215083954|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215083954|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215083954|pwr |4|00|Enough power available for device type=3  
0215083954|pwr |4|00|ALLOW power for device 3  
0215083954|em |\*|00|authorisation 7e  
0215083954|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084001|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn  
( ) fntpOut ( )  
0215084001|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn  
( ) fntpOut ( )  
0215084004|em |5|00|Watchdog expired for EM1  
0215084004|so |4|00|SoAudioChannelC::txGainSet drvCodecTxGainSet m\_id=0, gain=0  
returned -1  
0215084004|so |4|00|SoAudioChannelC::rxGainSet drvCodecRxGainSet m\_id=0, gain=0  
returned -1  
0215084005|em |\*|00|EM1 is detected  
0215084005|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084005|pwr |4|00|ATTACH called for already detecetd EM1  
0215084005|pwr |4|00|Free power from device=3  
0215084005|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215084005|pwr |4|00|Enough power available for device type=3  
0215084005|pwr |4|00|ALLOW power for device 3  
0215084005|em |\*|00|authorisation 7e  
0215084005|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084015|em |5|00|Watchdog expired for EM1  
0215084016|em |\*|00|EM1 is detected  
0215084016|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084016|pwr |4|00|ATTACH called for already detecetd EM1  
0215084016|pwr |4|00|Free power from device=3  
0215084016|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215084016|pwr |4|00|Enough power available for device type=3  
0215084016|pwr |4|00|ALLOW power for device 3  
0215084016|em |\*|00|authorisation 7e

0004f2873907-app.log

```
0215084016|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084026|em   |5|00|Watchdog expired for EM1
0215084027|em   |*|00|EM1 is detected
0215084027|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084027|pwr  |4|00|ATTACH called for already detecetd EM1

0215084027|pwr  |4|00|Free power from device=3

0215084027|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084027|pwr  |4|00|Enough power available for device type=3

0215084027|pwr  |4|00|ALLOW power for device 3

0215084027|em   |*|00|authorisation 7e
0215084027|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084037|em   |5|00|Watchdog expired for EM1
0215084038|em   |*|00|EM1 is detected
0215084038|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084038|pwr  |4|00|ATTACH called for already detecetd EM1

0215084038|pwr  |4|00|Free power from device=3

0215084038|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084038|pwr  |4|00|Enough power available for device type=3

0215084038|pwr  |4|00|ALLOW power for device 3

0215084038|em   |*|00|authorisation 7e
0215084038|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084042|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [1], previous - [2].
0215084048|em   |5|00|Watchdog expired for EM1
0215084049|em   |*|00|EM1 is detected
0215084049|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084049|pwr  |4|00|ATTACH called for already detecetd EM1

0215084049|pwr  |4|00|Free power from device=3

0215084049|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084049|pwr  |4|00|Enough power available for device type=3

0215084049|pwr  |4|00|ALLOW power for device 3
```



0004f2873907-app.log

```
0215084049|em   |*|00|authorisation 7e
0215084049|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084059|em   |5|00|Watchdog expired for EM1
0215084100|em   |*|00|EM1 is detected
0215084100|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084100|pwr  |4|00|ATTACH called for already detecetd EM1

0215084100|pwr  |4|00|Free power from device=3

0215084100|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084100|pwr  |4|00|Enough power available for device type=3

0215084100|pwr  |4|00|ALLOW power for device 3

0215084100|em   |*|00|authorisation 7e
0215084100|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084109|em   |5|00|Watchdog expired for EM1
0215084110|em   |*|00|EM1 is detected
0215084110|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084110|pwr  |4|00|ATTACH called for already detecetd EM1

0215084110|pwr  |4|00|Free power from device=3

0215084110|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084110|pwr  |4|00|Enough power available for device type=3

0215084110|pwr  |4|00|ALLOW power for device 3

0215084110|em   |*|00|authorisation 7e
0215084110|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084120|em   |5|00|Watchdog expired for EM1
0215084121|em   |*|00|EM1 is detected
0215084121|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084121|pwr  |4|00|ATTACH called for already detecetd EM1

0215084121|pwr  |4|00|Free power from device=3

0215084121|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084121|pwr  |4|00|Enough power available for device type=3

0215084121|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0215084121|em   |*|00|authorisation 7e
0215084121|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084131|em   |5|00|Watchdog expired for EM1
0215084132|em   |*|00|EM1 is detected
0215084132|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084132|pwr  |4|00|ATTACH called for already detecetd EM1

0215084132|pwr  |4|00|Free power from device=3

0215084132|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084132|pwr  |4|00|Enough power available for device type=3

0215084132|pwr  |4|00|ALLOW power for device 3

0215084132|em   |*|00|authorisation 7e
0215084132|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084142|em   |5|00|Watchdog expired for EM1
0215084143|em   |*|00|EM1 is detected
0215084143|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084143|pwr  |4|00|ATTACH called for already detecetd EM1

0215084143|pwr  |4|00|Free power from device=3

0215084143|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084143|pwr  |4|00|Enough power available for device type=3

0215084143|pwr  |4|00|ALLOW power for device 3

0215084143|em   |*|00|authorisation 7e
0215084143|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084153|em   |5|00|Watchdog expired for EM1
0215084154|em   |*|00|EM1 is detected
0215084154|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084154|pwr  |4|00|ATTACH called for already detecetd EM1

0215084154|pwr  |4|00|Free power from device=3

0215084154|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084154|pwr  |4|00|Enough power available for device type=3

0215084154|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0215084154|em   |*|00|authorisation 7e
0215084154|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084204|em   |5|00|Watchdog expired for EM1
0215084205|em   |*|00|EM1 is detected
0215084205|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084205|pwr  |4|00|ATTACH called for already detecetd EM1

0215084205|pwr  |4|00|Free power from device=3

0215084205|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084205|pwr  |4|00|Enough power available for device type=3

0215084205|pwr  |4|00|ALLOW power for device 3

0215084205|em   |*|00|authorisation 7e
0215084205|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084215|em   |5|00|Watchdog expired for EM1
0215084216|em   |*|00|EM1 is detected
0215084216|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084216|pwr  |4|00|ATTACH called for already detecetd EM1

0215084216|pwr  |4|00|Free power from device=3

0215084216|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084216|pwr  |4|00|Enough power available for device type=3

0215084216|pwr  |4|00|ALLOW power for device 3

0215084216|em   |*|00|authorisation 7e
0215084216|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084226|em   |5|00|Watchdog expired for EM1
0215084227|em   |*|00|EM1 is detected
0215084227|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084227|pwr  |4|00|ATTACH called for already detecetd EM1

0215084227|pwr  |4|00|Free power from device=3

0215084227|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084227|pwr  |4|00|Enough power available for device type=3

0215084227|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0215084227|em   |*|00|authorisation 7e
0215084227|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084237|em   |5|00|Watchdog expired for EM1
0215084238|em   |*|00|EM1 is detected
0215084238|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084238|pwr  |4|00|ATTACH called for already detecetd EM1

0215084238|pwr  |4|00|Free power from device=3

0215084238|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084238|pwr  |4|00|Enough power available for device type=3

0215084238|pwr  |4|00|ALLOW power for device 3

0215084238|em   |*|00|authorisation 7e
0215084238|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084248|em   |5|00|Watchdog expired for EM1
0215084249|em   |*|00|EM1 is detected
0215084249|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084249|pwr  |4|00|ATTACH called for already detecetd EM1

0215084249|pwr  |4|00|Free power from device=3

0215084249|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084249|pwr  |4|00|Enough power available for device type=3

0215084249|pwr  |4|00|ALLOW power for device 3

0215084249|em   |*|00|authorisation 7e
0215084249|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084259|em   |5|00|Watchdog expired for EM1
0215084300|em   |*|00|EM1 is detected
0215084300|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084300|pwr  |4|00|ATTACH called for already detecetd EM1

0215084300|pwr  |4|00|Free power from device=3

0215084300|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084300|pwr  |4|00|Enough power available for device type=3

0215084300|pwr  |4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0215084300|em   |*|00|authorisation 7e
0215084300|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084310|em   |5|00|Watchdog expired for EM1
0215084311|em   |*|00|EM1 is detected
0215084311|em   |*|00|authorisation 7e
0215084311|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084311|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084311|pwr  |4|00|ATTACH called for already detecetd EM1

0215084311|pwr  |4|00|Free power from device=3

0215084311|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084311|pwr  |4|00|Enough power available for device type=3

0215084311|pwr  |4|00|ALLOW power for device 3

0215084321|em   |5|00|Watchdog expired for EM1
0215084322|em   |*|00|EM1 is detected
0215084322|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084322|pwr  |4|00|ATTACH called for already detecetd EM1

0215084322|pwr  |4|00|Free power from device=3

0215084322|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215084322|pwr  |4|00|Enough power available for device type=3

0215084322|pwr  |4|00|ALLOW power for device 3

0215084322|em   |*|00|authorisation 7e
0215084322|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084324|app1 |4|00|Event: Unrecognizable key - appKeyFunc = 328, scan code 0
0215084325|cfg   |5|00|Prm|Parameter voIpProt.SIP.allowTransferOnProceeding
requested type 2 but is of type 0
0215084325|sip   |5|00|CUser::CallNew Call SubscribeDialogBla absent
0215084325|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [1].
0215084332|em   |5|00|Watchdog expired for EM1
0215084333|em   |*|00|EM1 is detected
0215084333|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084333|pwr  |4|00|ATTACH called for already detecetd EM1

0215084333|pwr  |4|00|Free power from device=3
```

0004f2873907-app.log

```
0215084333|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215084333|pwr |4|00|Enough power available for device type=3
0215084333|pwr |4|00|ALLOW power for device 3
0215084333|em |*|00|authorisation 7e
0215084333|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215084342|em |5|00|Watchdog expired for EM1
0215084343|em |*|00|EM1 is detected
0215084343|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215084343|pwr |4|00|ATTACH called for already detecetd EM1
0215084343|pwr |4|00|Free power from device=3
0215084343|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215084343|pwr |4|00|Enough power available for device type=3
0215084343|pwr |4|00|ALLOW power for device 3
0215084343|em |*|00|authorisation 7e
0215084343|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215084347|app1 |*|00|Factory reset, log files uploading...
0215084533|cfg |*|00|RT| Time server is 192.168.8.15.
0215084533|cfg |*|00|RT| GMT offset is -21600 seconds.
0215084533|cfg |*|00|RT| DNS server is 192.168.8.15.
0215084533|cfg |*|00|RT| DNS alternate server is 10.6.0.10.
0215084533|cfg |*|00|RT| DNS domain is office.padtechnologies.com.
0215084533|cfg |*|00|RT| Time server is 192.168.8.15.
0215084533|cfg |*|00|RT| GMT offset is -21600 seconds.
0215084533|copy |4|00|Configuration of URL failed
0215084533|clist|4|00|dbSet::ioRequest:dir=<0> m_status=<true>
src=<0004f2873907-directory.xml>
dst=</ffs0/user/0004f2873907/0004f2873907-directory.xml> m_sync=<0x10>
0215084533|cfg |*|00|Prov|Finished updating configuration
0215084533|cfg |*|00|Prov|Starting to provision
0215084533|copy |4|00|Configuration of URL failed
0215084533|copy |4|00|Configuration of URL failed
0215084533|cfg |4|00|Prov|Download of master configuration file failed
0215084533|cfg |4|00|Prov|Trying to boot from existing configuration
0215084533|cfg |4|00|Prov|Update configuration failed
0215084533|cfg |*|00|Prm|Not proceeding with reboot/restart, as device parameters
needs to be updated, before making a decision
0215084533|cfg |4|00|Prov|Not setting device parameters since configuration was
not updated.
```

0004f2873907-app.log

```
0215084533|copy|4|00|Configuration of URL failed
0215084533|clist|4|00|dbSet::ioRequest:dir=<0> m_status=<true>
src=<0000000000000000-directory.xml>
dst=</ffs0/user/0004f2873907/0000000000000000-directory.xml> m_sync=<0x10>
0215084533|cfg|*|00|Prov|Finished updating configuration
0215084533|so|4|00|[MsgSoTR069Init] Start
0215084533|cfg|*|00|Prov|Starting to provision
0215084533|copy|4|00|Configuration of URL failed
0215084533|log|4|00|UtilLogServerC::uploadFifoLog: upload error. protocol 0
result = 0
0215084533|log|4|00|Failed to upload boot log on start up.
0215084533|dectU|*|00|Initial log entry. Current logging level 4
0215084533|copy|4|00|Configuration of URL failed
0215084533|copy|4|00|Configuration of URL failed
0215084533|cfg|4|00|Prov|Download of master configuration file failed
0215084533|cfg|4|00|Prov|Trying to boot from existing configuration
0215084533|cfg|4|00|Prov|Update configuration failed
0215084533|dectU|4|00|DECT_UPDATER SDectUpdaterS0: BaseEventInit: Wait, NotPaired
0215084533|cfg|*|00|Prm|Not proceeding with reboot/restart, as device parameters
needs to be updated, before making a decision
0215084533|cfg|4|00|Prov|Not setting device parameters since configuration was
not updated.
0215084533|copy|4|00|Configuration of URL failed
0215084533|clist|4|00|dbSet::ioRequest:dir=<0> m_status=<true>
src=<0004f2873907-directory.xml>
dst=</ffs0/user/0004f2873907/0004f2873907-directory.xml> m_sync=<0x10>
0215084533|cfg|*|00|Prov|Finished updating configuration
0215084533|copy|4|00|Configuration of URL failed
0215084533|copy|4|00|Configuration of URL failed
0215084535|dectU|4|00|DECT_UPDATER size of (updateStatusDetails) 384
0215084535|dectU|4|00|DECT_UPDATER Read Could not open file
0215084535|dect|*|00|RePairing with BS
0215084535|dect|4|00|Dect Feature not enabled!:0
0215084535|dect|*|00|Dect module is initialized changing state to : 1,
0215084538|app1|5|00|AppPhoneLockC::Init - bPhoneLockState [0]
0215084538|em|5|00|Watchdog expired for EM1
0215084538|em|*|00|EM1 is detected
0215084538|pwr|4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084538|pwr|4|00|ATTACH called for already deteced EM1

0215084538|pwr|4|00|Free power from device=3

0215084538|pwr|4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215084538|pwr|4|00|Enough power available for device type=3

0215084538|pwr|4|00|ALLOW power for device 3
```

0004f2873907-app.log

```
0215084538|em   |*|00|authorisation 7e
0215084538|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084547|em   |5|00|Watchdog expired for EM1
0215084548|em   |*|00|EM1 is detected
0215084549|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084549|pwr  |4|00|ATTACH called for already detecetd EM1

0215084549|pwr  |4|00|Free power from device=3

0215084549|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215084549|pwr  |4|00|Enough power available for device type=3

0215084549|pwr  |4|00|ALLOW power for device 3

0215084549|em   |*|00|authorisation 7e
0215084549|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084558|em   |5|00|Watchdog expired for EM1
0215084559|em   |*|00|EM1 is detected
0215084600|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084600|pwr  |4|00|ATTACH called for already detecetd EM1

0215084600|pwr  |4|00|Free power from device=3

0215084600|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215084600|pwr  |4|00|Enough power available for device type=3

0215084600|pwr  |4|00|ALLOW power for device 3

0215084600|em   |*|00|authorisation 7e
0215084600|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215084609|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [0], previous - [2].
0215084609|em   |5|00|Watchdog expired for EM1
0215084610|em   |*|00|EM1 is detected
0215084611|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084611|pwr  |4|00|ATTACH called for already detecetd EM1

0215084611|pwr  |4|00|Free power from device=3

0215084611|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215084611|pwr  |4|00|Enough power available for device type=3
```



0004f2873907-app.log

0215084611|pwr |4|00|ALLOW power for device 3

0215084611|em |\*|00|authorisation 7e  
0215084611|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084620|em |5|00|Watchdog expired for EM1  
0215084621|em |\*|00|EM1 is detected  
0215084622|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084622|pwr |4|00|ATTACH called for already detecetd EM1

0215084622|pwr |4|00|Free power from device=3

0215084622|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215084622|pwr |4|00|Enough power available for device type=3

0215084622|pwr |4|00|ALLOW power for device 3

0215084622|em |\*|00|authorisation 7e  
0215084622|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084631|em |5|00|Watchdog expired for EM1  
0215084632|em |\*|00|EM1 is detected  
0215084633|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084633|pwr |4|00|ATTACH called for already detecetd EM1

0215084633|pwr |4|00|Free power from device=3

0215084633|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215084633|pwr |4|00|Enough power available for device type=3

0215084633|pwr |4|00|ALLOW power for device 3

0215084633|em |\*|00|authorisation 7e  
0215084633|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084635|copy |4|00|Configuration of URL failed  
0215084635|log |4|00|UtilLogServerC::uploadFifoLog: upload error. protocol 0  
result = 0  
0215084642|em |5|00|Watchdog expired for EM1  
0215084643|em |\*|00|EM1 is detected  
0215084644|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084644|pwr |4|00|ATTACH called for already detecetd EM1

0215084644|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215084644|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084644|pwr |4|00|Enough power available for device type=3  
0215084644|pwr |4|00|ALLOW power for device 3  
0215084644|em |\*|00|authorisation 7e  
0215084644|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084653|em |5|00|Watchdog expired for EM1  
0215084654|em |\*|00|EM1 is detected  
0215084655|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084655|pwr |4|00|ATTACH called for already detecetd EM1  
0215084655|pwr |4|00|Free power from device=3  
0215084655|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084655|pwr |4|00|Enough power available for device type=3  
0215084655|pwr |4|00|ALLOW power for device 3  
0215084655|em |\*|00|authorisation 7e  
0215084655|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084655|cfg |\*|00|RT|Changed prov general  
0215084655|cfg |\*|00|RT| DNS server is 192.168.8.15.  
0215084655|cfg |\*|00|RT| DNS alternate server is 10.6.0.10.  
0215084655|cfg |\*|00|RT| DNS domain is office.padtechnologies.com.  
0215084655|cfg |\*|00|RT| Time server is 192.168.8.15.  
0215084655|cfg |\*|00|RT| GMT offset is -21600 seconds.  
0215084655|cfg |\*|00|Prov|Starting to provision  
0215084656|cfg |\*|00|Prov|Starting to update SIP551/3111-44600-001.sip.ld  
0215084658|hw |4|00|hwDescSecurityCombinedValidate: CRC ffffffff does not match  
expected a525354  
0215084658|lic |5|00|cfgCfsFlashKeyScratchLoad: could not load flash len 976  
0215084658|lic |\*|00|License: new key for USB Call Recording expiry Tue Mar 15  
19:00:00 2022 added  
0215084658|lic |\*|00|License: new key for Conference Management expiry Tue Mar 15  
19:00:00 2022 added  
0215084658|lic |\*|00|License: new key for Corporate Directory expiry Tue Mar 15  
19:00:00 2022 added  
0215084658|lic |\*|00|License: new key for uaCSTA expiry Tue Mar 15 19:00:00 2022  
added  
0215084658|lic |\*|00|License: new key for Access URL expiry Tue Mar 15 19:00:00  
2022 added  
0215084658|lic |\*|00|License: new key for Enhanced Feature Keys expiry Tue Mar 15  
19:00:00 2022 added  
0215084658|hw |4|00|hwDescSecurityCombinedValidate: CRC ffffffff does not match

0004f2873907-app.log

expected a525354  
0215084658|lic |5|00|cfgCfsFlashKeyScratchLoad: could not load flash len 976  
0215084658|hw |4|00|hwDescSecurityCombinedValidate: CRC ffffffff does not match  
expected a525354  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.5.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.6.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.7.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.8.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.9.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.10.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.11.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.12.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.13.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.14.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.15.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.16.index is invalid, ignoring  
0215084659|cfg |\*|00|Prm|SIP551/Config/features.cfg: Value 9999 for configuration  
parameter dir.local.contacts.maxNum is too large, using 500, the maximum allowed  
0215084659|cfg |4|00|Prm|SIP551/Config/video.cfg: Unknown parameter  
"video.enable.SSTRVOIP" found, ignoring.  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty  
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External  
EWS url's are empty

0004f2873907-app.log

```
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External
EWS url's are empty
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External
EWS url's are empty
0215084659|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External
EWS url's are empty
0215084659|app1 |4|00|AppBrowserUiC::updateConfiguration() - Idle url - []
0215084659|app1 |4|00|AppBrowserUiC::updateConfiguration() - Home url - []
0215084659|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0215084659|cfg |*|00|Prm|Not proceeding with reboot/restart, as device parameters
needs to be updated, before making a decision
0215084659|cfg |*|00|Prov|Restarting due to config parameter changes.
0215084659|acom |4|00|Application browser from 127.0.0.1 [39148] has been
disconnected.
0215084659|cfg |*|00|Prov|Restarting due to license changes
0215084659|cfg |*|00|Prov|Restart to handle change in master configuration file
0215084659|cfg |*|00|Prov|Finished updating configuration
0215084659|cfg |*|00|RT| Time server is 192.168.8.15.
0215084659|cfg |*|00|RT| GMT offset is -21600 seconds.
0215084659|app1 |*|00|SoRegistrationEventLineChanged - success lineIndex 0
RegListSize 0
0215084659|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]
0215084659|app1 |*|00|Event: Multiple Key Combo 7
0215084659|app1 |*|00|Manual Restart
0215084659|app1 |4|00|Sending restart/reboot event to exchange
0215084659|app1 |4|00|AppBrowserUiC::browserSetRebootFlag Setting the reboot flag
to true for browser.

0215084659|brow |4|00|CoreCom Error Detected: The remote host closed the
connection. Note that the client socket (i.e., this socket) will be closed after
the remote close notification has been sent. for the app:browser
0215084659|ec |4|00|[EWS WebTicket] Stopped web ticket service
0215084659|ec |4|00|Stopped access token service
0215084700|app1 |4|00|AppBrowserUiC::handleRestart - Restarting the browser app.
0215084700|ldap |4|00|ldapXfer::start:xferStart failed cState=-1
0215084700|app1 |*|00|AppC::appReboot cDynamicData shutdown complete
0215084700|AuthS|2|00|Request(-1)AuthSvc,(4)ServiceSetMsgKey,(-1),(-1),(Expiry,Tran
sactionId,Time,Type):(-1,-1,1487170020,0)IndicationLevel:(200)
0215084700|AuthS|2|00|ShutDown event is received, Running SMS(0)
0215084701|so |*|00|SoNcasC::procMsg: Client service shutdown complete
0215084704|em |5|00|Watchdog expired for EM1
0215084705|em |*|00|EM1 is detected
0215084706|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215084706|pwr |4|00|ATTACH called for already detecetd EM1

0215084706|pwr |4|00|Free power from device=3
```

0004f2873907-app.log

0215084706|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084706|pwr |4|00|Enough power available for device type=3  
0215084706|pwr |4|00|ALLOW power for device 3  
0215084706|em |\*|00|authorisation 7e  
0215084706|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084710|brow |\*|00|Initial log entry. Current logging level 4  
0215084714|em |5|00|Watchdog expired for EM1  
0215084715|em |\*|00|EM1 is detected  
0215084716|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084716|pwr |4|00|ATTACH called for already detecetd EM1  
0215084716|pwr |4|00|Free power from device=3  
0215084716|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084716|pwr |4|00|Enough power available for device type=3  
0215084716|pwr |4|00|ALLOW power for device 3  
0215084716|em |\*|00|authorisation 7e  
0215084716|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084717|wdog |\*|00|Watchdog Expired: tApp0, 48  
0215084717|log |\*|00|----- Final log entry -----  
000249.421|log |\*|00|----- Initial log entry -----  
000247.280|pgui |4|00|CoreCom Error Detected: The remote host closed the  
connection. Note that the client socket (i.e., this socket) will be closed after  
the remote close notification has been sent. for the app:spigui  
000247.282|dbs |4|00|CoreCom Error Detected: The remote host closed the  
connection. Note that the client socket (i.e., this socket) will be closed after  
the remote close notification has been sent. for the app:dbs  
000247.284|em |4|00|CoreCom Error Detected: The remote host closed the  
connection. Note that the client socket (i.e., this socket) will be closed after  
the remote close notification has been sent. for the app:em  
000247.286|osd |4|00|CoreCom Error Detected: The remote host closed the  
connection. Note that the client socket (i.e., this socket) will be closed after  
the remote close notification has been sent. for the app:osd  
000247.288|ec |4|00|CoreCom Error Detected: The remote host closed the  
connection. Note that the client socket (i.e., this socket) will be closed after  
the remote close notification has been sent. for the app:ec  
000247.290|brow |4|00|CoreCom Error Detected: The remote host closed the  
connection. Note that the client socket (i.e., this socket) will be closed after  
the remote close notification has been sent. for the app:browser  
000249.401|rdisk|\*|00|Initial log entry. Current logging level 4

0004f2873907-app.log

```
000249.402|rdisk|*|00|RAM disk created and mounted at "/rfs0"
000249.403|rdisk|*|00|RAM disk created, size: 16,777,216 bytes
000249.415|so  |*|00|Platform: Model=VWX 600, Assembly=3111-44600-001 Rev=A
Region=0
000249.415|so  |*|00|Platform: Interface   eth0 MAC=0004f2873907
000249.416|so  |*|00|Platform: BootBlock=3.0.4.0061 (44600-001) 13-Sep-12 09:09
000249.417|so  |*|00|Platform: BootL1=1.0.0.0041 (44600-001) 13-Sep-12 10:01
000249.418|so  |*|00|Platform: Updater=5.7.1.13914 11-Jan-17 19:40
000249.418|so  |*|00|Application, main: Label=SIP, Version=Elbe1 5.5.1.12442
11-Jan-17 19:01
000249.418|so  |*|00|Application, main: P/N=3150-11530-551
000249.419|pec  |*|00|Initial log entry. Current logging level 4
000249.420|rdisk|*|00|RAM disk created, size: 16,777,216 bytes
000249.420|ocsp |*|00|O.C.S.P. Enabled = 0
000249.606|tls  |*|00|Initial log entry. Current logging level 4
000249.636|pmt  |*|00|Initial log entry. Current logging level 4
000249.638|wdog |*|00|Initial log entry. Current logging level 4
000249.638|ethf |*|00|Initial log entry. Current logging level 4
000249.639|hw   |*|00|Initial log entry. Current logging level 4
000249.639|ares |*|00|Initial log entry. Current logging level 4
000249.639|dns  |*|00|Initial log entry. Current logging level 4
000249.640|cfg  |*|00|Initial log entry. Current logging level 4
000249.640|cfg  |*|00|Prm|cfgParamBaseProfileUpdate: Using Base Profile Generic
000249.641|dot1x|*|00|Initial log entry. Current logging level 4
000249.754|lic  |*|00|Initial log entry. Current logging level 4
000249.766|lic  |*|00|License expiry check in 40477 seconds
000249.771|curl |*|00|Initial log entry. Current logging level 4
000249.771|utilm|*|00|Initial log entry. Current logging level 4
000249.771|copy |*|00|Initial log entry. Current logging level 4
000249.771|rtos |*|00|Initial log entry. Current logging level 4
000249.772|sec  |*|00|Initial log entry. Current logging level 4
000249.773|so  |*|00|Configuration files:
SIP551/Config/extensions/reg-basic-0004f2873907.cfg, SIP551/Config/features.cfg,
SIP551/Config/sip-basic.cfg, SIP551/Config/sip-interop.cfg, SIP551/Config/site.cfg,
SIP551/Config/video.cfg, SIP551/Config/H323.cfg, SIP551/Config/applications.cfg
000249.773|so  |*|00|Configuration file
"SIP551/Config/extensions/reg-basic-0004f2873907.cfg" SHA1 digest:
332DD0BC48A99FA6634AE3A5137014E1580086FA
000249.773|so  |*|00|Configuration file "SIP551/Config/features.cfg" SHA1 digest:
DEF171573B2983337EE443B40AD2FE5FC1C15540
000249.773|so  |*|00|Configuration file "SIP551/Config/sip-basic.cfg" SHA1 digest:
DB01E6543B82E9320E11076C20E74539876F9F33
000249.773|so  |*|00|Configuration file "SIP551/Config/sip-interop.cfg" SHA1
digest: F0DF2F5C7C14E1A7C581C458B135DB1B75245B3A
000249.774|so  |*|00|Configuration file "SIP551/Config/site.cfg" SHA1 digest:
AD87A3FC7B7AE540B34A488555FE29C279897D19
000249.774|so  |*|00|Configuration file "SIP551/Config/video.cfg" SHA1 digest:
1D025955C6910AC98E0FAD5945EA1EB9B829D6D1
```

0004f2873907-app.log

000249.774|so |\*|00|Configuration file "SIP551/Config/H323.cfg" SHA1 digest: CC67550C967187242A12360F24CF34A09CAE1328  
000249.774|so |\*|00|Configuration file "SIP551/Config/applications.cfg" SHA1 digest: 7A8A9D72A4E22EB7CCD9F0CEF90E688AEB8E2D12  
000249.774|cfg |4|00|Prm|Configuration file(s) statistics: 1 parameters were invalid and could not be interpreted.  
000249.774|cfg |4|00|Prm|Configuration file(s) statistics: 1 parameter values were used but were out of range. 12 were invalid and ignored.  
000249.791|log |\*|00|Log render level set to 1  
000249.797|pcap |\*|00|On-Phone Packet Capture disabled  
000249.797|srtp |\*|00|Initial log entry. Current logging level 4  
000249.798|cfg |5|00|Prm|Parameter 0 is out of range  
000249.800|res |\*|00|Initial log entry. Current logging level 4  
000249.800|httpa |\*|00|Initial log entry. Current logging level 4  
000249.801|lldp |\*|00|Initial log entry. Current logging level 4  
000249.801|cdp |\*|00|Initial log entry. Current logging level 4  
000249.801|pcd |\*|00|Initial log entry. Current logging level 4  
000249.803|ssps |\*|00|Initial log entry. Current logging level 4  
000249.806|ssps |5|00|Allocated 36992 bytes for SpsHdiMemBase=0x19cce78  
000250.009|ssps |\*|00|sspsMain: sspsDspLoad successful using default image.  
000250.010|so |\*|00|System Info Reports:  
000250.010|so |\*|00| Cpu is ARMv6-compatible processor rev 7 (v6l), ID: 0x111070b2, running at 500MHz.  
000250.010|so |\*|00| Board is identified as PolycomV VX-VVX\_600.  
000250.010|so |\*|00| DRAM\_SIZE: 224 MB  
000250.010|so |\*|00| NAND flash detected is 20  
000250.011|key |\*|00|Initial log entry. Current logging level 4  
000250.025|httpd |\*|00|Initial log entry. Current logging level 4  
000250.026|poll |\*|00|Initial log entry. Current logging level 4  
000250.026|push |\*|00|Initial log entry. Current logging level 4  
000250.026|poll |\*|00|Initial log entry. Current logging level 4  
000250.026|poll |\*|00|Initial log entry. Current logging level 4  
000250.027|rest |\*|00|Initial log entry. Current logging level 4  
000250.028|ht |\*|00|Initial log entry. Current logging level 4  
000250.029|ht |\*|00|HTTP TA Initialized  
000250.029|cap |\*|00|Initial log entry. Current logging level 4  
000250.030|vid |\*|00|Initial log entry. Current logging level 4  
000250.030|vid |5|00|init: Could not start display driver.  
000250.031|dbuf |\*|00|Initial log entry. Current logging level 4  
000250.035|ssps |\*|00|sspsMain: Set HDI mem to be 0, was 0  
000250.038|ice |\*|00|Initial log entry. Current logging level 4  
000250.038|pps |\*|00|Initial log entry. Current logging level 4  
000250.038|sip |\*|00|Initial log entry. Current logging level 4  
000250.038|sipt |\*|00|Initial log entry. Current logging level 4  
000250.038|sipp |\*|00|Initial log entry. Current logging level 4  
000250.039|ssps |\*|00|Application, comp. 1: Label=PolyDSP Vino BCM11107 Mem1 FS1, Version=8.4.7.1002B 09-Nov-2016 18:58  
000250.039|ssps |\*|00|Application, comp. 1: P/N=3150-11580-847.

0004f2873907-app.log

```
000250.041|ptt |*|00|Initial log entry. Current logging level 4
000250.042|xmpp |*|00|Initial log entry. Current logging level 4
000250.043|btoe |*|00|Initial log entry. Current logging level 4
000250.043|pdect|*|00|Initial log entry. Current logging level 4
000250.400|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=1
000250.400|ssps |5|00|Failed to create 'SoVidDecoderFacadeC' object
000250.401|ssps |5|00|Failed to create 'SoVidDecoderFacadeC' object
000250.401|cap
|4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=3
000251.267|pwrsv|*|00|Initial log entry. Current logging level 4
000251.288|so |*|00|Using TCP IP Media Port, configured initial RTP port 2222
000251.288|so |*|00|Using TCP IP Video Port, configured initial RTP port 2272
000251.320|usb |*|00|Initial log entry. Current logging level 4
000251.322|pwr |*|00|Initial log entry. Current logging level 4
000251.322|pwr |5|00|Initialising Power Manager - Polyapp
000251.323|sshc |*|00|Initial log entry. Current logging level 4
000251.323|gbLoc|*|00|Initial log entry. Current logging level 4
000251.323|app1 |*|00|Initial log entry. Current logging level 4
000251.369|app1 |*|00|AppPhoneC::AppPhoneC() Number Of Line Keys = 48
000251.369|app1 |*|00|AppPhoneC::AppPhoneC() - new AppRegLineC, szUser = 200
000251.433|ldap |*|00|Initial log entry. Current logging level 4
000251.445|bluet|*|00|Initial log entry. Current logging level 4
000251.478|pwr |5|00|Powering up USB ports from Power Manager usb0power 1
usb1power 1
000252.296|pgui |*|00|Qt Keyboard driver created.
000252.298|pgui |4|00|Reconnected with core app, reload the keyboard
000252.319|pwr |4|00|device=2, Name=´À`À, state=0, powerReq=7500,
emtype=-858243908

000252.319|pwr |4|00|ATTACH called for already detecetd USB1

000252.319|pwr |4|00|Free power from device=2

000252.320|pwr |4|00|Requested power by device=2, powerreq=7500, pallocPriority=0

000252.320|pwr |4|00|REJECT power for device=2

000252.321|pwr |4|00|device=2, Name=´À`À, state=0, powerReq=2500,
emtype=-858243908

000252.321|pwr |4|00|Requested power by device=2, powerreq=2500, pallocPriority=0

000252.322|pwr |4|00|Enough power available for device type=2

000252.322|pwr |4|00|ALLOW power for device 2
```



0004f2873907-app.log

```
000252.485|btapp|*|00|Initial log entry. Current logging level 4
000252.576|app1 |4|00|AppBrowserUiC::AppBrowserUiC Home url - [], idle url - []
000252.592|efk  |*|00|Initial log entry. Current logging level 4
000252.611|flk  |*|00|Initial log entry. Current logging level 4
000252.615|cmp  |*|00|Initial log entry. Current logging level 4
000252.616|wmgr  |*|00|Initial log entry. Current logging level 4
000252.645|drvbt|*|00|Initial log entry. Current logging level 4
000252.646|so    |4|00|SoKeyC::procMsg unexpected message 4099
000252.657|slog  |*|00|Initial log entry. Current logging level 3
000253.054|app1 |4|00|AppUiC::onConnected - Resetting the previous backlight state.
000253.114|app1 |4|00|AppBrowserUiC::browserResetRebootFlag Setting the reboot flag
to false for browser.

000253.114|app1 |4|00|AppBrowserUiC::configure() Enter
000253.131|app1 |4|00|[AppExchangeUiC::populateAutoDiscoverUrl] Internal & External
EWS url's are empty
000253.188|clist|*|00|Initial log entry. Current logging level 4
000253.206|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000253.207|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000253.213|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000253.214|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
000253.293|app1 |4|00|AppBrowserUiC::configure() Enter
000253.548|clist|4|00|dbSet::startLoadLocalSet:No local copy, requesting backup
from server
000253.613|wdog  |*|00|Hw Watchdog timer interface successfully opened from polyapp
000253.619|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [4].
000253.798|so    |5|00|SoCoreAudioC::videoWindowResizeMove: Requested yuv chan has
not been activated yet.
000254.067|app1 |*|00|[AppHybridC]: App is completely initialized.
000254.056|em    |*|00|Upgrade in progress, resetting the EM0 because of polyapp
restart
000254.112|cap   |4|00|[SoVidVideoCaptureManagerC::captureFrameAndProcessLoop][ERROR] No active
camera channel found! noActiveCameraChanCt=5
000254.430|em    |5|00|Watchdog expired for EM1
000254.694|so    |5|00|SoCoreAudioC::videoWindowResizeMove: Requested yuv chan has
not been activated yet.
000254.935|so    |5|00|SoCoreAudioC::videoWindowResizeMove: Requested yuv chan has
not been activated yet.
000255.328|pgui  |4|00|'Table Names' or 'Tabels Data' update is not required due to
unavailablity of token (en) from the cached table list, notification ignored
000255.329|pgui  |4|00|'Table Names' or 'Tabels Data' update is not required due to
unavailablity of token (en) from the cached table list, notification ignored
000255.430|em    |*|00|EM1 is detected
000255.780|dhcpc|*|00|Initial log entry. Current logging level 4
000255.840|pwr   |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
```

0004f2873907-app.log

000255.841|pwr |4|00|ATTACH called for already deteced EM1  
000255.841|pwr |4|00|Free power from device=3  
000255.841|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
000255.842|pwr |4|00|Enough power available for device type=3  
000255.842|pwr |4|00|ALLOW power for device 3  
  
000255.843|em |\*|00|authorisation 7e  
000255.843|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
000258.586|cfg |5|00|RT|cfgRtRunDvdOnDhcpLease:DVD is not in progress  
000258.588|cfg |\*|00|RT| Phone IP address is 192.168.8.202.  
000258.588|cfg |\*|00|RT| Subnet mask is 255.255.255.0.  
000258.588|cfg |\*|00|RT| Gateway address is 192.168.8.1.  
000258.594|cfg |\*|00|RT|Primary IP: 192.168.8.202 subnet mask 255.255.255.0  
000258.594|cfg |\*|00|RT| DNS server is 192.168.8.15.  
000258.594|cfg |\*|00|RT| DNS alternate server is 10.6.0.10.  
000258.594|cfg |\*|00|RT| DNS domain is office.padtechnologies.com.  
000258.594|cfg |\*|00|RT| Time server is 192.168.8.15.  
000258.594|cfg |\*|00|RT| GMT offset is -21600 seconds.  
000258.595|dns |\*|00|DNS resolver servers are '192.168.8.15' '10.6.0.10'  
000258.595|dns |\*|00|DNS resolver search domain is 'office.padtechnologies.com'  
000258.783|so |\*|00|Network initialized. Starting network tasks.  
000258.784|tickt|\*|00|Initial log entry. Current logging level 4  
000258.784|loc |\*|00|Initial log entry. Current logging level 4  
000258.795|AuthS|\*|00|Initial log entry. Current logging level 2  
000258.796|Devic|\*|00|Initial log entry. Current logging level 4  
000258.796|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer  
000258.797|proxy|\*|00|Initial log entry. Current logging level 2  
000258.797|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer  
000258.798|proxy|3|00|Proxy Service intialized  
000258.799|WADSe|\*|00|Initial log entry. Current logging level 2  
000258.799|cfg |4|00|Prm|cfgParamCbSet: duplicate function pointer  
000258.800|log |\*|00|Install file upload callback for 'so'  
  
000258.803|btoe |5|00|MsgPpsNcasProcessStartStopCmd: BTOE is disabled. Cannot  
start Pairing  
000258.810|pps |\*|00| vqmon Process Service Route is Disabled  
000258.822|so |4|00|[SoNcasC]: appncascontext termination:1  
000258.823|so |4|00|[SoNcasC]: Case Handling termination:1  
000258.828|sip |\*|00|Sip Register Usr:200 Dsp:200 Auth:'200' Inx:0  
000258.829|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/sip.usr  
doesn't exist or is empty  
000258.907|sip |\*|00|Fast Boot Measurement Point: Ready for Call, uptime: 178.907  
sec.

0004f2873907-app.log

```
000258.916|dect |*|00|Initial log entry. Current logging level 4
000258.916|dect |*|00|createCmbsDectInstance :: cmbs Dect Instance is created
000258.946|app1 |4|00|AppBrowserUiC::configure() Enter
000258.946|app1 |4|00|AppBrowserUiC::configure() - Home url - [], idle url - []
000258.991|app1 |4|00|fsmLclEvent - context=0, index=2, lineKeyNum=1, numLineKeys=4
000258.991|app1 |4|00|setFlexLineKeyIndex -Index: 0, Position: 0
000258.991|app1 |4|00|fsmLclEvent - context=0, index=3, lineKeyNum=2, numLineKeys=4
000258.991|app1 |4|00|setFlexLineKeyIndex -Index: 1, Position: 1
000258.991|app1 |4|00|fsmLclEvent - context=0, index=4, lineKeyNum=3, numLineKeys=4
000258.991|app1 |4|00|setFlexLineKeyIndex -Index: 2, Position: 2
000258.991|app1 |4|00|fsmLclEvent - context=0, index=5, lineKeyNum=4, numLineKeys=4
000258.991|app1 |4|00|setFlexLineKeyIndex -Index: 3, Position: 3
000259.155|app1 |4|00|Corporate directory is not Enabled.
000259.167|clist |4|00|dbCfg::getServerDir:Unknown dbCfg type
000259.168|clist |4|00|dbCfg::getServerDir:Unknown dbCfg type
000259.176|moh |*|00|Initial log entry. Current logging level 4
0215084540|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Enter

0215084540|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Default

0215084540|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Exit

0215084731|ec |4|00|Got new timezone CST6CDT,J71/2:0:0,J309/2:0:0
0215084731|brow |4|00|Timezone value = CST6CDT,J71/2:0:0,J309/2:0:0, Browser state
- 1, Visible - 0

0215084540|moh |4|00|SoNcasMohC::soNcasmohCfgInit: File provisioning for Music On
Hold is defined only for Lync Profile and if Music On Hold feature is enabled
0215084540|cfg |*|00|Prov|Starting to provision
0215084731|cfg |*|00|Prov|Starting to update SIP551/3111-44600-001.sip.ld
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.5.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.6.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.7.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.8.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.9.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.10.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.11.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.12.index is invalid, ignoring
0215084734|cfg |*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:
Value "" for configuration parameter lineKey.13.index is invalid, ignoring
```

0004f2873907-app.log

0215084734|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.14.index is invalid, ignoring  
0215084734|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.15.index is invalid, ignoring  
0215084734|cfg |\*|00|Prm|SIP551/Config/extensions/reg-basic-0004f2873907.cfg:  
Value "" for configuration parameter lineKey.16.index is invalid, ignoring  
0215084734|cfg |\*|00|Prm|SIP551/Config/features.cfg: Value 9999 for configuration  
parameter dir.local.contacts.maxNum is too large, using 500, the maximum allowed  
0215084734|cfg |4|00|Prm|SIP551/Config/video.cfg: Unknown parameter  
"video.enable.SSTRVOIP" found, ignoring.  
0215084734|cfg |\*|00|Prm|Not proceeding with reboot/restart, as device parameters  
needs to be updated, before making a decision  
0215084734|cfg |\*|00|Prov|Finished updating configuration  
0215084734|so |4|00|[MsgSoTR069Init] Start  
0215084734|dectU|\*|00|Initial log entry. Current logging level 4  
0215084734|dectU|4|00|DECT\_UPDATER SDectUpdaterS0: BaseEventInit: Wait, NotPaired  
0215084736|dectU|4|00|DECT\_UPDATER size of (updateStatusDetails) 384  
0215084736|dectU|4|00|DECT\_UPDATER Read Could not open file  
0215084736|dect |\*|00|RePairing with BS  
0215084736|dect |4|00|Dect Feature not enabled!:0  
0215084736|dect |\*|00|Dect module is initialized changing state to : 1,  
0215084737|em |5|00|Watchdog expired for EM1  
0215084738|em |\*|00|EM1 is detected  
0215084738|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215084738|pwr |4|00|ATTACH called for already deteced EM1  
  
0215084738|pwr |4|00|Free power from device=3  
  
0215084738|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
  
0215084738|pwr |4|00|Enough power available for device type=3  
  
0215084738|pwr |4|00|ALLOW power for device 3  
  
0215084738|em |\*|00|authorisation 7e  
0215084738|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084739|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]  
0215084747|em |5|00|Watchdog expired for EM1  
0215084748|em |\*|00|EM1 is detected  
0215084748|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215084748|pwr |4|00|ATTACH called for already deteced EM1  
  
0215084748|pwr |4|00|Free power from device=3  
  
0215084748|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0004f2873907-app.log

0215084748|pwr |4|00|Enough power available for device type=3  
0215084748|pwr |4|00|ALLOW power for device 3  
0215084748|em |\*|00|authorisation 7e  
0215084748|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084758|em |5|00|Watchdog expired for EM1  
0215084759|em |\*|00|EM1 is detected  
0215084759|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084759|pwr |4|00|ATTACH called for already detecetd EM1  
0215084759|pwr |4|00|Free power from device=3  
0215084759|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084759|pwr |4|00|Enough power available for device type=3  
0215084759|pwr |4|00|ALLOW power for device 3  
0215084759|em |\*|00|authorisation 7e  
0215084759|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084808|em |5|00|Watchdog expired for EM1  
0215084809|em |\*|00|EM1 is detected  
0215084809|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084809|pwr |4|00|ATTACH called for already detecetd EM1  
0215084809|pwr |4|00|Free power from device=3  
0215084809|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084809|pwr |4|00|Enough power available for device type=3  
0215084809|pwr |4|00|ALLOW power for device 3  
0215084809|em |\*|00|authorisation 7e  
0215084809|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084814|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [0], previous - [2].  
0215084818|em |5|00|Watchdog expired for EM1  
0215084819|em |\*|00|EM1 is detected  
0215084819|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084819|pwr |4|00|ATTACH called for already detecetd EM1  
0215084819|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215084819|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084819|pwr |4|00|Enough power available for device type=3  
0215084819|pwr |4|00|ALLOW power for device 3  
0215084819|em |\*|00|authorisation 7e  
0215084819|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084828|em |5|00|Watchdog expired for EM1  
0215084829|em |\*|00|EM1 is detected  
0215084829|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084829|pwr |4|00|ATTACH called for already detecetd EM1  
0215084829|pwr |4|00|Free power from device=3  
0215084829|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084829|pwr |4|00|Enough power available for device type=3  
0215084829|pwr |4|00|ALLOW power for device 3  
0215084829|em |\*|00|authorisation 7e  
0215084829|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084838|em |5|00|Watchdog expired for EM1  
0215084839|em |\*|00|EM1 is detected  
0215084839|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084839|pwr |4|00|ATTACH called for already detecetd EM1  
0215084839|pwr |4|00|Free power from device=3  
0215084839|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084839|pwr |4|00|Enough power available for device type=3  
0215084839|pwr |4|00|ALLOW power for device 3  
0215084839|em |\*|00|authorisation 7e  
0215084839|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084848|em |5|00|Watchdog expired for EM1  
0215084849|em |\*|00|EM1 is detected  
0215084849|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084849|pwr |4|00|ATTACH called for already detecetd EM1  
0215084849|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215084849|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084849|pwr |4|00|Enough power available for device type=3  
0215084849|pwr |4|00|ALLOW power for device 3  
0215084849|em |\*|00|authorisation 7e  
0215084849|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084858|em |5|00|Watchdog expired for EM1  
0215084859|em |\*|00|EM1 is detected  
0215084859|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084859|pwr |4|00|ATTACH called for already detecetd EM1  
0215084859|pwr |4|00|Free power from device=3  
0215084859|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084859|pwr |4|00|Enough power available for device type=3  
0215084859|pwr |4|00|ALLOW power for device 3  
0215084859|em |\*|00|authorisation 7e  
0215084859|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084908|em |5|00|Watchdog expired for EM1  
0215084909|em |\*|00|EM1 is detected  
0215084909|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084909|pwr |4|00|ATTACH called for already detecetd EM1  
0215084909|pwr |4|00|Free power from device=3  
0215084909|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084909|pwr |4|00|Enough power available for device type=3  
0215084909|pwr |4|00|ALLOW power for device 3  
0215084909|em |\*|00|authorisation 7e  
0215084909|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084918|em |5|00|Watchdog expired for EM1  
0215084919|em |\*|00|EM1 is detected  
0215084919|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084919|pwr |4|00|ATTACH called for already detecetd EM1  
0215084919|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215084919|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084919|pwr |4|00|Enough power available for device type=3  
0215084919|pwr |4|00|ALLOW power for device 3  
0215084919|em |\*|00|authorisation 7e  
0215084919|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084928|em |5|00|Watchdog expired for EM1  
0215084929|em |\*|00|EM1 is detected  
0215084929|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084929|pwr |4|00|ATTACH called for already detecetd EM1  
0215084929|pwr |4|00|Free power from device=3  
0215084929|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084929|pwr |4|00|Enough power available for device type=3  
0215084929|pwr |4|00|ALLOW power for device 3  
0215084929|em |\*|00|authorisation 7e  
0215084929|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084938|em |5|00|Watchdog expired for EM1  
0215084939|em |\*|00|EM1 is detected  
0215084939|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084939|pwr |4|00|ATTACH called for already detecetd EM1  
0215084939|pwr |4|00|Free power from device=3  
0215084939|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084939|pwr |4|00|Enough power available for device type=3  
0215084939|pwr |4|00|ALLOW power for device 3  
0215084939|em |\*|00|authorisation 7e  
0215084939|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084948|em |5|00|Watchdog expired for EM1  
0215084949|em |\*|00|EM1 is detected  
0215084949|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084949|pwr |4|00|ATTACH called for already detecetd EM1  
0215084949|pwr |4|00|Free power from device=3



0004f2873907-app.log

0215084949|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084949|pwr |4|00|Enough power available for device type=3  
0215084949|pwr |4|00|ALLOW power for device 3  
0215084949|em |\*|00|authorisation 7e  
0215084949|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215084958|em |5|00|Watchdog expired for EM1  
0215084959|em |\*|00|EM1 is detected  
0215084959|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215084959|pwr |4|00|ATTACH called for already detecetd EM1  
0215084959|pwr |4|00|Free power from device=3  
0215084959|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215084959|pwr |4|00|Enough power available for device type=3  
0215084959|pwr |4|00|ALLOW power for device 3  
0215084959|em |\*|00|authorisation 7e  
0215084959|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085008|em |5|00|Watchdog expired for EM1  
0215085009|em |\*|00|EM1 is detected  
0215085009|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085009|pwr |4|00|ATTACH called for already detecetd EM1  
0215085009|pwr |4|00|Free power from device=3  
0215085009|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085009|pwr |4|00|Enough power available for device type=3  
0215085009|pwr |4|00|ALLOW power for device 3  
0215085009|em |\*|00|authorisation 7e  
0215085009|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085018|em |5|00|Watchdog expired for EM1  
0215085019|em |\*|00|EM1 is detected  
0215085019|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085019|pwr |4|00|ATTACH called for already detecetd EM1  
0215085019|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215085019|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085019|pwr |4|00|Enough power available for device type=3  
0215085019|pwr |4|00|ALLOW power for device 3  
0215085019|em |\*|00|authorisation 7e  
0215085019|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085028|em |5|00|Watchdog expired for EM1  
0215085029|em |\*|00|EM1 is detected  
0215085029|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085029|pwr |4|00|ATTACH called for already detecetd EM1  
0215085029|pwr |4|00|Free power from device=3  
0215085029|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085029|pwr |4|00|Enough power available for device type=3  
0215085029|pwr |4|00|ALLOW power for device 3  
0215085029|em |\*|00|authorisation 7e  
0215085029|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085038|em |5|00|Watchdog expired for EM1  
0215085039|em |\*|00|EM1 is detected  
0215085039|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085039|pwr |4|00|ATTACH called for already detecetd EM1  
0215085039|pwr |4|00|Free power from device=3  
0215085039|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085039|pwr |4|00|Enough power available for device type=3  
0215085039|pwr |4|00|ALLOW power for device 3  
0215085039|em |\*|00|authorisation 7e  
0215085039|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085048|em |5|00|Watchdog expired for EM1  
0215085049|em |\*|00|EM1 is detected  
0215085049|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085049|pwr |4|00|ATTACH called for already detecetd EM1  
0215085049|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215085049|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085049|pwr |4|00|Enough power available for device type=3  
0215085049|pwr |4|00|ALLOW power for device 3  
0215085049|em |\*|00|authorisation 7e  
0215085049|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085058|em |5|00|Watchdog expired for EM1  
0215085059|em |\*|00|EM1 is detected  
0215085059|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085059|pwr |4|00|ATTACH called for already detecetd EM1  
0215085059|pwr |4|00|Free power from device=3  
0215085059|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085059|pwr |4|00|Enough power available for device type=3  
0215085059|pwr |4|00|ALLOW power for device 3  
0215085059|em |\*|00|authorisation 7e  
0215085059|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085108|em |5|00|Watchdog expired for EM1  
0215085109|em |\*|00|EM1 is detected  
0215085109|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085109|pwr |4|00|ATTACH called for already detecetd EM1  
0215085109|pwr |4|00|Free power from device=3  
0215085109|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085109|pwr |4|00|Enough power available for device type=3  
0215085109|pwr |4|00|ALLOW power for device 3  
0215085109|em |\*|00|authorisation 7e  
0215085109|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085119|em |5|00|Watchdog expired for EM1  
0215085120|em |\*|00|EM1 is detected  
0215085120|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085120|em |\*|00|authorisation 7e  
0215085120|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085120|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0215085120|pwr |4|00|Free power from device=3  
0215085120|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085120|pwr |4|00|Enough power available for device type=3  
0215085120|pwr |4|00|ALLOW power for device 3  
0215085129|em |5|00|Watchdog expired for EM1  
0215085130|em |\*|00|EM1 is detected  
0215085130|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085130|pwr |4|00|ATTACH called for already deteced EM1  
0215085130|pwr |4|00|Free power from device=3  
0215085130|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085130|pwr |4|00|Enough power available for device type=3  
0215085130|pwr |4|00|ALLOW power for device 3  
0215085130|em |\*|00|authorisation 7e  
0215085130|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085139|em |5|00|Watchdog expired for EM1  
0215085140|em |\*|00|EM1 is detected  
0215085140|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085140|pwr |4|00|ATTACH called for already deteced EM1  
0215085140|pwr |4|00|Free power from device=3  
0215085140|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085140|pwr |4|00|Enough power available for device type=3  
0215085140|pwr |4|00|ALLOW power for device 3  
0215085140|em |\*|00|authorisation 7e  
0215085140|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085149|em |5|00|Watchdog expired for EM1  
0215085150|em |\*|00|EM1 is detected  
0215085150|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085150|pwr |4|00|ATTACH called for already deteced EM1  
0215085150|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215085150|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085150|pwr |4|00|Enough power available for device type=3  
0215085150|pwr |4|00|ALLOW power for device 3  
0215085150|em |\*|00|authorisation 7e  
0215085150|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085159|em |5|00|Watchdog expired for EM1  
0215085200|em |\*|00|EM1 is detected  
0215085200|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085200|pwr |4|00|ATTACH called for already detecetd EM1  
0215085200|pwr |4|00|Free power from device=3  
0215085200|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085200|pwr |4|00|Enough power available for device type=3  
0215085200|pwr |4|00|ALLOW power for device 3  
0215085200|em |\*|00|authorisation 7e  
0215085200|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085209|em |5|00|Watchdog expired for EM1  
0215085210|em |\*|00|EM1 is detected  
0215085210|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085210|pwr |4|00|ATTACH called for already detecetd EM1  
0215085210|pwr |4|00|Free power from device=3  
0215085210|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085210|pwr |4|00|Enough power available for device type=3  
0215085210|pwr |4|00|ALLOW power for device 3  
0215085210|em |\*|00|authorisation 7e  
0215085210|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085219|em |5|00|Watchdog expired for EM1  
0215085220|em |\*|00|EM1 is detected  
0215085220|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085220|pwr |4|00|ATTACH called for already detecetd EM1  
0215085220|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215085220|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085220|pwr |4|00|Enough power available for device type=3  
0215085220|pwr |4|00|ALLOW power for device 3  
0215085220|em |\*|00|authorisation 7e  
0215085220|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085229|em |5|00|Watchdog expired for EM1  
0215085230|em |\*|00|EM1 is detected  
0215085230|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085230|pwr |4|00|ATTACH called for already detecetd EM1  
0215085230|pwr |4|00|Free power from device=3  
0215085230|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085230|pwr |4|00|Enough power available for device type=3  
0215085230|pwr |4|00|ALLOW power for device 3  
0215085230|em |\*|00|authorisation 7e  
0215085230|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085239|em |5|00|Watchdog expired for EM1  
0215085240|em |\*|00|EM1 is detected  
0215085240|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085240|pwr |4|00|ATTACH called for already detecetd EM1  
0215085240|pwr |4|00|Free power from device=3  
0215085240|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085240|pwr |4|00|Enough power available for device type=3  
0215085240|pwr |4|00|ALLOW power for device 3  
0215085240|em |\*|00|authorisation 7e  
0215085240|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085249|em |5|00|Watchdog expired for EM1  
0215085250|em |\*|00|EM1 is detected  
0215085250|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085250|pwr |4|00|ATTACH called for already detecetd EM1  
0215085250|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215085250|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085250|pwr |4|00|Enough power available for device type=3  
0215085250|pwr |4|00|ALLOW power for device 3  
0215085250|em |\*|00|authorisation 7e  
0215085250|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085259|em |5|00|Watchdog expired for EM1  
0215085300|em |\*|00|EM1 is detected  
0215085300|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085300|pwr |4|00|ATTACH called for already detecetd EM1  
0215085300|pwr |4|00|Free power from device=3  
0215085300|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085300|pwr |4|00|Enough power available for device type=3  
0215085300|pwr |4|00|ALLOW power for device 3  
0215085300|em |\*|00|authorisation 7e  
0215085300|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085309|em |5|00|Watchdog expired for EM1  
0215085310|em |\*|00|EM1 is detected  
0215085310|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085310|pwr |4|00|ATTACH called for already detecetd EM1  
0215085310|pwr |4|00|Free power from device=3  
0215085310|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085310|pwr |4|00|Enough power available for device type=3  
0215085310|pwr |4|00|ALLOW power for device 3  
0215085310|em |\*|00|authorisation 7e  
0215085310|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085319|em |5|00|Watchdog expired for EM1  
0215085320|em |\*|00|EM1 is detected  
0215085320|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085320|pwr |4|00|ATTACH called for already detecetd EM1  
0215085320|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215085320|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085320|pwr |4|00|Enough power available for device type=3  
0215085320|pwr |4|00|ALLOW power for device 3  
0215085320|em |\*|00|authorisation 7e  
0215085320|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085329|em |5|00|Watchdog expired for EM1  
0215085330|em |\*|00|EM1 is detected  
0215085330|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085330|pwr |4|00|ATTACH called for already detecetd EM1  
0215085330|pwr |4|00|Free power from device=3  
0215085330|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085330|pwr |4|00|Enough power available for device type=3  
0215085330|pwr |4|00|ALLOW power for device 3  
0215085330|em |\*|00|authorisation 7e  
0215085330|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085339|em |5|00|Watchdog expired for EM1  
0215085340|em |\*|00|EM1 is detected  
0215085340|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085340|pwr |4|00|ATTACH called for already detecetd EM1  
0215085340|pwr |4|00|Free power from device=3  
0215085340|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085340|pwr |4|00|Enough power available for device type=3  
0215085340|pwr |4|00|ALLOW power for device 3  
0215085340|em |\*|00|authorisation 7e  
0215085340|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085349|em |5|00|Watchdog expired for EM1  
0215085350|em |\*|00|EM1 is detected  
0215085350|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085350|pwr |4|00|ATTACH called for already detecetd EM1  
0215085350|pwr |4|00|Free power from device=3



0004f2873907-app.log

0215085350|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085350|pwr |4|00|Enough power available for device type=3  
0215085350|pwr |4|00|ALLOW power for device 3  
0215085350|em |\*|00|authorisation 7e  
0215085350|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085359|em |5|00|Watchdog expired for EM1  
0215085400|em |\*|00|EM1 is detected  
0215085400|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085400|pwr |4|00|ATTACH called for already detecetd EM1  
0215085400|pwr |4|00|Free power from device=3  
0215085400|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085400|pwr |4|00|Enough power available for device type=3  
0215085400|pwr |4|00|ALLOW power for device 3  
0215085400|em |\*|00|authorisation 7e  
0215085400|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085409|em |5|00|Watchdog expired for EM1  
0215085410|em |\*|00|EM1 is detected  
0215085410|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085410|pwr |4|00|ATTACH called for already detecetd EM1  
0215085410|pwr |4|00|Free power from device=3  
0215085410|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085410|pwr |4|00|Enough power available for device type=3  
0215085410|pwr |4|00|ALLOW power for device 3  
0215085410|em |\*|00|authorisation 7e  
0215085410|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085419|em |5|00|Watchdog expired for EM1  
0215085420|em |\*|00|EM1 is detected  
0215085420|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085420|pwr |4|00|ATTACH called for already detecetd EM1  
0215085420|pwr |4|00|Free power from device=3

0004f2873907-app.log

```
0215085420|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085420|pwr |4|00|Enough power available for device type=3
0215085420|pwr |4|00|ALLOW power for device 3
0215085420|em |*|00|authorisation 7e
0215085420|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085421|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0215085429|em |5|00|Watchdog expired for EM1
0215085430|em |*|00|EM1 is detected
0215085430|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085430|pwr |4|00|ATTACH called for already detecetd EM1
0215085430|pwr |4|00|Free power from device=3
0215085430|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085430|pwr |4|00|Enough power available for device type=3
0215085430|pwr |4|00|ALLOW power for device 3
0215085430|em |*|00|authorisation 7e
0215085430|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085440|em |5|00|Watchdog expired for EM1
0215085441|em |*|00|EM1 is detected
0215085441|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085441|pwr |4|00|ATTACH called for already detecetd EM1
0215085441|pwr |4|00|Free power from device=3
0215085441|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085441|pwr |4|00|Enough power available for device type=3
0215085441|pwr |4|00|ALLOW power for device 3
0215085441|em |*|00|authorisation 7e
0215085441|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085451|em |5|00|Watchdog expired for EM1
0215085452|em |*|00|EM1 is detected
0215085452|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085452|pwr |4|00|ATTACH called for already detecetd EM1
```

0004f2873907-app.log

0215085452|pwr |4|00|Free power from device=3  
0215085452|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085452|pwr |4|00|Enough power available for device type=3  
0215085452|pwr |4|00|ALLOW power for device 3  
0215085452|em |\*|00|authorisation 7e  
0215085452|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085502|em |5|00|Watchdog expired for EM1  
0215085503|em |\*|00|EM1 is detected  
0215085503|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085503|pwr |4|00|ATTACH called for already detecetd EM1  
0215085503|pwr |4|00|Free power from device=3  
0215085503|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085503|pwr |4|00|Enough power available for device type=3  
0215085503|pwr |4|00|ALLOW power for device 3  
0215085503|em |\*|00|authorisation 7e  
0215085503|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085512|em |5|00|Watchdog expired for EM1  
0215085513|em |\*|00|EM1 is detected  
0215085513|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085513|pwr |4|00|ATTACH called for already detecetd EM1  
0215085513|pwr |4|00|Free power from device=3  
0215085513|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085513|pwr |4|00|Enough power available for device type=3  
0215085513|pwr |4|00|ALLOW power for device 3  
0215085513|em |\*|00|authorisation 7e  
0215085513|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085522|em |5|00|Watchdog expired for EM1  
0215085523|em |\*|00|EM1 is detected  
0215085523|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085523|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0215085523|pwr |4|00|Free power from device=3  
0215085523|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085523|pwr |4|00|Enough power available for device type=3  
0215085523|pwr |4|00|ALLOW power for device 3  
0215085523|em |\*|00|authorisation 7e  
0215085523|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085532|em |5|00|Watchdog expired for EM1  
0215085533|em |\*|00|EM1 is detected  
0215085533|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085533|pwr |4|00|ATTACH called for already detecetd EM1  
0215085533|pwr |4|00|Free power from device=3  
0215085533|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085533|pwr |4|00|Enough power available for device type=3  
0215085533|pwr |4|00|ALLOW power for device 3  
0215085533|em |\*|00|authorisation 7e  
0215085533|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085543|em |5|00|Watchdog expired for EM1  
0215085543|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states - present - [0], previous - [2].  
0215085544|em |\*|00|EM1 is detected  
0215085544|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215085544|pwr |4|00|ATTACH called for already detecetd EM1  
0215085544|pwr |4|00|Free power from device=3  
0215085544|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085544|pwr |4|00|Enough power available for device type=3  
0215085544|pwr |4|00|ALLOW power for device 3  
0215085544|em |\*|00|authorisation 7e  
0215085544|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085554|em |5|00|Watchdog expired for EM1  
0215085555|em |\*|00|EM1 is detected  
0215085555|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0215085555|pwr |4|00|ATTACH called for already deteced EM1  
0215085555|pwr |4|00|Free power from device=3  
0215085555|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085555|pwr |4|00|Enough power available for device type=3  
0215085555|pwr |4|00|ALLOW power for device 3  
  
0215085555|em |\*|00|authorisation 7e  
0215085555|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085604|em |5|00|Watchdog expired for EM1  
0215085605|em |\*|00|EM1 is detected  
0215085605|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085605|pwr |4|00|ATTACH called for already deteced EM1  
0215085605|pwr |4|00|Free power from device=3  
  
0215085605|em |\*|00|authorisation 7e  
0215085605|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085605|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
  
0215085605|pwr |4|00|Enough power available for device type=3  
0215085605|pwr |4|00|ALLOW power for device 3  
  
0215085614|em |5|00|Watchdog expired for EM1  
0215085615|em |\*|00|EM1 is detected  
0215085615|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085615|pwr |4|00|ATTACH called for already deteced EM1  
0215085615|pwr |4|00|Free power from device=3  
  
0215085615|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085615|pwr |4|00|Enough power available for device type=3  
0215085615|pwr |4|00|ALLOW power for device 3  
  
0215085615|em |\*|00|authorisation 7e  
0215085615|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085624|em |5|00|Watchdog expired for EM1  
0215085625|em |\*|00|EM1 is detected  
0215085625|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

0215085625|pwr |4|00|ATTACH called for already detecetd EM1  
0215085625|pwr |4|00|Free power from device=3  
0215085625|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085625|pwr |4|00|Enough power available for device type=3  
0215085625|pwr |4|00|ALLOW power for device 3  
  
0215085625|em |\*|00|authorisation 7e  
0215085625|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085634|em |5|00|Watchdog expired for EM1  
0215085635|em |\*|00|EM1 is detected  
0215085635|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085635|pwr |4|00|ATTACH called for already detecetd EM1  
0215085635|pwr |4|00|Free power from device=3  
0215085635|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085635|pwr |4|00|Enough power available for device type=3  
0215085635|pwr |4|00|ALLOW power for device 3  
  
0215085635|em |\*|00|authorisation 7e  
0215085635|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085644|em |5|00|Watchdog expired for EM1  
0215085645|em |\*|00|EM1 is detected  
0215085645|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085645|pwr |4|00|ATTACH called for already detecetd EM1  
0215085645|pwr |4|00|Free power from device=3  
0215085645|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085645|pwr |4|00|Enough power available for device type=3  
0215085645|pwr |4|00|ALLOW power for device 3  
  
0215085645|em |\*|00|authorisation 7e  
0215085645|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085654|em |5|00|Watchdog expired for EM1  
0215085655|em |\*|00|EM1 is detected  
0215085655|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

```
0215085655|pwr |4|00|ATTACH called for already deteced EM1
0215085655|pwr |4|00|Free power from device=3
0215085655|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085655|pwr |4|00|Enough power available for device type=3
0215085655|pwr |4|00|ALLOW power for device 3
0215085655|em |*|00|authorisation 7e
0215085655|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085704|em |5|00|Watchdog expired for EM1
0215085705|em |*|00|EM1 is detected
0215085705|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085705|pwr |4|00|ATTACH called for already deteced EM1
0215085705|pwr |4|00|Free power from device=3
0215085705|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085705|pwr |4|00|Enough power available for device type=3
0215085705|pwr |4|00|ALLOW power for device 3
0215085705|em |*|00|authorisation 7e
0215085705|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085714|em |5|00|Watchdog expired for EM1
0215085715|em |*|00|EM1 is detected
0215085715|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085715|pwr |4|00|ATTACH called for already deteced EM1
0215085715|pwr |4|00|Free power from device=3
0215085715|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085715|pwr |4|00|Enough power available for device type=3
0215085715|pwr |4|00|ALLOW power for device 3
0215085715|em |*|00|authorisation 7e
0215085715|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085724|em |5|00|Watchdog expired for EM1
0215085725|em |*|00|EM1 is detected
0215085725|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
```

0004f2873907-app.log

0215085725|pwr |4|00|ATTACH called for already deteced EM1  
0215085725|pwr |4|00|Free power from device=3  
0215085725|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085725|pwr |4|00|Enough power available for device type=3  
0215085725|pwr |4|00|ALLOW power for device 3  
  
0215085725|em |\*|00|authorisation 7e  
0215085725|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085734|em |5|00|Watchdog expired for EM1  
0215085735|em |\*|00|EM1 is detected  
0215085735|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085735|pwr |4|00|ATTACH called for already deteced EM1  
0215085735|pwr |4|00|Free power from device=3  
0215085735|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085735|pwr |4|00|Enough power available for device type=3  
0215085735|pwr |4|00|ALLOW power for device 3  
  
0215085735|em |\*|00|authorisation 7e  
0215085735|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085744|em |5|00|Watchdog expired for EM1  
0215085745|em |\*|00|EM1 is detected  
0215085745|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085745|pwr |4|00|ATTACH called for already deteced EM1  
0215085745|pwr |4|00|Free power from device=3  
0215085745|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085745|pwr |4|00|Enough power available for device type=3  
0215085745|pwr |4|00|ALLOW power for device 3  
  
0215085745|em |\*|00|authorisation 7e  
0215085745|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085754|em |5|00|Watchdog expired for EM1  
0215085755|em |\*|00|EM1 is detected  
0215085755|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0



0004f2873907-app.log

0215085755|pwr |4|00|ATTACH called for already deteced EM1  
0215085755|pwr |4|00|Free power from device=3  
0215085755|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085755|pwr |4|00|Enough power available for device type=3  
0215085755|pwr |4|00|ALLOW power for device 3  
  
0215085755|em |\*|00|authorisation 7e  
0215085755|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085804|em |5|00|Watchdog expired for EM1  
0215085805|em |\*|00|EM1 is detected  
0215085805|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085805|pwr |4|00|ATTACH called for already deteced EM1  
0215085805|pwr |4|00|Free power from device=3  
0215085805|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085805|pwr |4|00|Enough power available for device type=3  
0215085805|pwr |4|00|ALLOW power for device 3  
  
0215085805|em |\*|00|authorisation 7e  
0215085805|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085814|em |5|00|Watchdog expired for EM1  
0215085815|em |\*|00|EM1 is detected  
0215085815|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085815|pwr |4|00|ATTACH called for already deteced EM1  
0215085815|pwr |4|00|Free power from device=3  
0215085815|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085815|pwr |4|00|Enough power available for device type=3  
0215085815|pwr |4|00|ALLOW power for device 3  
  
0215085815|em |\*|00|authorisation 7e  
0215085815|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085824|em |5|00|Watchdog expired for EM1  
0215085825|em |\*|00|EM1 is detected  
0215085825|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

```
0215085825|pwr |4|00|ATTACH called for already deteced EM1
0215085825|pwr |4|00|Free power from device=3
0215085825|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085825|pwr |4|00|Enough power available for device type=3
0215085825|pwr |4|00|ALLOW power for device 3
0215085825|em |*|00|authorisation 7e
0215085825|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085834|em |5|00|Watchdog expired for EM1
0215085835|em |*|00|EM1 is detected
0215085835|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085835|pwr |4|00|ATTACH called for already deteced EM1
0215085835|pwr |4|00|Free power from device=3
0215085835|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085835|pwr |4|00|Enough power available for device type=3
0215085835|pwr |4|00|ALLOW power for device 3
0215085835|em |*|00|authorisation 7e
0215085835|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085844|em |5|00|Watchdog expired for EM1
0215085845|em |*|00|EM1 is detected
0215085845|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085845|pwr |4|00|ATTACH called for already deteced EM1
0215085845|pwr |4|00|Free power from device=3
0215085845|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085845|pwr |4|00|Enough power available for device type=3
0215085845|pwr |4|00|ALLOW power for device 3
0215085845|em |*|00|authorisation 7e
0215085845|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085854|em |5|00|Watchdog expired for EM1
0215085855|em |*|00|EM1 is detected
0215085855|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
```

0004f2873907-app.log

0215085855|pwr |4|00|ATTACH called for already deteced EM1  
0215085855|pwr |4|00|Free power from device=3  
0215085855|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085855|pwr |4|00|Enough power available for device type=3  
0215085855|pwr |4|00|ALLOW power for device 3  
  
0215085855|em |\*|00|authorisation 7e  
0215085855|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085904|em |5|00|Watchdog expired for EM1  
0215085905|em |\*|00|EM1 is detected  
0215085905|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085905|pwr |4|00|ATTACH called for already deteced EM1  
0215085905|pwr |4|00|Free power from device=3  
0215085905|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085905|pwr |4|00|Enough power available for device type=3  
0215085905|pwr |4|00|ALLOW power for device 3  
  
0215085905|em |\*|00|authorisation 7e  
0215085905|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085914|em |5|00|Watchdog expired for EM1  
0215085915|em |\*|00|EM1 is detected  
0215085915|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215085915|pwr |4|00|ATTACH called for already deteced EM1  
0215085915|pwr |4|00|Free power from device=3  
0215085915|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215085915|pwr |4|00|Enough power available for device type=3  
0215085915|pwr |4|00|ALLOW power for device 3  
  
0215085915|em |\*|00|authorisation 7e  
0215085915|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215085924|em |5|00|Watchdog expired for EM1  
0215085925|em |\*|00|EM1 is detected  
0215085925|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0004f2873907-app.log

```
0215085925|pwr |4|00|ATTACH called for already detecetd EM1
0215085925|pwr |4|00|Free power from device=3
0215085925|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085925|pwr |4|00|Enough power available for device type=3
0215085925|pwr |4|00|ALLOW power for device 3
0215085925|em |*|00|authorisation 7e
0215085925|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085934|em |5|00|Watchdog expired for EM1
0215085935|em |*|00|EM1 is detected
0215085935|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085935|pwr |4|00|ATTACH called for already detecetd EM1
0215085935|pwr |4|00|Free power from device=3
0215085935|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085935|pwr |4|00|Enough power available for device type=3
0215085935|pwr |4|00|ALLOW power for device 3
0215085935|em |*|00|authorisation 7e
0215085935|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085944|em |5|00|Watchdog expired for EM1
0215085945|em |*|00|EM1 is detected
0215085945|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0
0215085945|pwr |4|00|ATTACH called for already detecetd EM1
0215085945|pwr |4|00|Free power from device=3
0215085945|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0
0215085945|pwr |4|00|Enough power available for device type=3
0215085945|pwr |4|00|ALLOW power for device 3
0215085945|em |*|00|authorisation 7e
0215085945|em |*|00|LC Log: Switched Communcation to Legacy Mode
0215085949|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn
() fntpOut ()
0215085949|pps |5|00|[PpsHybridC::findMatchingVoicePayload]: find matching fntpIn
() fntpOut ()
```

0004f2873907-app.log

```
0215085949|bluet|4|00|ERROR: No matching device
0215085949|bluet|4|00|ERROR: No matching device
0215085950|app1 |*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -
present - [2], previous - [0].
0215085954|em   |5|00|Watchdog expired for EM1
0215085954|net  |4|00|rtosNetwork net02: netwSend() - sendto() call failed. fd 206
errno=22
0215085955|em   |*|00|EM1 is detected
0215085955|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215085955|pwr  |4|00|ATTACH called for already detecetd EM1

0215085955|pwr  |4|00|Free power from device=3

0215085955|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215085955|pwr  |4|00|Enough power available for device type=3

0215085955|pwr  |4|00|ALLOW power for device 3

0215085955|em   |*|00|authorisation 7e
0215085955|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215085955|bluet|4|00|ERROR: No matching device
0215085955|bluet|4|00|ERROR: No matching device
0215085958|bluet|4|00|ERROR: No matching device
0215090005|em   |5|00|Watchdog expired for EM1
0215090006|em   |*|00|EM1 is detected
0215090006|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215090006|pwr  |4|00|ATTACH called for already detecetd EM1

0215090006|pwr  |4|00|Free power from device=3

0215090006|pwr  |4|00|Requested power by device=3, powerreq=0, pallocPriority=1

0215090006|pwr  |4|00|Enough power available for device type=3

0215090006|pwr  |4|00|ALLOW power for device 3

0215090006|em   |*|00|authorisation 7e
0215090006|em   |*|00|LC Log: Switched Communcation to Legacy Mode
0215090016|em   |5|00|Watchdog expired for EM1
0215090017|em   |*|00|EM1 is detected
0215090017|pwr  |4|00|device=3, Name=, state=0, powerReq=0, emtype=0

0215090017|pwr  |4|00|ATTACH called for already detecetd EM1

0215090017|pwr  |4|00|Free power from device=3
```

0004f2873907-app.log

0215090017|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090017|pwr |4|00|Enough power available for device type=3  
0215090017|pwr |4|00|ALLOW power for device 3  
0215090017|em |\*|00|authorisation 7e  
0215090017|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090027|em |5|00|Watchdog expired for EM1  
0215090028|em |\*|00|EM1 is detected  
0215090028|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090028|pwr |4|00|ATTACH called for already detecetd EM1  
0215090028|pwr |4|00|Free power from device=3  
0215090028|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090028|pwr |4|00|Enough power available for device type=3  
0215090028|pwr |4|00|ALLOW power for device 3  
0215090028|em |\*|00|authorisation 7e  
0215090028|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090038|em |5|00|Watchdog expired for EM1  
0215090039|em |\*|00|EM1 is detected  
0215090039|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [1], previous - [2].  
0215090039|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090039|pwr |4|00|ATTACH called for already detecetd EM1  
0215090039|pwr |4|00|Free power from device=3  
0215090039|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090039|pwr |4|00|Enough power available for device type=3  
0215090039|em |\*|00|authorisation 7e  
0215090039|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090039|pwr |4|00|ALLOW power for device 3  
0215090049|em |5|00|Watchdog expired for EM1  
0215090050|em |\*|00|EM1 is detected  
0215090050|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090050|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0215090050|pwr |4|00|Free power from device=3  
0215090050|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090050|pwr |4|00|Enough power available for device type=3  
0215090050|pwr |4|00|ALLOW power for device 3  
0215090050|em |\*|00|authorisation 7e  
0215090050|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090100|em |5|00|Watchdog expired for EM1  
0215090101|em |\*|00|EM1 is detected  
0215090101|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090101|pwr |4|00|ATTACH called for already detecetd EM1  
0215090101|pwr |4|00|Free power from device=3  
0215090101|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090101|pwr |4|00|Enough power available for device type=3  
0215090101|pwr |4|00|ALLOW power for device 3  
0215090101|em |\*|00|authorisation 7e  
0215090101|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090111|em |5|00|Watchdog expired for EM1  
0215090112|em |\*|00|EM1 is detected  
0215090112|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090112|pwr |4|00|ATTACH called for already detecetd EM1  
0215090112|pwr |4|00|Free power from device=3  
0215090112|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090112|pwr |4|00|Enough power available for device type=3  
0215090112|pwr |4|00|ALLOW power for device 3  
0215090112|em |\*|00|authorisation 7e  
0215090112|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090122|em |5|00|Watchdog expired for EM1  
0215090123|em |\*|00|EM1 is detected  
0215090123|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090123|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0215090123|pwr |4|00|Free power from device=3  
0215090123|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090123|pwr |4|00|Enough power available for device type=3  
0215090123|pwr |4|00|ALLOW power for device 3  
0215090123|em |\*|00|authorisation 7e  
0215090123|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090133|em |5|00|Watchdog expired for EM1  
0215090134|em |\*|00|EM1 is detected  
0215090134|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090134|pwr |4|00|ATTACH called for already detecetd EM1  
0215090134|pwr |4|00|Free power from device=3  
0215090134|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090134|pwr |4|00|Enough power available for device type=3  
0215090134|pwr |4|00|ALLOW power for device 3  
0215090134|em |\*|00|authorisation 7e  
0215090134|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090144|em |5|00|Watchdog expired for EM1  
0215090145|em |\*|00|EM1 is detected  
0215090145|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090145|pwr |4|00|ATTACH called for already detecetd EM1  
0215090145|pwr |4|00|Free power from device=3  
0215090145|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090145|pwr |4|00|Enough power available for device type=3  
0215090145|pwr |4|00|ALLOW power for device 3  
0215090145|em |\*|00|authorisation 7e  
0215090145|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090155|em |5|00|Watchdog expired for EM1  
0215090156|em |\*|00|EM1 is detected  
0215090156|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090156|pwr |4|00|ATTACH called for already detecetd EM1



0004f2873907-app.log

0215090156|pwr |4|00|Free power from device=3  
0215090156|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090156|pwr |4|00|Enough power available for device type=3  
0215090156|pwr |4|00|ALLOW power for device 3  
0215090156|em |\*|00|authorisation 7e  
0215090156|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090206|em |5|00|Watchdog expired for EM1  
0215090207|em |\*|00|EM1 is detected  
0215090207|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090207|pwr |4|00|ATTACH called for already detecetd EM1  
0215090207|pwr |4|00|Free power from device=3  
0215090207|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090207|pwr |4|00|Enough power available for device type=3  
0215090207|pwr |4|00|ALLOW power for device 3  
0215090207|em |\*|00|authorisation 7e  
0215090207|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090217|em |5|00|Watchdog expired for EM1  
0215090218|em |\*|00|EM1 is detected  
0215090218|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090218|pwr |4|00|ATTACH called for already detecetd EM1  
0215090218|pwr |4|00|Free power from device=3  
0215090218|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090218|pwr |4|00|Enough power available for device type=3  
0215090218|pwr |4|00|ALLOW power for device 3  
0215090218|em |\*|00|authorisation 7e  
0215090218|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090228|em |5|00|Watchdog expired for EM1  
0215090229|em |\*|00|EM1 is detected  
0215090229|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090229|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0215090229|pwr |4|00|Free power from device=3  
0215090229|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090229|pwr |4|00|Enough power available for device type=3  
0215090229|pwr |4|00|ALLOW power for device 3  
0215090229|em |\*|00|authorisation 7e  
0215090229|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090239|em |5|00|Watchdog expired for EM1  
0215090240|em |\*|00|EM1 is detected  
0215090240|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090240|pwr |4|00|ATTACH called for already detecetd EM1  
0215090240|pwr |4|00|Free power from device=3  
0215090240|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090240|pwr |4|00|Enough power available for device type=3  
0215090240|pwr |4|00|ALLOW power for device 3  
0215090240|em |\*|00|authorisation 7e  
0215090240|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090250|em |5|00|Watchdog expired for EM1  
0215090251|em |\*|00|EM1 is detected  
0215090251|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090251|pwr |4|00|ATTACH called for already detecetd EM1  
0215090251|pwr |4|00|Free power from device=3  
0215090251|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090251|pwr |4|00|Enough power available for device type=3  
0215090251|pwr |4|00|ALLOW power for device 3  
0215090251|em |\*|00|authorisation 7e  
0215090251|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090301|em |5|00|Watchdog expired for EM1  
0215090302|em |\*|00|EM1 is detected  
0215090302|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090302|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0215090302|pwr |4|00|Free power from device=3  
0215090302|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090302|pwr |4|00|Enough power available for device type=3  
0215090302|pwr |4|00|ALLOW power for device 3  
0215090302|em |\*|00|authorisation 7e  
0215090302|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090312|em |5|00|Watchdog expired for EM1  
0215090313|em |\*|00|EM1 is detected  
0215090313|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090313|pwr |4|00|ATTACH called for already detecetd EM1  
0215090313|pwr |4|00|Free power from device=3  
0215090313|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090313|pwr |4|00|Enough power available for device type=3  
0215090313|pwr |4|00|ALLOW power for device 3  
0215090313|em |\*|00|authorisation 7e  
0215090313|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090323|em |5|00|Watchdog expired for EM1  
0215090324|em |\*|00|EM1 is detected  
0215090324|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090324|pwr |4|00|ATTACH called for already detecetd EM1  
0215090324|pwr |4|00|Free power from device=3  
0215090324|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090324|pwr |4|00|Enough power available for device type=3  
0215090324|pwr |4|00|ALLOW power for device 3  
0215090324|em |\*|00|authorisation 7e  
0215090324|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090334|em |5|00|Watchdog expired for EM1  
0215090335|em |\*|00|EM1 is detected  
0215090335|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090335|pwr |4|00|ATTACH called for already detecetd EM1

0004f2873907-app.log

0215090335|pwr |4|00|Free power from device=3  
0215090335|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=1  
0215090335|pwr |4|00|Enough power available for device type=3  
0215090335|pwr |4|00|ALLOW power for device 3  
  
0215090335|em |\*|00|authorisation 7e  
0215090335|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090337|app1 |4|00|Event: Unrecognizable key - appKeyFunc = 328, scan code 0  
0215090337|bluet|4|00|ERROR: No matching device  
0215090337|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states - present - [2], previous - [1].  
0215090337|cfg |5|00|Prm|Parameter voIpProt.SIP.allowTransferOnProceeding requested type 2 but is of type 0  
0215090337|bluet|4|00|ERROR: No matching device  
0215090337|bluet|4|00|ERROR: No matching device  
0215090337|bluet|4|00|ERROR: No matching device  
0215090337|bluet|4|00|ERROR: No matching device  
0215090337|sip |5|00|CUser::CallNew Call SubscribeDialogBla absent  
0215090345|em |5|00|Watchdog expired for EM1  
0215090346|em |\*|00|EM1 is detected  
0215090346|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215090346|pwr |4|00|ATTACH called for already detecetd EM1  
  
0215090346|pwr |4|00|Free power from device=3  
0215090346|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090346|pwr |4|00|Enough power available for device type=3  
0215090346|pwr |4|00|ALLOW power for device 3  
  
0215090346|em |\*|00|authorisation 7e  
0215090346|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090355|em |5|00|Watchdog expired for EM1  
0215090356|em |\*|00|EM1 is detected  
0215090356|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
  
0215090356|pwr |4|00|ATTACH called for already detecetd EM1  
  
0215090356|pwr |4|00|Free power from device=3  
0215090356|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0004f2873907-app.log

0215090356|pwr |4|00|Enough power available for device type=3  
0215090356|pwr |4|00|ALLOW power for device 3  
0215090356|em |\*|00|authorisation 7e  
0215090356|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090406|em |5|00|Watchdog expired for EM1  
0215090407|em |\*|00|EM1 is detected  
0215090407|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090407|pwr |4|00|ATTACH called for already detecetd EM1  
0215090407|pwr |4|00|Free power from device=3  
0215090407|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090407|pwr |4|00|Enough power available for device type=3  
0215090407|pwr |4|00|ALLOW power for device 3  
0215090407|em |\*|00|authorisation 7e  
0215090407|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090416|em |5|00|Watchdog expired for EM1  
0215090417|em |\*|00|EM1 is detected  
0215090417|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090417|pwr |4|00|ATTACH called for already detecetd EM1  
0215090417|pwr |4|00|Free power from device=3  
0215090417|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090417|pwr |4|00|Enough power available for device type=3  
0215090417|pwr |4|00|ALLOW power for device 3  
0215090417|em |\*|00|authorisation 7e  
0215090417|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090426|em |5|00|Watchdog expired for EM1  
0215090427|em |\*|00|EM1 is detected  
0215090427|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090427|pwr |4|00|ATTACH called for already detecetd EM1  
0215090427|pwr |4|00|Free power from device=3  
0215090427|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215090427|pwr |4|00|Enough power available for device type=3  
0215090427|pwr |4|00|ALLOW power for device 3  
0215090427|em |\*|00|authorisation 7e  
0215090427|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090435|bluet|4|00|ERROR: Stop discovery failed  
0215090436|em |5|00|Watchdog expired for EM1  
0215090437|em |\*|00|EM1 is detected  
0215090437|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090437|pwr |4|00|ATTACH called for already detecetd EM1  
0215090437|pwr |4|00|Free power from device=3  
0215090437|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090437|pwr |4|00|Enough power available for device type=3  
0215090437|pwr |4|00|ALLOW power for device 3  
0215090437|em |\*|00|authorisation 7e  
0215090437|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090438|app1 |\*|00|AppC::updateBackLightAndTouchScrStates() - Backlight states -  
present - [0], previous - [2].  
0215090447|em |5|00|Watchdog expired for EM1  
0215090448|em |\*|00|EM1 is detected  
0215090448|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090448|pwr |4|00|ATTACH called for already detecetd EM1  
0215090448|pwr |4|00|Free power from device=3  
0215090448|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090448|pwr |4|00|Enough power available for device type=3  
0215090448|pwr |4|00|ALLOW power for device 3  
0215090448|em |\*|00|authorisation 7e  
0215090448|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090457|em |5|00|Watchdog expired for EM1  
0215090458|em |\*|00|EM1 is detected  
0215090458|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090458|pwr |4|00|ATTACH called for already detecetd EM1  
0215090458|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215090458|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090458|pwr |4|00|Enough power available for device type=3  
0215090458|pwr |4|00|ALLOW power for device 3  
0215090458|em |\*|00|authorisation 7e  
0215090458|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090507|em |5|00|Watchdog expired for EM1  
0215090508|em |\*|00|EM1 is detected  
0215090508|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090508|pwr |4|00|ATTACH called for already detecetd EM1  
0215090508|pwr |4|00|Free power from device=3  
0215090508|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090508|pwr |4|00|Enough power available for device type=3  
0215090508|pwr |4|00|ALLOW power for device 3  
0215090508|em |\*|00|authorisation 7e  
0215090508|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090517|em |5|00|Watchdog expired for EM1  
0215090518|em |\*|00|EM1 is detected  
0215090518|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090518|pwr |4|00|ATTACH called for already detecetd EM1  
0215090518|pwr |4|00|Free power from device=3  
0215090518|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0  
0215090518|pwr |4|00|Enough power available for device type=3  
0215090518|pwr |4|00|ALLOW power for device 3  
0215090518|em |\*|00|authorisation 7e  
0215090518|em |\*|00|LC Log: Switched Communcation to Legacy Mode  
0215090527|em |5|00|Watchdog expired for EM1  
0215090528|em |\*|00|EM1 is detected  
0215090528|pwr |4|00|device=3, Name=, state=0, powerReq=0, emtype=0  
0215090528|pwr |4|00|ATTACH called for already detecetd EM1  
0215090528|pwr |4|00|Free power from device=3

0004f2873907-app.log

0215090528|pwr |4|00|Requested power by device=3, powerreq=0, pallocPriority=0

0215090528|pwr |4|00|Enough power available for device type=3

0215090528|pwr |4|00|ALLOW power for device 3

0215090528|em |\*|00|authorisation 7e

0215090528|em |\*|00|LC Log: Switched Communcation to Legacy Mode