

0425135859|ares |4|00|aresDnsLookup: select time-out 33 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 34 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 35 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 36 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 37 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 38 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 39 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 40 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 41 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 42 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 43 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 44 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 45 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 46 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 47 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |4|00|aresDnsLookup: select time-out 48 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425135859|ares |5|00|aresDnsLookup: 'A' lookup for 'sipfed1A.online.lync.com' stopped by loopGuard 48
0425135859|dns |4|00|DNS server(s) marked unresponsive due to query loopcount exhaust or timeout[16]
0425135859|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no records
0425135859|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing regParams State(0) Expire(0) isOcs(1)
0425135859|copy |4|00|Configuration of URL failed
0425135859|log |4|00|UtilLogServerC::uploadFifoLog: upload error.
protocol 0 result = 0
0425140042|dns |4|00|DNS(A) query now allowed after unresponsive for 102 (of 10) sec
0425140043|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425140043|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid

0425140043|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425140043|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425140115|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425140115|sip |4|00|TLS Listen Thread Exit
0425140313|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425140313|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425140313|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425140313|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425140345|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425140345|sip |4|00|TLS Listen Thread Exit
0425140544|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425140544|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425140544|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425140544|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425140616|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425140616|sip |4|00|TLS Listen Thread Exit
0425140814|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425140815|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425140815|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425140815|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425140846|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425140846|sip |4|00|TLS Listen Thread Exit
0425141045|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425141045|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425141045|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425141045|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425141117|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425141117|sip |4|00|TLS Listen Thread Exit
0425141316|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425141316|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425141316|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425141316|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425141348|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425141348|sip |4|00|TLS Listen Thread Exit

0425141547|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425141547|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425141547|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425141547|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425141619|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425141619|sip |4|00|TLS Listen Thread Exit
0425141818|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425141818|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425141818|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425141818|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425141850|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425141850|sip |4|00|TLS Listen Thread Exit
0425142049|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 10 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 11 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 12 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 13 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 14 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 15 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 16 on A lookup for 'sipfed1A.online.lync.com' after 0 sec

0425142049|ares |4|00|aresDnsLookup: select time-out 42 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 43 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 44 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 45 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 46 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 47 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |4|00|aresDnsLookup: select time-out 48 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425142049|ares |5|00|aresDnsLookup: 'A' lookup for 'sipfed1A.online.lync.com' stopped by loopGuard 48
0425142049|dns |4|00|DNS server(s) marked unresponsive due to query loopcount exhaust or timeout[16]
0425142049|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no records
0425142052|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425142100|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425142103|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425142103|dns |4|00|DNS(SRV) query now allowed after unresponsive for 14 (of 10) sec
0425142104|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425142104|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425142105|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 2 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 3 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 4 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 5 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 6 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 7 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 8 on SRV lookup


```
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 34 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 35 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 36 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 37 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 38 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 39 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 40 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 41 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 42 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 43 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 44 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 45 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 46 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 47 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |4|00|aresDnsLookup: select time-out 48 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425142105|ares |5|00|aresDnsLookup: 'SRV' lookup for
'_sip._tls.shakeshack.com' stopped by loopGuard 48
0425142105|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425142105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425142105|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425142105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
0425142105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425142105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no
records
0425142105|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing
regParams State(0) Expire(0) isOcs(1)
0425142305|dns |4|00|DNS(A) query now allowed after unresponsive for
```

```
120 (of 10) sec
0425142306|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425142306|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425142306|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425142306|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425142338|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425142338|sip |4|00|TLS Listen Thread Exit
0425142537|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425142537|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425142537|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425142537|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425142558|cfg |*|00|Core|Delaying upload of 2 core files
0425142609|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425142609|sip |4|00|TLS Listen Thread Exit
0425142621|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId)]:
[1531] eReqRspID[6] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"token_type":"Bearer","scope":"user_impersonation"
,"expires_in":"3599","ext_expires_in":"0","expires_on":"1524684380","n
ot_before":"1524680480","resource":"https://
webpoolBLU1A14.infra.lync.com","access_token":"eyJ0eXAiOiJKV1QiLCJhbGc
iOiJSUzI1NiIsIng1dCI6IktZTaw11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyIsImtpZCI6I
kZTaw11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyJ9.eyJhdWQiOiJ
0425142808|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425142808|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425142808|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425142808|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425142840|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425142840|sip |4|00|TLS Listen Thread Exit
0425143038|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425143039|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425143039|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425143039|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425143110|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425143110|sip |4|00|TLS Listen Thread Exit
0425143309|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425143309|sip |4|00|CTrans::~~CTrans still holding Login Cred.
```


Released as valid
0425143309|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425143309|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425143341|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425143341|sip |4|00|TLS Listen Thread Exit
0425143540|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425143540|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425143540|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425143540|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425143612|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425143612|sip |4|00|TLS Listen Thread Exit
0425143811|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425143811|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425143811|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425143811|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425143843|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425143843|sip |4|00|TLS Listen Thread Exit
0425144042|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425144042|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425144042|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425144042|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425144114|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425144114|sip |4|00|TLS Listen Thread Exit
0425144313|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425144313|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425144313|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425144313|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425144345|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425144345|sip |4|00|TLS Listen Thread Exit
0425144544|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425144544|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425144544|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425144544|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425144616|sip |4|00|SSL_get_error Error code=5,rc(-1)

0425144616|sip |4|00|TLS Listen Thread Exit
0425144814|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425144815|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425144815|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425144815|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425144846|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425144846|sip |4|00|TLS Listen Thread Exit
0425145045|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425145045|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425145045|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425145045|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425145117|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425145117|sip |4|00|TLS Listen Thread Exit
0425145316|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425145316|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425145316|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425145316|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425145348|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425145348|sip |4|00|TLS Listen Thread Exit
0425145547|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425145547|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425145547|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425145547|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425145619|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425145619|sip |4|00|TLS Listen Thread Exit
0425145818|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425145818|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425145818|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425145818|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425145850|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425145850|sip |4|00|TLS Listen Thread Exit
0425150049|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipfed1A.online.lync.com' after 0 sec

0425150049|ares |4|00|aresDnsLookup: select time-out 28 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 29 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 30 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 31 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 32 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 33 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 34 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 35 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 36 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 37 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 38 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 39 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 40 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 41 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 42 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 43 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 44 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 45 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 46 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 47 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |4|00|aresDnsLookup: select time-out 48 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425150049|ares |5|00|aresDnsLookup: 'A' lookup for
'sipfed1A.online.lync.com' stopped by loopGuard 48
0425150049|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425150049|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no
records
0425150052|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP

ACK message failed initial validation. Skipping parsing of DHCP options.
0425150100|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425150101|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425150103|dns |4|00|DNS(SRV) query now allowed after unresponsive for 14 (of 10) sec
0425150104|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425150104|sip |4|00|doDnsListLookup(tcp): doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425150104|sip |4|00|doDnsListLookup(tcp): doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425150105|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 2 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 3 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 4 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 5 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 6 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 7 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 8 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 9 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 10 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 11 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 12 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 13 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 14 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 15 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 16 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 17 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec

0425150105|ares |4|00|aresDnsLookup: select time-out 43 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 44 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 45 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 46 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 47 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |4|00|aresDnsLookup: select time-out 48 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150105|ares |5|00|aresDnsLookup: 'SRV' lookup for '_sip._tls.shakeshack.com' stopped by loopGuard 48
0425150105|dns |4|00|DNS server(s) marked unresponsive due to query loopcount exhaust or timeout[16]
0425150105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425150105|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425150105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no records
0425150105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425150105|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no records
0425150105|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing regParams State(0) Expire(0) is0cs(1)
0425150336|dns |4|00|DNS(A) query now allowed after unresponsive for 151 (of 10) sec
0425150337|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for 'sipfed1A.online.lync.com' after 0 sec

0425150337|ares |4|00|aresDnsLookup: select time-out 35 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 36 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 37 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 38 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 39 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 40 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 41 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 42 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 43 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 44 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 45 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 46 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 47 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |4|00|aresDnsLookup: select time-out 48 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425150337|ares |5|00|aresDnsLookup: 'A' lookup for 'sipfed1A.online.lync.com' stopped by loopGuard 48
0425150337|dns |4|00|DNS server(s) marked unresponsive due to query loopcount exhaust or timeout[16]
0425150337|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no records
0425150340|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425150348|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425150351|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425150351|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425150351|dns |4|00|DNS(SRV) query now allowed after unresponsive for 14 (of 10) sec
0425150352|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425150353|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for


```
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 41 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 42 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 43 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 44 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 45 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 46 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 47 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |4|00|aresDnsLookup: select time-out 48 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425150354|ares |5|00|aresDnsLookup: 'SRV' lookup for
'_sip._tcp.shakeshack.com' stopped by loopGuard 48
0425150354|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425150354|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425150354|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
0425150354|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425150354|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no
records
0425150354|sip |4|00|CTcpSocket::Abandon - TLS Listen Thread has
exited. Process further to abandon this socket
0425150354|sip |4|00|CTcpSocket::Abandon connected socket. Send
Message 0x41356988
0425150354|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no
records
0425150354|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing
regParams State(0) Expire(0) is0cs(1)
0425150354|sip |4|00|SSL_get_error Error code=5,rc(0)
0425150354|sip |4|00|TLS Listen Thread Exit
0425150539|dns |4|00|DNS(A) query now allowed after unresponsive for
104 (of 10) sec
0425150539|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425150539|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425150539|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425150539|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
```

```
received from webRTicket [10]
0425150611|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425150611|sip |4|00|TLS Listen Thread Exit
0425150810|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425150810|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425150810|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425150810|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425150842|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425150842|sip |4|00|TLS Listen Thread Exit
0425151041|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425151041|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425151041|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425151041|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425151113|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425151113|sip |4|00|TLS Listen Thread Exit
0425151126|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId)]:
[1531] eReqRspID[6] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"token_type":"Bearer","scope":"user_impersonation"
,"expires_in":"3599","ext_expires_in":"0","expires_on":"1524687085","n
ot_before":"1524683185","resource":"https://
webpoolBLU1A14.infra.lync.com","access_token":"eyJ0eXAiOiJKV1QiLCJhbGc
iOiJSUzI1NiIsIng1dCI6IktZTaW11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyIsImtpZCI6I
kZTaW11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyJ9.eyJhdWQiOiJ
0425151312|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425151312|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425151312|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425151312|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425151344|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425151344|sip |4|00|TLS Listen Thread Exit
0425151543|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425151543|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425151543|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425151543|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425151615|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425151615|sip |4|00|TLS Listen Thread Exit
0425151813|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
```

0425151813|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425151813|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425151813|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425151845|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425151845|sip |4|00|TLS Listen Thread Exit
0425152044|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425152044|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425152044|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425152044|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425152116|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425152116|sip |4|00|TLS Listen Thread Exit
0425152315|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425152315|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425152315|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425152315|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425152347|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425152347|sip |4|00|TLS Listen Thread Exit
0425152459|copy |4|00|Configuration of URL failed
0425152544|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425152544|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425152544|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425152544|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425152559|cfg |*|00|Core|Delaying upload of 2 core files
0425152616|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425152616|sip |4|00|TLS Listen Thread Exit
0425152815|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425152815|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425152815|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425152815|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425152847|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425152847|sip |4|00|TLS Listen Thread Exit
0425152850|AuthS|4|00|eReqRspID[15] message[]
0425152850|AuthS|4|00|pHD(140)AuthServiceCallerLis

0425152850|curl |4|00|xmlRequestWithClientCert curl rc not OK (3)
respCode 0
0425152850|xml |4|00|utilXmlParse: bad parameters
0425153045|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425153045|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425153045|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425153045|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425153117|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425153117|sip |4|00|TLS Listen Thread Exit
0425153316|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425153316|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425153316|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425153316|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425153348|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425153348|sip |4|00|TLS Listen Thread Exit
0425153547|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425153547|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425153547|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425153547|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425153619|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425153619|sip |4|00|TLS Listen Thread Exit
0425153817|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425153818|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425153818|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425153818|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425153849|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425153849|sip |4|00|TLS Listen Thread Exit

0425154048|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425154049|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425154049|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425154049|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425154120|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425154120|sip |4|00|TLS Listen Thread Exit
0425154319|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425154320|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425154320|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425154320|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425154351|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425154351|sip |4|00|TLS Listen Thread Exit
0425154550|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425154551|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425154551|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425154551|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425154622|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425154622|sip |4|00|TLS Listen Thread Exit
0425154821|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425154821|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425154821|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425154821|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425154853|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425154853|sip |4|00|TLS Listen Thread Exit
0425155052|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425155052|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425155052|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425155052|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425155124|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425155124|sip |4|00|TLS Listen Thread Exit
0425155323|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425155323|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425155323|cfg |4|00|RT|SIP is setting Login Credentials to valid

```
0425155323|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425155355|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425155355|sip |4|00|TLS Listen Thread Exit
0425155554|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425155554|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425155554|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425155554|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425155626|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425155626|sip |4|00|TLS Listen Thread Exit
0425155629|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[6] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"token_type":"Bearer","scope":"user_impersonation"
,"expires_in":"3599","ext_expires_in":"0","expires_on":"1524689789","n
ot_before":"1524685889","resource":"https://
webpoolBLU1A14.infra.lync.com","access_token":"eyJ0eXAiOiJKV1QiLCJhbGc
iOiJSUzI1NiIsIng1dCI6IkZlZTAwMTI1RnJGTm9DMHMKWEdtdjEzbnk5aY2VEYyIsImtpZCI6I
kZlZTAwMTI1RnJGTm9DMHMKWEdtdjEzbnk5aY2VEYyJ9.eyJhdWQiOiJ
0425155825|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425155825|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425155825|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425155825|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425155857|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425155857|sip |4|00|TLS Listen Thread Exit
0425160056|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425160056|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425160056|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425160056|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425160128|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425160128|sip |4|00|TLS Listen Thread Exit
0425160326|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425160327|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425160327|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425160327|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425160359|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425160359|sip |4|00|TLS Listen Thread Exit
0425160557|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
```

'sipfed1A.online.lync.com' after 0 sec
0425160557|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425160557|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425160557|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425160629|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425160629|sip |4|00|TLS Listen Thread Exit
0425160827|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425160828|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425160828|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425160828|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425160900|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425160900|sip |4|00|TLS Listen Thread Exit
0425161058|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425161059|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425161059|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425161059|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425161130|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425161130|sip |4|00|TLS Listen Thread Exit
0425161329|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425161330|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425161331|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425161331|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425161331|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425161402|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425161402|sip |4|00|TLS Listen Thread Exit
0425161601|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425161601|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425161601|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425161601|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425161633|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425161633|sip |4|00|TLS Listen Thread Exit
0425161832|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425161832|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid

0425161832|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425161832|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425161904|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425161904|sip |4|00|TLS Listen Thread Exit
0425162102|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162103|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425162103|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425162103|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425162134|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425162134|sip |4|00|TLS Listen Thread Exit
0425162333|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162333|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425162333|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425162333|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425162423|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425162423|sip |4|00|TLS Listen Thread Exit
0425162602|cfg |*|00|Core|Delaying upload of 2 core files
0425162604|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 10 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 11 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 12 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 13 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec

0425162605|ares |4|00|aresDnsLookup: select time-out 39 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 40 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 41 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 42 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 43 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 44 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 45 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 46 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 47 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |4|00|aresDnsLookup: select time-out 48 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425162605|ares |5|00|aresDnsLookup: 'A' lookup for 'sipfed1A.online.lync.com' stopped by loopGuard 48
0425162605|dns |4|00|DNS server(s) marked unresponsive due to query loopcount exhaust or timeout[16]
0425162605|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no records
0425162608|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425162616|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425162619|dns |4|00|DNS(SRV) query now allowed after unresponsive for 14 (of 10) sec
0425162620|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425162620|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162621|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425162621|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162621|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 2 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 3 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 4 on SRV lookup


```
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 30 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 31 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 32 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 33 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 34 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 35 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 36 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 37 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 38 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 39 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 40 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 41 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 42 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 43 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 44 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 45 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 46 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 47 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |4|00|aresDnsLookup: select time-out 48 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162621|ares |5|00|aresDnsLookup: 'SRV' lookup for
'_sip._tls.shakeshack.com' stopped by loopGuard 48
0425162621|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425162621|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162621|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162621|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
```


0425162621|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425162621|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no records
0425162621|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing
regParams State(0) Expire(0) isOcs(1)
0425162824|dns |4|00|DNS(A) query now allowed after unresponsive for
122 (of 10) sec
0425162825|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 10 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 11 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 12 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 13 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 14 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 15 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 16 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 17 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 18 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 19 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 20 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 21 on A lookup


```
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 47 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |4|00|aresDnsLookup: select time-out 48 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425162825|ares |5|00|aresDnsLookup: 'A' lookup for
'sipfed1A.online.lync.com' stopped by loopGuard 48
0425162825|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425162825|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no
records
0425162828|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425162836|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425162839|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162839|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162839|dns |4|00|DNS(SRV) query now allowed after unresponsive
for 14 (of 10) sec
0425162840|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 10 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 11 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 12 on A lookup
for 'sipdir.online.lync.com' after 0 sec
```


0425162841|ares |4|00|aresDnsLookup: select time-out 38 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 39 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 40 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 41 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 42 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 43 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 44 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 45 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 46 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 47 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |4|00|aresDnsLookup: select time-out 48 on A lookup for 'sipdir.online.lync.com' after 0 sec
0425162841|ares |5|00|aresDnsLookup: 'A' lookup for 'sipdir.online.lync.com' stopped by loopGuard 48
0425162841|dns |4|00|DNS server(s) marked unresponsive due to query loopcount exhaust or timeout[16]
0425162841|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162841|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425162841|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no records
0425162841|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425162841|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no records
0425162841|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing regParams State(0) Expire(0) isOcs(1)
0425163008|dns |4|00|DNS(A) query now allowed after unresponsive for 87 (of 10) sec
0425163009|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425163009|sip |4|00|CTrans::~~CTrans still holding Login Cred. Released as valid
0425163009|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425163009|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425163041|sip |4|00|SSL_get_error Error code=5,rc(-1)

```
0425163041|sip |4|00|TLS Listen Thread Exit
0425163240|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425163240|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425163240|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425163240|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425163312|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425163312|sip |4|00|TLS Listen Thread Exit
0425163510|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425163511|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425163511|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425163511|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425163542|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425163542|sip |4|00|TLS Listen Thread Exit
0425163741|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425163741|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425163741|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425163741|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425163813|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425163813|sip |4|00|TLS Listen Thread Exit
0425164012|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425164012|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425164012|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425164012|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425164044|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425164044|sip |4|00|TLS Listen Thread Exit
0425164133|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId)]:
[1531] eReqRspID[6] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"token_type":"Bearer","scope":"user_impersonation"
,"expires_in":"3599","ext_expires_in":"0","expires_on":"1524692494","n
ot_before":"1524688594","resource":"https://
webpoolBLU1A14.infra.lync.com","access_token":"eyJ0eXAiOiJKV1QiLCJhbGc
iOiJSUzI1NiIsIng1dCI6IktZTaW11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyIsImtpZCI6I
kZTaW11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyJ9.eyJhdWQiOiJ
0425164243|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425164243|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
```

0425164243|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425164243|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425164315|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425164315|sip |4|00|TLS Listen Thread Exit
0425164514|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425164514|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425164514|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425164514|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425164546|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425164546|sip |4|00|TLS Listen Thread Exit
0425164745|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425164745|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425164745|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425164745|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425164817|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425164817|sip |4|00|TLS Listen Thread Exit
0425165016|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425165016|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425165016|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425165016|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425165048|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425165048|sip |4|00|TLS Listen Thread Exit
0425165246|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425165247|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425165247|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425165247|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425165318|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425165318|sip |4|00|TLS Listen Thread Exit
0425165517|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425165518|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425165518|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425165518|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425165549|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425165549|sip |4|00|TLS Listen Thread Exit

0425165748|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425165748|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425165748|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425165748|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425165820|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425165820|sip |4|00|TLS Listen Thread Exit
0425170019|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425170019|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425170019|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425170019|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425170051|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425170051|sip |4|00|TLS Listen Thread Exit
0425170250|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425170250|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425170250|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425170250|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425170322|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425170322|sip |4|00|TLS Listen Thread Exit
0425170521|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425170521|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425170521|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425170521|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425170553|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425170553|sip |4|00|TLS Listen Thread Exit
0425170752|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425170752|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425170752|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425170752|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425170824|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425170824|sip |4|00|TLS Listen Thread Exit
0425171023|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425171023|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425171023|cfg |4|00|RT|SIP is setting Login Credentials to valid

0425171023|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425171055|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425171055|sip |4|00|TLS Listen Thread Exit
0425171253|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425171254|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425171254|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425171254|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425171325|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425171325|sip |4|00|TLS Listen Thread Exit
0425171524|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425171524|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425171524|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425171524|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425171556|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425171556|sip |4|00|TLS Listen Thread Exit
0425171755|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425171755|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425171755|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425171755|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425171827|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425171827|sip |4|00|TLS Listen Thread Exit
0425172026|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425172026|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425172026|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425172026|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425172058|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425172058|sip |4|00|TLS Listen Thread Exit
0425172257|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for
'sipfed1A.online.lync.com' after 0 sec


```
0425172257|ares |4|00|aresDnsLookup: select time-out 31 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 32 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 33 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 34 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 35 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 36 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 37 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 38 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 39 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 40 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 41 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 42 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 43 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 44 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 45 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 46 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 47 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |4|00|aresDnsLookup: select time-out 48 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425172257|ares |5|00|aresDnsLookup: 'A' lookup for
'sipfed1A.online.lync.com' stopped by loopGuard 48
0425172257|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425172257|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no
records
0425172300|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425172308|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425172311|sip |4|00|doDnsListLookup(tcp):
```

```
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425172311|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425172311|dns |4|00|DNS(SRV) query now allowed after unresponsive
for 14 (of 10) sec
0425172312|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 10 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 11 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 12 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 13 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 14 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 15 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 16 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 17 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 18 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 19 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 20 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 21 on A lookup
for 'sipdir.online.lync.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 22 on A lookup
```



```
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 27 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 28 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 29 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 30 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 31 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 32 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 33 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 34 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 35 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 36 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 37 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 38 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 39 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 40 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 41 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 42 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 43 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 44 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 45 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 46 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 47 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |4|00|aresDnsLookup: select time-out 48 on SRV lookup
for '_sip._tcp.shakeshack.com' after 0 sec
0425172313|ares |5|00|aresDnsLookup: 'SRV' lookup for
'_sip._tcp.shakeshack.com' stopped by loopGuard 48
0425172313|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425172313|sip |4|00|doDnsListLookup(tcp):
```

```
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425172313|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
0425172313|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425172313|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no
records
0425172314|sip |4|00|CTcpSocket::Abandon - TLS Listen Thread has
exited. Process further to abandon this socket
0425172314|sip |4|00|CTcpSocket::Abandon connected socket. Send
Message 0x41356988
0425172314|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no
records
0425172314|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing
regParams State(0) Expire(0) is0cs(1)
0425172314|sip |4|00|SSL_get_error Error code=5,rc(0)
0425172314|sip |4|00|TLS Listen Thread Exit
0425172518|dns |4|00|DNS(A) query now allowed after unresponsive for
124 (of 10) sec
0425172518|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425172519|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425172519|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425172519|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425172550|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425172550|sip |4|00|TLS Listen Thread Exit
0425172605|cfg |*|00|Core|Delaying upload of 2 core files
0425172638|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId)]:
[1531] eReqRspID[6] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"token_type":"Bearer","scope":"user_impersonation"
,"expires_in":"3599","ext_expires_in":"0","expires_on":"1524695198","n
ot_before":"1524691298","resource":"https://
webpoolBLU1A14.infra.lync.com","access_token":"eyJ0eXAiOiJKV1QiLCJhbGc
iOiJSUzI1NiIsIng1dCI6IkZTaW11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyIsImtpZCI6I
kZTaW11RnJGTm9DMHNKWEtdjEzbnk5aY2VEYyJ9.eyJhdWQiOiJ
0425172749|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425172749|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425172749|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425172749|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425172821|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425172821|sip |4|00|TLS Listen Thread Exit
```


0425173020|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173020|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425173020|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425173020|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425173052|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425173052|sip |4|00|TLS Listen Thread Exit
0425173251|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173251|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425173251|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425173251|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425173323|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425173323|sip |4|00|TLS Listen Thread Exit
0425173522|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 10 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 11 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 12 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 13 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 14 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 15 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 16 on A lookup for 'sipfed1A.online.lync.com' after 0 sec

0425173522|ares |4|00|aresDnsLookup: select time-out 42 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173522|ares |4|00|aresDnsLookup: select time-out 43 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173523|sip |4|00|CTrans::~~CTrans still holding Login Cred. Released as valid
0425173523|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425173523|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event received from webRTicket [10]
0425173555|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425173555|sip |4|00|TLS Listen Thread Exit
0425173754|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 10 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 11 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 12 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 13 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 14 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 15 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 16 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 17 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 18 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 19 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 20 on A lookup

for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 46 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 47 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |4|00|aresDnsLookup: select time-out 48 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425173754|ares |5|00|aresDnsLookup: 'A' lookup for
'sipfed1A.online.lync.com' stopped by loopGuard 48
0425173754|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425173754|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no
records
0425173757|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425173805|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425173808|dns |4|00|DNS(SRV) query now allowed after unresponsive
for 14 (of 10) sec
0425173809|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425173809|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 2 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 3 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 4 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 5 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 6 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 7 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 8 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 9 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 10 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 11 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 12 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec


```
0425173809|ares |4|00|aresDnsLookup: select time-out 38 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 39 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 40 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 41 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 42 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 43 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 44 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 45 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 46 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 47 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |4|00|aresDnsLookup: select time-out 48 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425173809|ares |5|00|aresDnsLookup: 'SRV' lookup for
'_sipinternal._tcp.shakeshack.com' stopped by loopGuard 48
0425173809|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425173809|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425173809|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425173809|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425173809|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
0425173809|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425173809|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no
records
0425173809|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing
regParams State(0) Expire(0) is0cs(1)
0425174010|dns |4|00|DNS(A) query now allowed after unresponsive for
120 (of 10) sec
0425174011|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425174011|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425174011|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425174011|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
```

```
received from webRTicket [10]
0425174043|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425174043|sip |4|00|TLS Listen Thread Exit
0425174241|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425174242|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425174242|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425174242|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425174314|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425174314|sip |4|00|TLS Listen Thread Exit
0425174512|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425174512|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425174512|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425174512|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425174544|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425174544|sip |4|00|TLS Listen Thread Exit
0425174743|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425174743|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425174743|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425174743|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425174815|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425174815|sip |4|00|TLS Listen Thread Exit
0425175014|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425175014|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425175014|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425175014|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425175046|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425175046|sip |4|00|TLS Listen Thread Exit
0425175244|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425175245|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425175245|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425175245|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425175316|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425175316|sip |4|00|TLS Listen Thread Exit
0425175515|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
```


0425175515|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425175515|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425175515|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425175547|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425175547|sip |4|00|TLS Listen Thread Exit
0425175746|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425175746|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425175746|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425175746|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425175818|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425175818|sip |4|00|TLS Listen Thread Exit
0425180017|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 10 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 11 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 12 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 13 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 14 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 15 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 16 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 17 on A lookup
for 'sipfed1A.online.lync.com' after 0 sec

0425180017|ares |4|00|aresDnsLookup: select time-out 43 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 44 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 45 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 46 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 47 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |4|00|aresDnsLookup: select time-out 48 on A lookup for 'sipfed1A.online.lync.com' after 0 sec
0425180017|ares |5|00|aresDnsLookup: 'A' lookup for 'sipfed1A.online.lync.com' stopped by loopGuard 48
0425180017|dns |4|00|DNS server(s) marked unresponsive due to query loopcount exhaust or timeout[16]
0425180017|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipfed1A.online.lync.com' found no records
0425180020|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425180028|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.
0425180031|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180031|dns |4|00|DNS(SRV) query now allowed after unresponsive for 14 (of 10) sec
0425180032|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425180032|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180033|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 2 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 3 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 4 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 5 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 6 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 7 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 8 on SRV lookup for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 9 on SRV lookup


```
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 35 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 36 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 37 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 38 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 39 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 40 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 41 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 42 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 43 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 44 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 45 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 46 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 47 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |4|00|aresDnsLookup: select time-out 48 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180033|ares |5|00|aresDnsLookup: 'SRV' lookup for
'_sip._tls.shakeshack.com' stopped by loopGuard 48
0425180033|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425180033|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180033|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180033|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
0425180033|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sip.shakeshack.com' found no records
0425180033|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipexternal.shakeshack.com' found no
records
0425180033|pps |4|00|[PpsHybridC]: OnEvRegistrarUpdate clearing
regParams State(0) Expire(0) is0cs(1)
0425180154|dns |4|00|DNS(A) query now allowed after unresponsive for
81 (of 10) sec
0425180155|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
```

'sipfed1A.online.lync.com' after 0 sec
0425180155|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425180155|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425180155|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425180227|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425180227|sip |4|00|TLS Listen Thread Exit
0425180422|app1 |*|00|Event: Multiple Key Combo 1
0425180422|app1 |*|00|Manual Reboot
0425180422|app1 |4|00|AppBrowserUiC::browserSetRebootFlag Setting the
reboot flag to true for browser.

0425180422|app1 |4|00|AppExchangeUiC::exchangeSetRebootFlag Setting
the reboot flag to true for browser.

0425180423|acom |4|00|App "dbs" has failed to read a message, error
number = 92
0425180423|acom |5|00|AppComServer encountered a connection error.
0425180423|acom |4|00|Application dbs from 127.0.0.1 [952] has been
disconnected.
0425180423|acom |4|00|App "spipgui" has failed to read a message,
error number = 92
0425180423|acom |5|00|AppComServer encountered a connection error.
0425180423|acom |4|00|Application spipgui from 127.0.0.1 [1208] has
been disconnected.
0425180423|acom |4|00|App "ec" has failed to read a message, error
number = 92
0425180423|acom |5|00|AppComServer encountered a connection error.
0425180423|acom |4|00|Application ec from 127.0.0.1 [1464] has been
disconnected.
0425180423|acom |4|00|App "osd" has failed to read a message, error
number = 92
0425180423|acom |5|00|AppComServer encountered a connection error.
0425180423|acom |4|00|Application osd from 127.0.0.1 [1720] has been
disconnected.
0425180424|pgui |*|00|Initial log entry. Current logging level 4
0425180425|pgui |4|00|CPolyCoreCommunicator::connectNotify - osd -
enter

0425180425|pgui |4|00|CPolyCoreCommunicator::connectNotify - osd -
exit

0425180425|pgui |4|00|CPolyCoreCommunicator::connectNotify - dbs -
enter

0425180425|pgui |4|00|CPolyCoreCommunicator::connectNotify - dbs -
exit

0425180425|pgui |4|00|CPolyCoreCommunicator::connectNotify - ec -

enter

```
0425180425|pgui |4|00|CPolyCoreCommunicator::connectNotify - ec - exit
0425180426|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1A.online.lync.com' after 0 sec
0425180426|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425180426|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425180426|sip |4|00|TLS-DSK:soWebTicketCbFunc: Unhandled event
received from webRTicket [10]
0425180431|acom |4|00|Application dbs from 127.0.0.1 [32952] has been
disconnected.
0425180431|acom |4|00|Application osd from 127.0.0.1 [33208] has been
disconnected.
0425180431|acom |4|00|Application ec from 127.0.0.1 [33464] has been
disconnected.
0425180431|acom |4|00|Application spigui from 127.0.0.1 [32696] has
been disconnected.
0425180431|ldap |4|00|ldapXfer::start:xferStart failed cState=-1
0425180431|app1 |*|00|AppC::appReboot cDynamicData shutdown complete
0425180431|so |4|00|SoNcasC::procMsg: 5 services still to shutdown
0425180431|so |4|00|SoNcasC::procMsg: 4 services still to shutdown
0425180431|so |4|00|SoNcasC::procMsg: 3 services still to shutdown
0425180431|clist|4|00|dbJson::requestSubmit:<DESTROY> - failed
0425180431|so |4|00|SoNcasC::procMsg: 2 services still to shutdown
0425180431|acom |5|00|AppComServer is exiting, cleaning up all
connections.
0425180431|hw |5|00|Task ended without calling rtosTaskEnd()
name=tGuiAppCom
0425180432|sip |4|00|SSL_get_error Error code=5,rc(0)
0425180432|sip |4|00|TLS Listen Thread Exit
0425180432|so |4|00|SoNcasC::procMsg: 1 services still to shutdown
0425180432|mr |*|00|Stopped MR
0425180432|so |*|00|SoNcasC::procMsg: Client service shutdown
complete
0425180432|so |*|00|Set shutdown watchdog
0425180433|wdog |*|00|Watchdog Expired: tSupObjs, 5
0425180434|log |*|00|----- Final log entry -----
000018.039|rdisk|*|00|Initial log entry. Current logging level 4
000018.040|rdisk|*|00|RAM disk created and mounted at "/data/polycom/
rfs0"
000018.041|rdisk|*|00|RAM disk created, size: 67,108,864 bytes
000018.062|log |*|00|----- Initial log entry -----
000018.062|log |4|00|UtilLogServerC::readUploadPosFromFile: Cannot
open /data/polycom/ffs0/app.log.pos
000018.065|so |*|00|Platform: Model=RealPresence Trio 8800,
Assembly=3111-65290-001 Rev=A Region=0
000018.065|so |*|00|Platform: Interface eth0 MAC=64167f3d0126
000018.101|so |*|00|Platform: BootBlock=3.0.5.0006 (65290-001) 03-
```

```

Sep-15 17:49
000018.103|so    |*|00|Platform: BootL1=Unknown Unknown
000018.103|so    |*|00|Platform: Updater=5.5.2.11217 06-Sep-17 06:32
000018.104|so    |*|00|Platform: Updater Signature=Release (000000A8)
000018.104|so    |*|00|Application, main: Label=SIP, Version=LeafElbe
5.5.2.11217 06-Sep-17 06:32
000018.104|so    |*|00|Application, main: P/N=3150-11530-552
000018.104|so    |*|00|Platform:
VCFirmware=044a33f865b0b9ce1e60c661f51f507abdbf736a Jun 16 2017
19:08:43
000018.105|pec    |*|00|Initial log entry. Current logging level 4
000018.113|pcon  |*|00|Initial log entry. Current logging level 4
000018.121|pwrsv |*|00|Initial log entry. Current logging level 4
000018.121|prox  |*|00|Initial log entry. Current logging level 4
000018.121|rdisk |*|00|RAM disk created, size: 67,108,864 bytes
000018.121|apps  |*|00|Initial log entry. Current logging level 4
000018.121|bsp   |*|00|Initial log entry. Current logging level 4
000018.121|ocsp  |*|00|O.C.S.P. Enabled = 0
000018.128|tls   |*|00|Initial log entry. Current logging level 4
000018.136|pmt   |*|00|Initial log entry. Current logging level 4
000018.140|ethf  |*|00|Initial log entry. Current logging level 4
000018.140|wdog  |*|00|Initial log entry. Current logging level 4
000018.140|hw    |*|00|Initial log entry. Current logging level 4
000018.140|ares  |*|00|Initial log entry. Current logging level 4
000018.140|dns   |*|00|Initial log entry. Current logging level 4
000018.140|cfg   |*|00|Initial log entry. Current logging level 4
000018.140|cfg   |*|00|Prm|cfgParamBaseProfileUpdate: Using Base
Profile Lync
000018.143|mr     |*|00|Initial log entry. Current logging level 4
000018.143|mrcon |*|00|Initial log entry. Current logging level 4
000018.669|dot1x |*|00|Initial log entry. Current logging level 4
000018.679|lic    |*|00|Initial log entry. Current logging level 4
000018.680|lic    |5|00|cfgCfsFlashKeyScratchLoad: could not load flash
len 976
000018.680|lic    |*|00|License expiry check in 23739 seconds
000018.689|curl  |*|00|Initial log entry. Current logging level 4
000018.690|utilm |*|00|Initial log entry. Current logging level 4
000018.690|copy  |*|00|Initial log entry. Current logging level 4
000018.690|rtos  |*|00|Initial log entry. Current logging level 4
000018.690|pwr   |*|00|Initial log entry. Current logging level 4
000018.690|pwr   |*|00|Trio 8800 detected
000018.693|pwr   |*|00|POE+ source is detected
000018.693|pwr   |*|00|Power Manager Configuration: UsbCharging=0,
PseEnabled=1, PseClass=0
000019.070|apps  |4|00|cfgParamAndroidConfigParamSet: sending audio cfg
enabled
000019.070|so    |4|00|SoCoreAudioC::sendUsbAudioEvent: sending event:
2
000019.070|apps  |5|00|processMasterVolumeMuteMessage: backlight wake-
up failed, ret: -1

```



```
000020.162|apps |4|00|PolySettings: plcmParamWirelessDisplayEnable key
plcm.WIRELESS_DISPLAY_ENABLE is 0
000021.001|pgui |*|00|Initial log entry. Current logging level 4
000022.783|pgui |4|00|CPolyCoreCommunicator::connectNotify - osd -
enter

000022.783|pgui |4|00|CPolyCoreCommunicator::connectNotify - osd -
exit

000022.784|pgui |4|00|CPolyCoreCommunicator::connectNotify - dbs -
enter

000022.784|pgui |4|00|CPolyCoreCommunicator::connectNotify - dbs -
exit

000022.802|pgui |4|00|CPolyCoreCommunicator::connectNotify - ec -
enter

000022.802|pgui |4|00|CPolyCoreCommunicator::connectNotify - ec - exit

000024.793|dhcpc|*|00|Initial log entry. Current logging level 4
000028.647|cfg |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000032.189|cfg |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000040.189|cfg |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000048.189|cfg |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000056.190|cfg |*|00|RT| Phone IP address is 10.225.20.14.
000056.191|cfg |*|00|RT| Subnet mask is 255.255.255.0.
000056.191|cfg |*|00|RT| Gateway address is 10.225.20.1.
000056.192|cfg |*|00|RT| DNS server is 10.225.20.1.
000056.192|cfg |*|00|RT| Time server is 10.225.20.1.
000056.192|dns |*|00|DNS resolver servers are '10.225.20.1' '8.8.8.8'
000056.192|dns |*|00|DNS resolver search domain is ''
000056.210|cfg |*|00|RT|Primary IP: 10.225.20.14 subnet mask
255.255.255.0
000100.259|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
000108.259|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
000111.213|so |*|00|soUsbProvSetup: Not provisioning from USB
000111.214|cfg |*|00|Prov|Starting to provision
```

```
000111.214|copy |4|00|Configuration of URL failed
000111.214|copy |4|00|Configuration of URL failed
000111.214|cfg   |4|00|Prov|Download of master configuration file
failed
000111.214|cfg   |4|00|Prov|Trying to boot from existing configuration
000111.214|cfg   |4|00|Prov|Update configuration failed
000111.215|cfg   |4|00|Prov|Not setting device parameters since
configuration was not updated.
000111.215|cfg   |*|00|Prov|Finished updating configuration
000114.216|cfg   |*|00|Core|Delaying upload of 2 core files
000114.216|sec   |*|00|Initial log entry. Current logging level 4
000114.267|so    |*|00|Configuration files: 000000000000_profile.cfg
000114.267|so    |*|00|Configuration file "000000000000_profile.cfg"
SHA1 digest: A618F0C579EC37196B4EDE0155871F1C49296DBC
000114.269|log   |*|00|Log render level set to 1
000114.283|pcap  |*|00|On-Phone Packet Capture disabled
000114.283|srtp  |*|00|Initial log entry. Current logging level 4
000114.302|res   |*|00|Initial log entry. Current logging level 4
000114.302|httpa |*|00|Initial log entry. Current logging level 4
000114.302|lldp  |*|00|Initial log entry. Current logging level 4
000114.302|cdp   |*|00|Initial log entry. Current logging level 4
000114.316|ssps  |*|00|Initial log entry. Current logging level 4
000114.316|audjb |*|00|Initial log entry. Current logging level 4
000114.463|ssps  |*|00|sspsMain: sspsDspLoad successful using default
image.
000114.465|so    |*|00|System Info Reports:
000114.465|so    |*|00| Cpu is ARMv7 Processor rev 0 (v7l), ID:
unknown, running at 1990MHz.
000114.465|so    |*|00| Board is identified as
PolycomRealPresenceTrio-Trio_8800.
000114.465|so    |*|00| DRAM_SIZE: 480 MB
000114.465|so    |*|00| Flash detected is 25
000114.465|key   |*|00|Initial log entry. Current logging level 4
000114.466|httpd |*|00|Initial log entry. Current logging level 4
000114.466|poll  |*|00|Initial log entry. Current logging level 4
000114.466|push  |*|00|Initial log entry. Current logging level 4
000114.466|poll  |*|00|Initial log entry. Current logging level 4
000114.466|poll  |*|00|Initial log entry. Current logging level 4
000114.466|rest  |*|00|Initial log entry. Current logging level 4
000114.467|poll  |*|00|Initial log entry. Current logging level 4
000114.467|poll  |*|00|Initial log entry. Current logging level 4
000114.467|poll  |*|00|Initial log entry. Current logging level 4
000114.467|ht    |*|00|Initial log entry. Current logging level 4
000114.467|ht    |*|00|HTTP TA Initialized
000114.467|cap   |*|00|Initial log entry. Current logging level 4
000114.467|vid   |*|00|Initial log entry. Current logging level 4
000114.467|dbuf  |*|00|Initial log entry. Current logging level 4
000114.479|fec   |*|00|Initial log entry. Current logging level 4
000114.479|fecen |*|00|Initial log entry. Current logging level 4
000114.479|fecde |*|00|Initial log entry. Current logging level 4
```

```

000114.479|ptp  |*|00|Initial log entry. Current logging level 4
000114.497|ice  |*|00|Initial log entry. Current logging level 4
000114.497|afe  |*|00|Initial log entry. Current logging level 6
000114.506|pps  |*|00|Initial log entry. Current logging level 4
000114.506|sip  |*|00|Initial log entry. Current logging level 4
000114.506|bfcps|*|00|Initial log entry. Current logging level 4
000114.507|sipt |*|00|Initial log entry. Current logging level 4
000114.507|sipp |*|00|Initial log entry. Current logging level 4
000114.513|ptt  |*|00|Initial log entry. Current logging level 4
000114.514|xmpp  |*|00|Initial log entry. Current logging level 4
000114.514|btpps|*|00|Initial log entry. Current logging level 4
000114.515|usbpp|*|00|Initial log entry. Current logging level 4
000114.515|lc   |*|00|Initial log entry. Current logging level 4
000114.522|so   |*|00|soMain: volume = 0.450000
000114.628|ssps |*|00|Application, comp. 1: Label=PolyDSP Merlyn ARMA9
Mem1 FS1, Version=8.0.7.1034 28-Aug-2017 18:38
000114.628|ssps |*|00|Application, comp. 1: P/N=3150-11580-807.
000114.733|mcu  |*|00|Initial log entry. Current logging level 4
000114.733|pkt  |*|00|Initial log entry. Current logging level 4
000114.733|fur  |*|00|Initial log entry. Current logging level 4
000114.733|vsr  |*|00|Initial log entry. Current logging level 4
000114.733|statn|*|00|Initial log entry. Current logging level 4
000114.734|statc|*|00|Initial log entry. Current logging level 4
000115.127|mraud|*|00|Initial log entry. Current logging level 4
000115.329|so   |*|00|Using TCP IP Media Port, configured initial RTP
port 2222
000115.329|so   |*|00|Open SIP RTP media port range for audio: 2222 to
2293
000115.329|so   |*|00|Open SIP RTP media port range for video: 2222 to
2293
000115.329|so   |*|00|Open SIP RTP media port range for content: 2222
to 2293
000115.329|so   |*|00|Lync RTP media port range for audio: 5350 to
5389
000115.329|so   |*|00|Lync RTP media port range for video: 5390 to
5429
000115.329|so   |*|00|Lync RTP media port range for content: 5430 to
5469
000115.347|so   |*|00|Using TCP IP Media Port, configured initial RTP
port 2222
000115.347|so   |*|00|Open SIP RTP media port range for audio: 2222 to
2293
000115.347|so   |*|00|Open SIP RTP media port range for video: 2222 to
2293
000115.347|so   |*|00|Open SIP RTP media port range for content: 2222
to 2293
000115.347|so   |*|00|Lync RTP media port range for audio: 5350 to
5389
000115.347|so   |*|00|Lync RTP media port range for video: 5390 to
5429

```

```
000115.347|so    |*|00|Lync RTP media port range for content: 5430 to
5469
000115.358|so    |*|00|Voice quality monitoring enabled (RTCP-XR)
000115.360|usb    |*|00|Initial log entry. Current logging level 4
000115.360|gbLoc  |*|00|Initial log entry. Current logging level 4
000115.360|app1   |*|00|Initial log entry. Current logging level 4
000115.375|app1   |*|00|AppPhoneC::AppPhoneC() Number Of Line Keys = 12
000115.375|app1   |*|00|AppPhoneC::AppPhoneC() - new AppRegLineC, szUser
= room-miamibeach@shakeshack.com
000115.427|ldap   |*|00|Initial log entry. Current logging level 4
000115.427|abs    |*|00|Initial log entry. Current logging level 4
000115.435|bluet  |*|00|Initial log entry. Current logging level 4
000115.436|btapp  |*|00|Initial log entry. Current logging level 4
000115.444|app1   |4|00|AppBrowserUiC::AppBrowserUiC Home url - [], idle
url - []
000115.449|efk    |*|00|Initial log entry. Current logging level 4
000115.454|cmp    |*|00|Initial log entry. Current logging level 4
000115.455|wmgr   |*|00|Initial log entry. Current logging level 4
000115.454|slog   |*|00|Initial log entry. Current logging level 3
000115.457|so     |4|00|[SoCoreAudioC]: MsgXUsbAudioEvent: event: 2
000115.514|so     |*|00|Network initialized. Starting network tasks.
000115.515|loc    |*|00|Initial log entry. Current logging level 4
000115.517|AuthS  |*|00|Initial log entry. Current logging level 4
000115.517|AuthS  |5|00|Truncating label from AuthSvc
000115.517|Devic  |*|00|Initial log entry. Current logging level 4
000115.517|Devic  |5|00|Truncating label from DevicePairingService
000115.517|cfg    |4|00|Prm|cfgParamCbSet: duplicate function pointer
000115.518|proxy  |*|00|Initial log entry. Current logging level 4
000115.518|proxy  |5|00|Truncating label from proxyService
000115.518|cfg    |4|00|Prm|cfgParamCbSet: duplicate function pointer
000115.518|WADSe  |*|00|Initial log entry. Current logging level 4
000115.518|WADSe  |5|00|Truncating label from WADService
000115.518|cfg    |4|00|Prm|cfgParamCbSet: duplicate function pointer
000115.520|log    |*|00|Install file upload callback for 'so'

000115.535|moh     |*|00|Initial log entry. Current logging level 4
000115.535|pps    |*|00|vqmon Process Service Route is Disabled
000115.535|moh     |4|00|SoNcasMohC::soNcasMohFileDownload: Music On Hold
file provisioning is not supported for config source=0
000115.546|utilm  |4|00|utilTZEnvSet: Couldn't open file for writing
0425180600|pgui   |4|00|Try to set the data mocker when table model is
null.
0425180600|pgui   |4|00|Try to set the data mocker when table model is
null.
0425180602|pgui   |4|00|Try to set the data mocker when table model is
null.
0425180602|pgui   |5|00|Received personal directory [0]
0425180558|airp   |*|00|Initial log entry. Current logging level 4
0425180558|airps  |*|00|Initial log entry. Current logging level 4
0425180558|airpl  |*|00|Initial log entry. Current logging level 4
```

```
0425180558|copy |4|00|Configuration of URL failed
0425180558|log   |4|00|UtilLogServerC::uploadFifoLog: upload error.
protocol 0 result = 0
0425180558|mrlib|*|00|Initial log entry. Current logging level 4
0425180558|usba  |*|00|Backing File successfully refreshed
0425180558|so    |4|00|cfgParamTimerCallBack: Delaying posting of
configuration change untill NcasCb is created
0425180558|app1  |4|00|AppUiC::onConnected - Resetting the previous
backlight state.
0425180558|clist|*|00|Initial log entry. Current logging level 4
0425180558|clist|4|00|dbJournal::trimJournalDir:failed to connect to
app2os message queue

0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|app1  |4|00|[AppExchangeUiC::populateAutoDiscoverUrl]
Internal & External EWS url's are empty
0425180558|so    |4|00|cfgParamTimerCallBack: Restarting timer to delay
posting of parameter change
0425180558|app1  |*|00|[AppHybridC]: App is completely initialized.
0425180558|usbpp |4|00|[PpsUsbC]: OnEvReg Accepted
0425180558|ppcip |*|00|Initial log entry. Current logging level 4
0425180558|wdisp |*|00|Initial log entry. Current logging level 4
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425180558|usbpp |4|00|[PpsUsbC]: OnEvReg Accepted
0425180558|app1  |4|00|Corporate directory is not Enabled.
0425180558|cfg   |4|00|RT|pps is setting Login Credentials to valid
0425180558|wdog  |*|00|Hw Watchdog timer interface successfully opened
from polyapp
0425180603|copy |4|00|Configuration of URL failed
0425180603|clist|4|00|dbIO::processResult:no host
0425180603|clist|4|00|dbSet::srv2mem:'64167f3d0126-directory.xml' File
transfer failed, trying to get local file
0425180603|copy |4|00|Configuration of URL failed
0425180603|clist|4|00|dbIO::processResult:no host
0425180603|clist|4|00|dbSet::srv2mem:'000000000000-directory.xml' File
transfer failed, trying to get local file
0425180603|copy |4|00|Configuration of URL failed
0425180605|pps   |*|00|Fast Boot Measurement Point: Ready for Call,
uptime: 85.964 sec.
0425180607|WADSe |4|00|parseAndSaveRequiredInfo()- Response received is
```

```
less than 32 bytes
0425180607|WADSe|4|00|parseAndSaveRequiredInfo()- Response received is
less than 32 bytes
0425180624|xml |*|00|Initial log entry. Current logging level 4
0425180624|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_nam
e":"shakeshack.com","federation_protocol":"WSTrust","federation_metada
ta_url":"https://adfs.shakeshack.com/adfs/services/trust/
mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/
services/trust/2005/
usernamemixed","cloud_instance_name":"microsoftonline.com","cloud_audi
ence_urn":"urn:feder
0425180629|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425180629|AuthS|4|00|pHD(141)AuthServiceCallerWbad
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc
```

<https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/cert>

```
https://login.windows.net/common/oauth2/authorize
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/0Auth
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http://nexus.microsoftonline-p.com/federationmetadata/2006-12/
FederationMetaData.xml
```

```
0425180629|AuthS|4|00|AuthSvc S0Auth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425180629|WADSe|4|00|Not able to get WT from Auth Service
```

```
0425180629|sip |*|00|Sip Register Usr:room-miamibeach@shakeshack.com
Dsp:Shake Shack Auth:'Using Login Cred' Inx:0
0425180630|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'shakeshack.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sippoolBLU1A14.infra.lync.com' after 0 sec
```



```
0425180631|ares |4|00|aresDnsLookup: select time-out 30 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 31 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 32 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 33 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 34 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 35 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 36 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 37 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 38 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 39 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 40 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 41 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 42 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 43 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 44 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 45 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 46 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 47 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |4|00|aresDnsLookup: select time-out 48 on A lookup
for 'sippoolBLU1A14.infra.lync.com' after 0 sec
0425180631|ares |5|00|aresDnsLookup: 'A' lookup for
'sippoolBLU1A14.infra.lync.com' stopped by loopGuard 48
0425180631|dns |4|00|DNS server(s) marked unresponsive due to query
loopcount exhaust or timeout[16]
0425180631|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sippoolBLU1A14.infra.lync.com' found no
records
0425180631|sip |4|00|Registration failed User: room-miamibeach, Error
Code:480 Temporarily not available
0425180652|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
```


0425180700|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP ACK message failed initial validation. Skipping parsing of DHCP options.

0425180703|dns |4|00|DNS(SRV) query now allowed after unresponsive for 32 (of 10) sec

0425180704|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 2 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 3 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 4 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 5 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 6 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 7 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 8 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 9 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 10 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 11 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 12 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 13 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 14 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 15 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 16 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 17 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 18 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 19 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 20 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 21 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 22 on SRV lookup for '_sipinternaltls._tcp.shakeshack.com' after 0 sec

0425180704|ares |4|00|aresDnsLookup: select time-out 23 on SRV lookup

for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 24 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 25 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 26 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 27 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 28 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 29 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 30 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 31 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 32 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 33 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 34 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 35 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 36 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 37 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 38 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 39 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 40 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 41 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|ares |4|00|aresDnsLookup: select time-out 42 on SRV lookup
for '_sipinternaltls._tcp.shakeshack.com' after 0 sec
0425180704|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180705|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup
for '_sipinternal._tcp.shakeshack.com' after 0 sec
0425180705|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180706|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup
for '_sip._tls.shakeshack.com' after 0 sec
0425180706|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipdir.online.lync.com' after 0 sec
0425180707|ares |4|00|aresDnsLookup: select time-out 1 on SRV lookup

```
for '_sip._tcp.shakeshack.com' after 0 sec
0425180707|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180708|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipinternal.shakeshack.com' after 0 sec
0425180708|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
0425180709|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 2 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 3 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 4 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 5 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 6 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 7 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 8 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 9 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 10 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 11 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 12 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 13 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 14 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 15 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 16 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 17 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 18 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 19 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 20 on A lookup
for 'sip.shakeshack.com' after 0 sec
0425180709|ares |4|00|aresDnsLookup: select time-out 21 on A lookup
for 'sip.shakeshack.com' after 0 sec
```

0425180709|ares |4|00|aresDnsLookup: select time-out 22 on A lookup for 'sip.shakeshack.com' after 0 sec
0425180709|sip |4|00|CTrans::~~CTrans still holding Login Cred. Released as valid
0425180709|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425180720|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_name":"shakeshack.com","federation_protocol":"WSTrust","federation_metadata_url":"https://adfs.shakeshack.com/adfs/services/trust/mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/services/trust/2005/usernamemixed","cloud_instance_name":"microsoftonline.com","cloud_audience_urn":"urn:feder
0425180725|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425180725|AuthS|4|00|pHD(-1)
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc
https://webdir1a.online.lync.com/CertProv/CertProvisioningService.svc/
WebTicket_Proof_SHA1

https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/cert

https://login.windows.net/common/oauth2/authorize
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/0Auth
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http://nexus.microsoftonline-
0425180725|AuthS|4|00|AuthSvc S0Auth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425180725|sip |4|00|TLS-DSK:soWebTicketCbFunc:
SoWebTicketCb_ResponseError event triggered from the soWebTicket
0425180741|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425180741|sip |4|00|TLS Listen Thread Exit
0425180942|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425180950|cfg |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
0425180953|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180953|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180954|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for

```
'sipdir.online.lync.com' after 0 sec
0425180954|sip |4|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList 'shakeshack.com' found no records
0425180954|sip |4|00|doDnsListLookup(tls):
doDnsSrvLookupForARecordList 'sipinternal.shakeshack.com' found no
records
0425180955|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sip.shakeshack.com' after 0 sec
0425180955|sip |4|00|CTcpSocket::Abandon - TLS Listen Thread has
exited. Process further to abandon this socket
0425180955|sip |4|00|CTcpSocket::Abandon connected socket. Send
Message 0x413779e8
0425180956|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipfed1a.online.lync.com' after 0 sec
0425180956|sip |4|00|SSL_get_error Error code=5,rc(0)
0425180956|sip |4|00|TLS Listen Thread Exit
0425180956|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425180956|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425181012|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId)]:
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_nam
e":"shakeshack.com","federation_protocol":"WSTrust","federation_metada
ta_url":"https://adfs.shakeshack.com/adfs/services/trust/
mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/
services/trust/2005/
usernamemixed","cloud_instance_name":"microsoftonline.com","cloud_audi
ence_urn":"urn:feder
0425181017|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId)]:
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425181017|AuthS|4|00|pHD(-1)
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc
https://webdir1a.online.lync.com/CertProv/CertProvisioningService.svc/
WebTicket_Proof_SHA1

https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/cert

https://login.windows.net/common/oauth2/authorize
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/0Auth
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http://nexus.microsoftonline-
0425181017|AuthS|4|00|AuthSvc S0Auth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425181017|sip |4|00|TLS-DSK:soWebTicketCbFunc:
```

SoWebTicketCb_ResponseError event triggered from the soWebTicket
000019.042|rdisk|*|00|Initial log entry. Current logging level 4
000019.044|rdisk|*|00|RAM disk created and mounted at "/data/polycom/
rfs0"
000019.044|rdisk|*|00|RAM disk created, size: 67,108,864 bytes
000019.061|log |*|00|----- Initial log entry -----
000019.061|log |4|00|UtilLogServerC::readUploadPosFromFile: Cannot
open /data/polycom/ffs0/app.log.pos
000019.064|so |*|00|Platform: Model=RealPresence Trio 8800,
Assembly=3111-65290-001 Rev=A Region=0
000019.064|so |*|00|Platform: Interface eth0 MAC=64167f3d0126
000019.081|so |*|00|Platform: BootBlock=3.0.5.0006 (65290-001) 03-
Sep-15 17:49
000019.083|so |*|00|Platform: BootL1=Unknown Unknown
000019.083|so |*|00|Platform: Updater=5.5.2.11217 06-Sep-17 06:32
000019.084|so |*|00|Platform: Updater Signature=Release (000000A8)
000019.084|so |*|00|Application, main: Label=SIP, Version=LeafElbe
5.5.2.11217 06-Sep-17 06:32
000019.084|so |*|00|Application, main: P/N=3150-11530-552
000019.084|so |*|00|Platform:
VCFirmware=044a33f865b0b9ce1e60c661f51f507abdbf736a Jun 16 2017
19:08:43
000019.084|pec |*|00|Initial log entry. Current logging level 4
000019.092|pcon |*|00|Initial log entry. Current logging level 4
000019.101|pwrsv|*|00|Initial log entry. Current logging level 4
000019.101|prox |*|00|Initial log entry. Current logging level 4
000019.101|rdisk|*|00|RAM disk created, size: 67,108,864 bytes
000019.101|apps |*|00|Initial log entry. Current logging level 4
000019.101|bsp |*|00|Initial log entry. Current logging level 4
000019.101|ocsp |*|00|O.C.S.P. Enabled = 0
000019.107|tls |*|00|Initial log entry. Current logging level 4
000019.115|pmt |*|00|Initial log entry. Current logging level 4
000019.120|ethf |*|00|Initial log entry. Current logging level 4
000019.120|wdog |*|00|Initial log entry. Current logging level 4
000019.120|hw |*|00|Initial log entry. Current logging level 4
000019.120|ares |*|00|Initial log entry. Current logging level 4
000019.121|dns |*|00|Initial log entry. Current logging level 4
000019.121|cfg |*|00|Initial log entry. Current logging level 4
000019.121|cfg |*|00|Prm|cfgParamBaseProfileUpdate: Using Base
Profile Lync
000019.123|mr |*|00|Initial log entry. Current logging level 4
000019.123|mrcon|*|00|Initial log entry. Current logging level 4
000019.227|dot1x|*|00|Initial log entry. Current logging level 4
000019.238|lic |*|00|Initial log entry. Current logging level 4
000019.238|lic |5|00|cfgCfsFlashKeyScratchLoad: could not load flash
len 976
000019.238|lic |*|00|License expiry check in 14070 seconds
000019.244|curl |*|00|Initial log entry. Current logging level 4
000019.244|utilm|*|00|Initial log entry. Current logging level 4
000019.244|copy |*|00|Initial log entry. Current logging level 4

```
000019.244|rtos  |*|00|Initial log entry. Current logging level 4
000019.245|pwr   |*|00|Initial log entry. Current logging level 4
000019.245|pwr   |*|00|Trio 8800 detected
000019.248|pwr   |*|00|POE+ source is detected
000019.263|pwr   |*|00|Power Manager Configuration: UsbCharging=0,
PseEnabled=1, PseClass=0
000020.050|apps  |5|00|processMasterVolumeMuteMessage: backlight wake-
up failed, ret: -1
000020.160|apps  |4|00|cfgParamAndroidConfigParamSet: sending audio cfg
enabled
000020.160|so    |4|00|SoCoreAudioC::sendUsbAudioEvent: sending event:
2
000021.050|apps  |4|00|PolySettings: plcmParamWirelessDisplayEnable key
plcm.WIRELESS_DISPLAY_ENABLE is 0
000022.006|pgui  |*|00|Initial log entry. Current logging level 4
000023.723|pgui  |4|00|CPolyCoreCommunicator::connectNotify - osd -
enter

000023.723|pgui  |4|00|CPolyCoreCommunicator::connectNotify - osd -
exit

000023.724|pgui  |4|00|CPolyCoreCommunicator::connectNotify - dbs -
enter

000023.724|pgui  |4|00|CPolyCoreCommunicator::connectNotify - dbs -
exit

000023.742|pgui  |4|00|CPolyCoreCommunicator::connectNotify - ec -
enter

000023.742|pgui  |4|00|CPolyCoreCommunicator::connectNotify - ec - exit

000025.344|dhcpc|*|00|Initial log entry. Current logging level 4
000029.196|cfg   |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000032.239|cfg   |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000040.239|cfg   |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000048.239|cfg   |4|00|Prov|CfgDhcpInformControl::SendRequest: DHCP
INFORM send failed: error=-1(101)

000056.241|cfg   |*|00|RT|   Phone IP address is 10.225.20.14.
000056.241|cfg   |*|00|RT|   Subnet mask is 255.255.255.0.
000056.241|cfg   |*|00|RT|   Gateway address is 10.225.20.1.
000056.242|cfg   |*|00|RT|   DNS server is 10.225.20.1.
000056.242|cfg   |*|00|RT|   Time server is 10.225.20.1.
```

```
000056.242|dns  |*|00|DNS resolver servers are '10.225.20.1' '8.8.8.8'
000056.242|dns  |*|00|DNS resolver search domain is ''
000056.260|cfg   |*|00|RT|Primary IP: 10.225.20.14 subnet mask
255.255.255.0
000100.059|cfg   |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
000100.309|cfg   |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
000108.309|cfg   |4|00|Prov|CfgDhcpInformControl::ExtractOptions: DHCP
ACK message failed initial validation. Skipping parsing of DHCP
options.
000111.284|so     |*|00|soUsbProvSetup: Not provisioning from USB
000111.284|cfg   |*|00|Prov|Starting to provision
000111.284|copy  |4|00|Configuration of URL failed
000111.284|copy  |4|00|Configuration of URL failed
000111.284|cfg   |4|00|Prov|Download of master configuration file
failed
000111.284|cfg   |4|00|Prov|Trying to boot from existing configuration
000111.285|cfg   |4|00|Prov|Update configuration failed
000111.286|cfg   |4|00|Prov|Not setting device parameters since
configuration was not updated.
000111.286|cfg   |*|00|Prov|Finished updating configuration
000114.288|cfg   |*|00|Core|Delaying upload of 2 core files
000114.289|sec   |*|00|Initial log entry. Current logging level 4
000114.347|so     |*|00|Configuration files: 000000000000_profile.cfg
000114.347|so     |*|00|Configuration file "000000000000_profile.cfg"
SHA1 digest: A618F0C579EC37196B4EDE0155871F1C49296DBC
000114.350|log   |*|00|Log render level set to 1
000114.363|pcap  |*|00|On-Phone Packet Capture disabled
000114.363|srtp  |*|00|Initial log entry. Current logging level 4
000114.382|res   |*|00|Initial log entry. Current logging level 4
000114.382|httpa |*|00|Initial log entry. Current logging level 4
000114.382|lldp  |*|00|Initial log entry. Current logging level 4
000114.383|cdp   |*|00|Initial log entry. Current logging level 4
000114.406|ssps  |*|00|Initial log entry. Current logging level 4
000114.406|audjb |*|00|Initial log entry. Current logging level 4
000114.601|ssps  |*|00|sspsMain: sspsDspLoad successful using default
image.
000114.602|so     |*|00|System Info Reports:
000114.602|so     |*|00|  Cpu is ARMv7 Processor rev 0 (v7l), ID:
unknown, running at 1990MHz.
000114.602|so     |*|00|  Board is identified as
PolycomRealPresenceTrio-Trio_8800.
000114.602|so     |*|00|  DRAM_SIZE: 480 MB
000114.602|so     |*|00|  Flash detected is 25
000114.602|key   |*|00|Initial log entry. Current logging level 4
000114.603|httpd |*|00|Initial log entry. Current logging level 4
000114.603|poll  |*|00|Initial log entry. Current logging level 4
```



```

000114.603|push|*|00|Initial log entry. Current logging level 4
000114.604|poll|*|00|Initial log entry. Current logging level 4
000114.604|poll|*|00|Initial log entry. Current logging level 4
000114.604|rest|*|00|Initial log entry. Current logging level 4
000114.604|poll|*|00|Initial log entry. Current logging level 4
000114.605|poll|*|00|Initial log entry. Current logging level 4
000114.605|poll|*|00|Initial log entry. Current logging level 4
000114.605|ht|*|00|Initial log entry. Current logging level 4
000114.605|ht|*|00|HTTP TA Initialized
000114.605|cap|*|00|Initial log entry. Current logging level 4
000114.605|vid|*|00|Initial log entry. Current logging level 4
000114.606|dbuf|*|00|Initial log entry. Current logging level 4
000114.621|fec|*|00|Initial log entry. Current logging level 4
000114.621|fecen|*|00|Initial log entry. Current logging level 4
000114.621|fecde|*|00|Initial log entry. Current logging level 4
000114.621|ptp|*|00|Initial log entry. Current logging level 4
000114.637|ice|*|00|Initial log entry. Current logging level 4
000114.638|afe|*|00|Initial log entry. Current logging level 6
000114.654|pps|*|00|Initial log entry. Current logging level 4
000114.654|sip|*|00|Initial log entry. Current logging level 4
000114.654|bfcf|*|00|Initial log entry. Current logging level 4
000114.654|sipt|*|00|Initial log entry. Current logging level 4
000114.654|sipp|*|00|Initial log entry. Current logging level 4
000114.662|ptt|*|00|Initial log entry. Current logging level 4
000114.663|xmpp|*|00|Initial log entry. Current logging level 4
000114.663|btpps|*|00|Initial log entry. Current logging level 4
000114.663|usbpp|*|00|Initial log entry. Current logging level 4
000114.663|lc|*|00|Initial log entry. Current logging level 4
000114.666|so|*|00|soMain: volume = 0.450000
000114.746|ssps|*|00|Application, comp. 1: Label=PolyDSP Merlyn ARMA9
Mem1 FS1, Version=8.0.7.1034 28-Aug-2017 18:38
000114.746|ssps|*|00|Application, comp. 1: P/N=3150-11580-807.
000114.831|mcu|*|00|Initial log entry. Current logging level 4
000114.831|pkt|*|00|Initial log entry. Current logging level 4
000114.831|fur|*|00|Initial log entry. Current logging level 4
000114.831|vsr|*|00|Initial log entry. Current logging level 4
000114.831|statn|*|00|Initial log entry. Current logging level 4
000114.831|statc|*|00|Initial log entry. Current logging level 4
000115.208|mraud|*|00|Initial log entry. Current logging level 4
000115.410|so|*|00|Using TCP IP Media Port, configured initial RTP
port 2222
000115.410|so|*|00|Open SIP RTP media port range for audio: 2222 to
2293
000115.410|so|*|00|Open SIP RTP media port range for video: 2222 to
2293
000115.410|so|*|00|Open SIP RTP media port range for content: 2222
to 2293
000115.410|so|*|00|Lync RTP media port range for audio: 5350 to
5389
000115.410|so|*|00|Lync RTP media port range for video: 5390 to

```

```

5429
000115.410|so    |*|00|Lync RTP media port range for content: 5430 to
5469
000115.432|so    |*|00|Using TCP IP Media Port, configured initial RTP
port 2222
000115.432|so    |*|00|Open SIP RTP media port range for audio: 2222 to
2293
000115.432|so    |*|00|Open SIP RTP media port range for video: 2222 to
2293
000115.432|so    |*|00|Open SIP RTP media port range for content: 2222
to 2293
000115.432|so    |*|00|Lync RTP media port range for audio: 5350 to
5389
000115.432|so    |*|00|Lync RTP media port range for video: 5390 to
5429
000115.432|so    |*|00|Lync RTP media port range for content: 5430 to
5469
000115.443|so    |*|00|Voice quality monitoring enabled (RTCP-XR)
000115.445|usb    |*|00|Initial log entry. Current logging level 4
000115.445|gbLoc  |*|00|Initial log entry. Current logging level 4
000115.445|app1   |*|00|Initial log entry. Current logging level 4
000115.462|app1   |*|00|AppPhoneC::AppPhoneC() Number Of Line Keys = 12
000115.462|app1   |*|00|AppPhoneC::AppPhoneC() - new AppRegLineC, szUser
= room-miamibeach@shakeshack.com
000115.522|ldap   |*|00|Initial log entry. Current logging level 4
000115.522|abs    |*|00|Initial log entry. Current logging level 4
000115.531|bluet  |*|00|Initial log entry. Current logging level 4
000115.531|btapp  |*|00|Initial log entry. Current logging level 4
000115.546|app1   |4|00|AppBrowserUiC::AppBrowserUiC Home url - [], idle
url - []
000115.556|efk    |*|00|Initial log entry. Current logging level 4
000115.565|cmp    |*|00|Initial log entry. Current logging level 4
000115.565|slog   |*|00|Initial log entry. Current logging level 3
000115.566|wmgr   |*|00|Initial log entry. Current logging level 4
000115.567|so     |4|00|[SoCoreAudioC]: MsgXUsbAudioEvent: event: 2
000115.573|so     |*|00|Network initialized. Starting network tasks.
000115.573|loc    |*|00|Initial log entry. Current logging level 4
000115.576|AuthS  |*|00|Initial log entry. Current logging level 4
000115.576|AuthS  |5|00|Truncating label from AuthSvc
000115.577|Devic  |*|00|Initial log entry. Current logging level 4
000115.577|Devic  |5|00|Truncating label from DevicePairingService
000115.577|cfg    |4|00|Prm|cfgParamCbSet: duplicate function pointer
000115.577|proxy  |*|00|Initial log entry. Current logging level 4
000115.577|proxy  |5|00|Truncating label from proxyService
000115.577|cfg    |4|00|Prm|cfgParamCbSet: duplicate function pointer
000115.577|WADSe  |*|00|Initial log entry. Current logging level 4
000115.577|WADSe  |5|00|Truncating label from WADService
000115.577|cfg    |4|00|Prm|cfgParamCbSet: duplicate function pointer
000115.578|log    |*|00|Install file upload callback for 'so'

```

```
000115.578|moh  |*|00|Initial log entry. Current logging level 4
000115.579|moh  |4|00|SoNcasMohC::soNcasMohFileDownload: Music On Hold
file provisioning is not supported for config source=0
0425181206|pgui  |4|00|Try to set the data mocker when table model is
null.
0425181206|pgui  |4|00|Try to set the data mocker when table model is
null.
0425181208|pgui  |4|00|Try to set the data mocker when table model is
null.
0425181208|pgui  |5|00|Received personal directory [0]
0425180705|airp  |*|00|Initial log entry. Current logging level 4
0425180705|airps|*|00|Initial log entry. Current logging level 4
0425180705|airpl|*|00|Initial log entry. Current logging level 4
0425180705|copy  |4|00|Configuration of URL failed
0425180705|log   |4|00|UtilLogServerC::uploadFifoLog: upload error.
protocol 0 result = 0
0425180705|mrlib|*|00|Initial log entry. Current logging level 4
0425180705|utilm|4|00|utilTZEnvSet: Couldn't open file for writing
0425181204|pps   |*|00|vqmon Process Service Route is Disabled
0425181204|usba  |*|00|Backing File successfully refreshed
0425181204|so    |4|00|cfgParamTimerCallBack: Delaying posting of
configuration change untill NcasCb is created
0425181204|app1  |4|00|AppUiC::onConnected - Resetting the previous
backlight state.
0425181204|clist|*|00|Initial log entry. Current logging level 4
0425181204|clist|4|00|dbJournal::trimJournalDir:failed to connect to
app2os message queue

0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|app1  |4|00|[AppExchangeUiC::populateAutoDiscoverUrl]
Internal & External EWS url's are empty
0425181204|so    |4|00|cfgParamTimerCallBack: Restarting timer to delay
posting of parameter change
0425181204|app1  |*|00|[AppHybridC]: App is completely initialized.
0425181204|usbpp|4|00|[PpsUsbC]: OnEvReg Accepted
0425181204|ppcip|*|00|Initial log entry. Current logging level 4
0425181204|ppcip|4|00|IIPC: ConnectToClient() authenticate client
failed, closing socket
0425181204|ppcip|4|00|IIPC: ConnectToClient() authenticate client
failed, closing socket
```

0425181204|ppcip|4|00|IPIPCCtrlTask: could not connect to client
0425181204|wdisp|*|00|Initial log entry. Current logging level 4
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|clist|4|00|dbCfg::getServerDir:Unknown dbCfg type
0425181204|usbpp|4|00|[PpsUsbC]: OnEvReg Accepted
0425181204|app1 |4|00|Corporate directory is not Enabled.
0425181204|cfg |4|00|RT|pps is setting Login Credentials to valid
0425181204|wdog |*|00|Hw Watchdog timer interface successfully opened
from polyapp
0425181208|WADSe|4|00|parseAndSaveRequiredInfo()- Response received is
less than 32 bytes
0425181208|WADSe|4|00|parseAndSaveRequiredInfo()- Response received is
less than 32 bytes
0425181209|copy |4|00|Configuration of URL failed
0425181210|pgui |4|00|Try to set the data mocker when table model is
null.
0425181211|copy |4|00|Configuration of URL failed
0425181211|clist|4|00|dbIO::processResult:no host
0425181211|clist|4|00|dbSet::srv2mem:'64167f3d0126-directory.xml' File
transfer failed, trying to get local file
0425181211|copy |4|00|Configuration of URL failed
0425181211|clist|4|00|dbIO::processResult:no host
0425181211|clist|4|00|dbSet::srv2mem:'000000000000-directory.xml' File
transfer failed, trying to get local file
0425181211|pps |*|00|Fast Boot Measurement Point: Ready for Call,
uptime: 86.333 sec.
0425181212|clist|4|00|dbSet::load:cleared load error state
m_sync=<0x40>
0425181212|copy |4|00|Configuration of URL failed
0425181212|clist|4|00|dbIO::processResult:no host
0425181212|clist|4|00|dbSet::srv2mem:'64167f3d0126-directory.xml' File
transfer failed, trying to get local file
0425181219|xml |*|00|Initial log entry. Current logging level 4
0425181224|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_nam
e":"shakeshack.com","federation_protocol":"WSTrust","federation_metada
ta_url":"https://adfs.shakeshack.com/adfs/services/trust/
mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/
services/trust/2005/
usernamemixed","cloud_instance_name":"microsoftonline.com","cloud_audi
ence_urn":"urn:feder
0425181229|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425181229|AuthS|4|00|pHD(141)AuthServiceCallerWbad
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc

https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/cert

https://login.windows.net/common/oauth2/authorize
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc/OAuth
https://webdir1a.online.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http://nexus.microsoftonline-p.com/federationmetadata/2006-12/
FederationMetaData.xml

0425181229|AuthS|4|00|AuthSvc S0Auth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425181229|WADSe|4|00|Not able to get WT from Auth Service

0425181229|sip |*|00|Sip Register Usr:room-miamibeach@shakeshack.com
Dsp:Shake Shack Auth:'Using Login Cred' Inx:0
0425181230|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'shakeshack.com' after 0 sec
0425181231|ares |4|00|aresDnsLookup: select time-out 1 on A lookup for
'sipoolBLU1A14.infra.lync.com' after 0 sec
0425181231|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425181231|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425181241|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_nam
e":"shakeshack.com","federation_protocol":"WSTrust","federation_metada
ta_url":"https://adfs.shakeshack.com/adfs/services/trust/
mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/
services/trust/2005/
usernamemixed","cloud_instance_name":"microsoftonline.com","cloud_audi
ence_urn":"urn:feder
0425181246|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425181246|AuthS|4|00|pHD(-1)
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://webpoolblu1a14.infra.lync.com/CertProv/
CertProvisioningService.svc/WebTicket_Proof_SHA1

https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
cert

https://login.windows.net/common/oauth2/authorize
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
OAuth
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http
0425181246|AuthS|4|00|AuthSvc S0Auth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425181246|sip |4|00|TLS-DSK:soWebTicketCbFunc:
SoWebTicketCb_ResponseError event triggered from the soWebTicket
0425181303|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425181303|sip |4|00|TLS Listen Thread Exit
0425181501|sip |4|00|CTrans::~CTrans still holding Login Cred.
Released as valid
0425181501|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425181506|AuthS|4|00|[StdRet
COAuth2SmCtxt::OAuth2ParseAndSaveRequiredInfo(E_OAuth2ReqRspId]):
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_name":
"shakeshack.com","federation_protocol":"WSTrust","federation_metadata_url":
"https://adfs.shakeshack.com/adfs/services/trust/
mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/
services/trust/2005/
usernamemixed","cloud_instance_name":"microsoftonline.com","cloud_audience_urn":
"urn:feder
0425181511|AuthS|4|00|[StdRet
COAuth2SmCtxt::OAuth2ParseAndSaveRequiredInfo(E_OAuth2ReqRspId]):
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425181511|AuthS|4|00|pHD(-1)
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://webpoolblu1a14.infra.lync.com/CertProv/
CertProvisioningService.svc/WebTicket_Proof_SHA1

https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
cert

https://login.windows.net/common/oauth2/authorize
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
OAuth
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http
0425181511|AuthS|4|00|AuthSvc S0Auth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425181511|sip |4|00|TLS-DSK:soWebTicketCbFunc:
SoWebTicketCb_ResponseError event triggered from the soWebTicket
0425181533|sip |4|00|SSL_get_error Error code=5,rc(-1)

0425181533|sip |4|00|TLS Listen Thread Exit
0425181731|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425181731|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425181736|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_name":"shakeshack.com","federation_protocol":"WSTrust","federation_metadata_url":"https://adfs.shakeshack.com/adfs/services/trust/mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/services/trust/2005/usernamemixed","cloud_instance_name":"microsoftonline.com","cloud_audience_urn":"urn:feder
0425181741|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425181741|AuthS|4|00|pHD(-1)
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://webpoolblu1a14.infra.lync.com/CertProv/
CertProvisioningService.svc/WebTicket_Proof_SHA1

https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
cert

https://login.windows.net/common/oauth2/authorize
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
OAuth
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http
0425181741|AuthS|4|00|AuthSvc S0Auth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425181741|sip |4|00|TLS-DSK:soWebTicketCbFunc:
SoWebTicketCb_ResponseError event triggered from the soWebTicket
0425181803|sip |4|00|SSL_get_error Error code=5,rc(-1)
0425181803|sip |4|00|TLS Listen Thread Exit
0425182001|sip |4|00|CTrans::~~CTrans still holding Login Cred.
Released as valid
0425182001|cfg |4|00|RT|SIP is setting Login Credentials to valid
0425182006|AuthS|4|00|[StdRet
COAuth2SmCtxt::0Auth2ParseAndSaveRequiredInfo(E_0Auth2ReqRspId]):
[1531] eReqRspID[1] m_RetVal[0] curlReturn[0] HttpRspCode[200]
csStrippedResponse[{"ver":"1.0","account_type":"Federated","domain_name":"shakeshack.com","federation_protocol":"WSTrust","federation_metadata_url":"https://adfs.shakeshack.com/adfs/services/trust/mex","federation_active_auth_url":"https://adfs.shakeshack.com/adfs/

services/trust/2005/
usernamemixed", "cloud_instance_name": "microsoftonline.com", "cloud_audience_urn": "urn:feder
0425182011|AuthS|4|00|[StdRet
COAuth2SmCtxt::OAuth2ParseAndSaveRequiredInfo(E_OAuth2ReqRspId]):
[1531] eReqRspID[5] m_RetVal[-1] curlReturn[0] HttpRspCode[480]
csStrippedResponse[]
0425182011|AuthS|4|00|pHD(-1)
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://webpoolblu1a14.infra.lync.com/CertProv/
CertProvisioningService.svc/WebTicket_Proof_SHA1

https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
cert

https://login.windows.net/common/oauth2/authorize
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc/
OAuth
https://webpoolblu1a14.infra.lync.com/WebTicket/WebTicketService.svc
https://login.windows.net/common/oauth2/authorize
http
0425182011|AuthS|4|00|AuthSvc SOAuth2Error, BaseEventInit restart[0]
SfbTokenFetchMethod[3]
0425182011|sip |4|00|TLS-DSK:soWebTicketCbFunc:
SoWebTicketCb_ResponseError event triggered from the soWebTicket