

0214091429|so |4|00|[soRegistrationC] Login Credentials valid causing SoRegEventLine Changed

0214091429|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Enter

0214091429|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Default

0214091429|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Exit

0214091431|app1 |*|00|SoRegistrationEventLineChanged - success lineIndex 0 RegListSize 0

0214091431|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]

0214091431|app1 |*|00|SoRegistrationEventLast - new AppRegLineC, szUser = user@domain.com

0214091431|so |4|00|[SoNcasC]: appncascontext termination:1

0214091431|so |4|00|[SoNcasC]: Case Handling termination:1

0214091431|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]

0214091431|cfg |4|00|RT|pps is setting Login Credentials to valid

0214091431|wad |2|00|Request(-1)wad,(778)WADServiceReqMsgKey,(-1)pps,(15),(Expiry,TransactionId,Time,Type):(-1,-1,1518628471,0)IndicationLevel:(200)

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((544),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|S/E(sSWADStart,kBaseEventInit),rO(1551)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((544),(1551),Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((544),(1551),Ticks(0))

0214091431|wad |3|00|[SWADStart -> EWADStart]

0214091431|wad |2|00|S/E(sSWADStart,),rO(3)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((545),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((545),(1)kBaseEventInit,Ticks(0))

0214091431|wad |3|00|[SWADFetchAutoDiscoveryUrls -> BaseEventInit]

0214091431|wad |2|00|S/E(sSWADFetchAutoDiscoveryUrls,kBaseEventInit),rO(1552)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((546),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((546),(1)kBaseEventInit,Ticks(0))

0214091431|wad |3|00|[SWADInternalAutoDiscovery -> BaseEventInit]

0214091431|wad |3|00|[SWADInternalAutoDiscovery -> EWADFetchAutoDiscoveryServiceUrl]

0214091431|wad |3|00|[WADPrepareAndSendRequest | eRequestId=1]

0214091431|wad |3|00|[WADPrepareAndSendRequest |
E_WADReqRspId_FindHttpInternalDiscoveryServiceLocation]

0214091431|nisvc|2|00|Request(-1)nisvc,(702)NIServiceHttpRequestMsgKey,(-
1)wad,(703)NIServiceHttpRequestResMsgKey,(Expiry,TransactionId,Time,Type):(-1,-
1,1518628471,0)IndicationLevel:(200)

0214091431|wad |2|00|S/E(sSWADInternalAutoDiscovery,kBaseEventInit),rO(5)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((546),(5),Ticks(0))

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|nisvc|2|00|HTTP SEND:: DestUrl(http://lyncdiscoverinternal.domain.com),
HttpResCode(200), curlRetCode(0) retVal(0)

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|nisvc|2|00|<\NIModuleKey00:1,time taken(0)>

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((546),(1556)kEWADHandleResponse,Ticks(0))

0214091431|wad |3|00|[SWADInternalAutoDiscovery -> EWADHandleResponse]

0214091431|wad |3|00|Response Code:200

0214091431|wad |2|00|S/E(sSWADInternalAutoDiscovery,kEWADHandleResponse),rO(3)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((545),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((545),(1)kBaseEventInit,Ticks(0))

0214091431|wad |3|00|[SWADFetchAutoDiscoveryUrls -> BaseEventInit]

0214091431|wad |2|00|S/E(sSWADFetchAutoDiscoveryUrls,kBaseEventInit),rO(3)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((550),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((550),(1)kBaseEventInit,Ticks(0))

0214091431|wad |3|00|[SWADFetchUserUrls -> BaseEventInit]

0214091431|wad |2|00|S/E(sSWADFetchUserUrls,kBaseEventInit),rO(1557)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((550),(1557),Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((550),(1557),Ticks(0))

0214091431|wad |3|00|[SWADFetchUserUrls -> EWADMakeUserUrlDiscoveryReq]

0214091431|wad |3|00|[WADPrepareAndSendRequest | eRequestID=7]

0214091431|wad |3|00|[WADPrepareAndSendRequest | E_WADReqRspId_FindUserUrl or
E_WADReqRspId_FindUserUrlWithNtlmBasedWebToken]

0214091431|nisvc|2|00|Request(-1)nisvc,(702)NIServiceHttpRequestMsgKey,(-
1)wad,(703)NIServiceHttpRequestResMsgKey,(Expiry,TransactionId,Time,Type):(-1,-
1,1518628471,0)IndicationLevel:(200)

0214091431|wad |2|00|S/E(sSWADFetchUserUrls,),rO(5)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((550),(5),Ticks(0))

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|nisvc|2|00|HTTP SEND::

DestUrl(https://skype.domain.com/Autodiscover/AutodiscoverService.svc/root/user?originalDomain=d
omain.com?sipuri=user@domain.com), HttpStatusCode(401), curlRetCode(0) retVal(0)

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((550),(1556)kEWADHandleResponse,Ticks(0))

0214091431|wad |3|00|[SWADFetchUserUrls -> EWADHandleResponse]

0214091431|wad |3|00|Response Code:401

0214091431|wad |3|00|X-MS-

WebTicketURL:https://skype.domain.com/WebTicket/WebTicketService.svc

0214091431|wad |3|00|Unauthorized Retries(0), WebTicket
URL:https://skype.domain.com/WebTicket/WebTicketService.svc

0214091431|wad |2|00|S/E(sSWADFetchUserUrls,kEWADHandleResponse),rO(1558)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((551),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((551),(1)kBaseEventInit,Ticks(0))

0214091431|wad |3|00|[SWADTriggerWebTicketFetch -> BaseEventInit]

0214091431|wad |2|00|S/E(sSWADTriggerWebTicketFetch,kBaseEventInit),rO(1559)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((551),(1559),Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((551),(1559),Ticks(0))

0214091431|wad |3|00|[SWADTriggerWebTicketFetch -> EWADRequestWebTicket]

0214091431|auth |2|00|Request(-1)auth,(101)AuthServiceWTMsgKey,(-
1)wad,(780)WADServiceWebTicketRspMsgKey,(Expiry,TransactionId,Time,Type):(-1,-
1,1518628471,0)IndicationLevel:(200)

0214091431|wad |2|00|S/E(sSWADTriggerWebTicketFetch,),rO(5)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((551),(5),Ticks(0))

0214091431|nisvc|2|00|<\NIModuleKey01:1,time taken(0)>

0214091431|auth |2|00|Policy
Dest:(201)AuthServicePolicyServiceKey:(101)AuthServiceWTMsgKey:(205)AuthSvcAOServiceRequestKey
Caller Service(139)AuthServiceCallerWbad:IndicationCode(0)
,TransactionID(-1)

0214091431|auth |2|00|Policy
Dest:(202)AuthServicePolicyDBKey:(101)AuthServiceWTMsgKey:(208)AuthSvcAODBAddKey
Caller Service(139)AuthServiceCallerWbad:IndicationCode(0)
,TransactionID(-1)

0214091431|auth |2|00|Policy
Dest:(202)AuthServicePolicyDBKey:(101)AuthServiceWTMsgKey:(212)AuthSvcAODBDBIndKey
Caller Service(139)AuthServiceCallerWbad:IndicationCode(0)
,TransactionID(838016955)

0214091431|auth |2|00|Policy
Dest:(202)AuthServicePolicyDBKey:(105)AuthServiceUTMsgKey:(208)AuthSvcAODBAddKey
Caller Service(139)AuthServiceCallerWbad:IndicationCode(0)

,TransactionID(838016955)

0214091431|auth|2|00|Policy

Dest:(202)AuthServicePolicyDBKey:(105)AuthServiceUTMsgKey:(212)AuthSvcAODBDBIndKey

Caller Service(139)AuthServiceCallerWbad:IndicationCode(0)

,TransactionID(838016955)

0214091431|auth|2|00|Policy

Dest:(203)AuthServicePolicyFsmKey:(105)AuthServiceUTMsgKey:(214)AuthSvcAOFsmRequestKey

Caller Service(139)AuthServiceCallerWbad:IndicationCode(0)

,TransactionID(838016955)

0214091431|auth|2|00|SM Module: SM created Ref(7652943)

0214091431|auth

|2|00|<SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((334),(1)kBaseEventInit,Ticks(0))

0214091431|auth|2|00|S/E(sSAuthSvcUTS0,kBaseEventInit),rO(308)

0214091431|auth

|2|00|<\SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((318),(1)kBaseEventInit,Ticks(0))

0214091431|auth

|2|00|<SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((318),(1)kBaseEventInit,Ticks(0))

0214091431|auth

|2|00|[prepareAndSendRequest]:[4324]:[3]:[https://skype.domain.com/WebTicket/WebTicketService.svc/mex]

0214091431|cfg|5|00|Prm|Parameter feature.validate.peer.cert requested type 0 but is of type 7

0214091431|nisvc|2|00|Request(-1)nisvc,(702)NIServiceHttpRequestMsgKey,(-1)auth,(703)NIServiceHttpResponseMsgKey,(Expiry,TransactionId,Time,Type):(-1,-1,1518628471,0)IndicationLevel:(200)

0214091431|auth|2|00|S/E(sSAuthSvcGetTokenProvider,kBaseEventInit),rO(5)

0214091431|auth|2|00|<\SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((318),(5),Ticks(0))

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|nisvc|2|00|HTTP SEND::

DestUrl(https://skype.domain.com/WebTicket/WebTicketService.svc/mex), HttpStatusCode(200), curlRetCode(0) retVal(0)

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|nisvc|2|00|<\NIModuleKey02:1,time taken(0)>

0214091431|auth

|2|00|<SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((318),(301)kEAuthOnRecvDataResponse,Ticks(0))

0214091431|auth|2|00|m_RetVal[0] eReqRspID[3] curlReturn[0] HttpRspCode[200] messageLen[15693]

0214091431|auth|2|00|S/E(sSAuthSvcGetTokenProvider,kEAuthOnRecvDataResponse),rO(3)

0214091431|auth

|2|00|<\SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((345),(1)kBaseEventInit,Ticks(0))

0214091431|auth

|2|00|<SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((345),(1)kBaseEventInit,Ticks(0))

0214091431|auth|2|00|S/E(sSAuthSvcUTEnd,kBaseEventInit),rO(3)

0214091431|auth|2|00|<\SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((345),(3),Ticks(0))

0214091431|auth|2|00|<SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((345),(3),Ticks(0))

0214091431|auth|2|00|<\SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((345),(-1),Ticks(0))

0214091431|auth|2|00|Policy

Dest:(203)AuthServicePolicyFsmKey:(105)AuthServiceUTMsgKey:(215)AuthSvcAOFsmReplyKey

Caller Service(139)AuthServiceCallerWbad:IndicationCode(200)Got User Type

,TransactionID(838016955)

0214091431|auth|2|00|Policy

Dest:(202)AuthServicePolicyDBKey:(105)AuthServiceUTMsgKey:(212)AuthSvcAODBDBIndKey

Caller Service(139)AuthServiceCallerWbad:IndicationCode(200)Got User Type

,TransactionID(838016955)

0214091431|auth|2|00|Policy

Dest:(202)AuthServicePolicyDBKey:(101)AuthServiceWTMsgKey:(211)AuthSvcAODBIEIndKey

Caller Service(139)AuthServiceCallerWbad:IndicationCode(200)Got User Type

,TransactionID(838016955)

0214091431|auth|2|00|Policy
Dest:(203)AuthServicePolicyFsmKey:(101)AuthServiceWTMsgKey:(214)AuthSvcAOFsmRequestKey
Caller Service(139)AuthServiceCallerWbad:IndicationCode(0)
,TransactionID(838016955)

0214091431|auth|2|00|SM Module: SM created Ref(7652956)

0214091431|auth
|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((336),(1)kBaseEventInit,Ticks(0))

0214091431|auth|2|00|S/E(sSAuthSvcWTS0,kBaseEventInit),rO(310)

0214091431|auth
|2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((322),(1)kBaseEventInit,Ticks(0))

0214091431|auth
|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((322),(1)kBaseEventInit,Ticks(0))

0214091431|auth|2|00|S/E(sSAuthSvcOnPrem,kBaseEventInit),rO(311)

0214091431|auth
|2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((340),(1)kBaseEventInit,Ticks(0))

0214091431|auth
|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((340),(1)kBaseEventInit,Ticks(0))

0214091431|auth
|2|00|[prepareAndSendRequest]:[4324]:[4]:[https://skype.domain.com/WebTicket/WebTicketService.svc]

0214091431|cfg|5|00|Prm|Parameter feature.validate.peer.cert requested type 0 but is of type 7

0214091431|nisvc|2|00|Request(-1)nisvc,(702)NIServiceHttpRequestMsgKey,(-1)auth,(703)NIServiceHttpRequestResMsgKey,(Expiry,TransactionId,Time,Type):(-1,-1,1518628471,0)IndicationLevel:(200)

0214091431|auth|2|00|S/E(sSAuthSvcGetWTFForRegUsingCredentials,kBaseEventInit),rO(5)

0214091431|auth
|2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((340),(5),Ticks(0))

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|nisvc|2|00|HTTP SEND::
DestUrl(https://skype.domain.com/WebTicket/WebTicketService.svc), HttpResCode(401),
curlRetCode(0) retVal(0)

0214091431|nisvc|2|00|

*****HTTP SEND*****

0214091431|nisvc|2|00|<\NIModuleKey03:1,time taken(0)>

0214091431|auth
|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((340),(301)kEAuthOnRecvDataResponse,Ticks(0))

0214091431|auth |4|00|Failed to parse NI response

0214091431|auth |2|00|m_RetVal[-1] eReqRspID[4] curlReturn[0] HttpRspCode[401] messageLen[0]

0214091431|auth
|2|00|S/E(sSAuthSvcGetWTFForRegUsingCredentials,kEAuthOnRecvDataResponse),rO(4)

0214091431|auth
|2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((338),(1)kBaseEventInit,Ticks(0))

0214091431|auth
|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((338),(1)kBaseEventInit,Ticks(0))

0214091431|auth |2|00|S/E(sSAuthSvcGetWTFForRegUsingUserCert,kBaseEventInit),rO(4)

0214091431|auth
|2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((354),(1)kBaseEventInit,Ticks(0))

0214091431|auth
|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((354),(1)kBaseEventInit,Ticks(0))

0214091431|auth |4|00|Retry Cnt[0] pHD(139)AuthServiceCallerWbad

https://skype.domain.com/WebTicket/WebTicketService.svc

https://skype.domain.com/WebTicket/WebTicketService.svc/cert

https://skype.domain.com/WebTicket/WebTicketService.svc/pin

https://skype.domain.com/WebTicket/WebTicketService.svc

0214091431|auth |2|00|S/E(sSAuthSvcWTError,kBaseEventInit),rO(4)

0214091431|auth

|2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((354),(4),Ticks(0))

0214091431|auth

|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((354),(4),Ticks(0))

0214091431|auth |2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((354),(-1),Ticks(0))

0214091431|auth |2|00|Policy

Dest:(203)AuthServicePolicyFsmKey:(101)AuthServiceWTMsgKey:(215)AuthSvcAOFsmReplyKey

Caller Service(139)AuthServiceCallerWbad:IndicationCode(500)Failed to Get WT

,TransactionID(838016955)

0214091431|auth |2|00|Policy

Dest:(202)AuthServicePolicyDBKey:(101)AuthServiceWTMsgKey:(212)AuthSvcAODBDBIndKey

Caller Service(139)AuthServiceCallerWbad:IndicationCode(500)Failed to Get WT

,TransactionID(838016955)

0214091431|auth

|2|00|<SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((354),(7)kBaseEventStop,Ticks(0))

0214091431|auth |2|00|<\SM>(307)AuthServiceWTUsingCredStateMachine(0xb56ad2b8):Ctx((354),(-1),Ticks(0))

0214091431|auth
|2|00|<SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((345),(7)kBaseEventStop,Ticks(0))

0214091431|auth |2|00|<\SM>(304)AuthServiceUTStateMachine(0xb56ae550):Ctx((345),(-1),Ticks(0))

0214091431|auth |2|00|Policy
Dest:(201)AuthServicePolicyServiceKey:(101)AuthServiceWTMsgKey:(206)AuthSvcAOServiceReplyKey
Caller Service(139)AuthServiceCallerWbad:IndicationCode(500)Failed to Get WT
,TransactionID(838016955)

0214091431|auth |2|00|Response(-1)auth,(101)AuthServiceWTMsgKey,(-
1)wad,(780)WADServiceWebTicketRspMsgKey,(Expiry,TransactionId,Time,Type):(-
1,838016955,1518628471,1)IndicationCode:(500)Failed to Get WT

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((551),(1560)kEWADReceivedWebTicket,Ticks(0))

0214091431|wad |3|00|[SWADTriggerWebTicketFetch -> EWADReceivedWebTicket]

0214091431|wad |4|00|Not able to get WT from Auth Service

0214091431|wad |2|00|S/E(sSWADTriggerWebTicketFetch,kEWADReceivedWebTicket),rO(4)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((554),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((554),(1)kBaseEventInit,Ticks(0))

0214091431|wad |3|00|[SWADSvcError -> BaseEventInit]

0214091431|wad |2|00|S/E(sSWADSvcError,kBaseEventInit),rO(4)

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((553),(1)kBaseEventInit,Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((553),(1)kBaseEventInit,Ticks(0))

0214091431|wad |3|00|[SWADSvcEnd -> BaseEventInit]

0214091431|wad |2|00|Response(-1),(-1),(-1)pps,(15),(Expiry,TransactionId,Time,Type):(-1,-
1,1518628471,1)IndicationCode:(500)Failed to Get Server URL's

0214091431|wad |2|00|Request(-1)wad,(778)WADServiceReqMsgKey,(-1)pps,(-
1),(Expiry,TransactionId,Time,Type):(0,-1,1518628471,0)IndicationLevel:(200)

0214091431|sip |3|00|SipSetOption nIndex 47, nParam 4

0214091431|sip |3|00|SipSetOption nIndex 48, nParam 1

0214091431|sip |3|00|SipSetOption nIndex 49, nParam 80

0214091431|sip |3|00|SipSetOption nIndex 91, nParam 1

0214091431|sip |3|00|SipReloadMediaConfig: video disabled

0214091431|sip |*|00|Sip Register Usr:user@domain.com Dsp:user Auth:'Using Login Cred' Inx:0

0214091431|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/sip.usr doesn't exist or is empty

0214091431|sip |3|00|SipOnEvProxyList 0,Total proxy 1

0214091431|sip |3|00|CUser::NewWorkingServer user 0 oldServer -1 newServer 0 expires 0

0214091431|sip |3|00|SipOnEvNewWorkingServer User 0, old -1, new 0, expire 0

0214091431|sip |2|00|CStkDialog::CStkDialog SetAddressLocal Config 'user' <user@domain.com:0>

0214091431|sip |2|00|CStkDialog::CStkDialog AddressLocal set to Config

0214091431|sip |3|00|CStkDialog::SetAddressLocal localTag set to ''

0214091431|sip |3|00|CStkDialog::SetAddressLocal new address added of 1

0214091431|sip |2|00|CStkDialog::CStkDialog TAG '3A31E3AF-5C7622E6' generated

0214091431|sip |2|00|CStkDialog::CStkDialog local addr 'user' <user@domain.com:0> Tag '3A31E3AF-5C7622E6'

0214091431|sip |2|00|CStkDialog::CStkDialog exit 0x29cdd20 local list size 1

0214091431|sip |2|00|CStkDialogList::CreateDialogObject localTarg usr 'user'

0214091431|wad |2|00|S/E(sSWADSvcEnd,kBaseEventInit),rO(3)

0214091431|wad |3|00|kEWADReceivedWebTicket:Event(3) not found in Transition Table for state sSWADSvcEnd

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((553),(3),Ticks(0))

0214091431|wad |2|00|<SM>(-1)(0x2a81ad8):Ctx((553),(7)kBaseEventStop,Ticks(0))

0214091431|wad |2|00|<\SM>(-1)(0x2a81ad8):Ctx((553),(-1),Ticks(0))

0214091431|sip |2|00|CLocalIPManager::GetLocalIP Local IP indentified is 10.0.5.124 for Remote address domain.com

0214091431|sip |3|00|SipOnEvRegistrarUpdate User 0, index 0, state 1, expire 0, working 1 blsOcs 0

0214091431|sip |3|00|NewRegisterState: 'Unknown' 'Unregistered' -> 'Registering' Expires 0 Overlap 0 for (0x29b4130)

0214091431|sip |3|00|CCallNoCall::NewCallState 'Unknown'->'Register' (0x29b4130)

0214091431|sip |1|00|Schedule 'Register' nEvent 0 busyFlag 0 num events waiting 0

0214091431|sip |2|00|new UA Client Non-INVITE trans state 'callingTrying', timeout=0 (0xb62013c8)

0214091431|sip |3|00|RegClient:RegClient expire 66 overlap 0

0214091431|sip |2|00|SendCommand: reqDest 'domain.com' isLync 0 isGRUU 0 isIP 0 useEffectiveProxy 1

0214091431|sip |1|00|SendCommand: isLync 0 isGRUU 0 isIP 0 useEffectiveProxy 1

0214091431|sip |1|00|CreateFailOverProxyList : Reg to Domain 'domain.com' nPort 0, lkup 6

0214091431|sip |1|00|CreateFailOverProxyList : Domain is in user part

0214091431|sip |1|00|CreateFailOverProxyList : For REGISTER Request nPort 0

0214091431|sip |2|00|CreateFailOverProxyList reseting pps watchdog for 200000mSec in auto discovery

0214091431|sip |3|00|CreateFailOverProxyList - Could not found servers using WAD

0214091435|sip |3|00|CreateFailOverProxyList : 'Auto Discovery' 1 DHCP servers received

0214091435|sip |1|00|doDnsListLookup(tls): doDnsSrvLookupForARecordList for 'skype.domain.com' port 5061 returned 1 results

0214091435|sip |1|00|doDnsListLookup(tls): result 0 '10.0.1.136' port 5061 isInBound 0

0214091435|sip |3|00|CreateFailOverProxyList: 'Auto Discovery' DHCP result 'skype.domain.com' IP 0 is '10.0.1.136' on tls

0214091435|sip |1|00|doDnsListLookup(tcp): doDnsSrvLookupForARecordList for 'domain.com' port 0 returned 2 results

0214091435|sip |1|00|doDnsListLookup(tcp): result 0 '10.10.1.136' port 5061 isInBound 0

0214091435|sip |1|00|doDnsListLookup(tcp): result 1 '10.0.1.136' port 5061 isInBound 0

0214091435|sip |1|00|doDnsListLookup(tcp): doDnsSrvLookupForARecordList for 'skype.domain.com' port 5060 returned 1 results

0214091435|sip |1|00|doDnsListLookup(tcp): result 0 '10.0.1.136' port 5060 isInBound 0

0214091435|sip |3|00|CreateFailOverProxyList:Ignoring the TCP entries of DHCP results for TCP

0214091435|sip |4|00|doDnsListLookup(tcp): doDnsSrvLookupForARecordList 'domain.com' found no records

0214091435|sip |4|00|doDnsListLookup(tls): doDnsSrvLookupForARecordList 'domain.com' found no records

0214091435|sip |4|00|doDnsListLookup(tcp): doDnsSrvLookupForARecordList 'domain.com' found no records

0214091435|sip |1|00|doDnsListLookup(tls): doDnsSrvLookupForARecordList for 'sipinternal.domain.com' port 443 returned 1 results

0214091435|sip |1|00|doDnsListLookup(tls): result 0 '10.0.1.136' port 443 isInBound 0

0214091435|sip |3|00|CreateFailOverProxyList : 'Auto Discovery' for 'domain.com' port 0 index 0 has domain 'skype.domain.com' IP '10.0.1.136' on tls port 5061

0214091435|sip |3|00|CreateFailOverProxyList : 'Auto Discovery' for 'domain.com' port 0 index 1 has domain 'drskype.domain.com' IP '10.10.1.136' on tls port 5061

0214091435|sip |3|00|CreateFailOverProxyList : 'Auto Discovery' for 'domain.com' port 0 index 2 has domain 'sip.domain.com' IP '10.0.1.136' on tls port 5061

0214091435|sip |3|00|CreateFailOverProxyList : 'Auto Discovery' for 'domain.com' port 0 index 3 has domain 'sipinternal.domain.com' IP '10.0.1.136' on tls port 443

0214091435|sip |2|00|CreateFailOverProxyList : Exit 'Auto Discovery' lookup with 4 IP Addresses

0214091435|sip |2|00|CreateFailOverProxyList : IP 1 is '10.0.1.136' on tls port 5061

0214091435|sip |2|00|CreateFailOverProxyList : IP 2 is '10.10.1.136' on tls port 5061

0214091435|sip |2|00|CreateFailOverProxyList : IP 3 is '10.0.1.136' on tls port 5061

0214091435|sip |2|00|CreateFailOverProxyList : IP 4 is '10.0.1.136' on tls port 443

0214091435|sip |1|00|CTrans:: SendCommand | this=0xb62013c8, bVQMonMessage=0, m_pCall->m_pUser->m_bOBFailOverReRegOn=0, m_pCall->m_pUser->m_bVQMonFailoverEnabled=1

0214091435|sip |1|00|CTcp::Send(TLS) entry for address 10.0.1.136 port 5061 can Connect 1 canFailOver 0

0214091435|sip |1|00|CTcp::Send(TLS) address 10.0.1.136 port 5061 can Connect 1

0214091435|sip |2|00|CTcpSocket::CTcpSocket entry m_bIsTcpPersistentConnection 0, Inbound 0 Timeout 120 this 0xb62024c8

0214091435|sip |3|00|Open socket 205(0xb62024c8)

0214091435|sip |1|00|SetRemoteAddress set SND BUF to 64000 OK

0214091435|sip |1|00|SetRemoteAddress set SEND TIMEOUT to 100ms OK

0214091435|sip |3|00|SetRemoteAddress OK on try 1 nPort 41594 0xb62024c8

0214091435|sip |3|00|CTcpSocket::ConnectThreadLocal. Trying to connect IP 10.0.1.136:5061

0214091435|sip |1|00|Task name tTCPCnt205

0214091435|sip |1|00|CTcp::Send(TLS) exit for address 10.0.1.136 port 5061 can Connect 1 status 1 canFailOver 0 FoundSocket 0

0214091435|sip |2|00|adjustRetransWhenTimerCreated UA Client Non-INVITE REGISTER state 'callingTrying' timeout=65 (0xb62013c8)

0214091435|sip |3|00|connectNonBlock is successful

0214091435|sip |3|00|SipSetOption nIndex 57, nParam 0

0214091435|sip|3|00|SipStartFailOver 0

0214091435|sip|1|00|MsgSipTcpSocketStatus socket 205 status 1 m_bIsReconnectNeeded 0

0214091435|sip|2|00|CTcpSocket::OnSocketStatus socket 205(0xb62024c8) bStatus 1

0214091435|sip|1|00|[CTcpSocket::MakeTlsConnection] TLS Protocol = 1

0214091435|sip|2|00|MakeTlsConnection: SSL_connect OK : TLS Handshake completed successfully

0214091435|sip|1|00|[TLS] hostname we are connected to is: 'skype.domain.com' IP '10.0.1.136' port 5061

0214091435|sip|3|00|[TLS] Validating Subject Alternative Name(s) (SAN) and Common Name (CN) against the following:

0214091435|sip|3|00|[TLS] Hostname: domain.com

0214091435|sip|3|00|[TLS] Outbound Proxy: domain.com

0214091435|sip|3|00|[TLS] Hostname connection: skype.domain.com

0214091435|sip|1|00|[TLS] Comparing certificate SAN type DNS: 'skype.domain.com'

0214091435|sip|3|00|[TLS] Validating certificate SAN of type DNS with 'skype.domain.com'

0214091435|sip|3|00|[TLS] Server Certificate SAN or CN validation success. SSL verify result 0

0214091435|sip|1|00|MakeTlsConnection: post_connection_checks passed

0214091435|sip|0|00|>>> Data Send TLS 10.0.1.136:5061

0214091435|sip|0|00|

0214091435|sip|0|00|

0214091435|sip|0|00|

0214091435|sip|0|00|

0214091435|sip|0|00|

0214091435|sip|0|00|

0214091435|sip|0|00|

0214091435|sip|0|00|

0214091435|sip|0|00|>>> End of data send

0214091435|sip|1|00|CTcpSocket::SendData TLS queuedTxData = 0 TotalLen 16 loop count 1 maxQueueDepth 40000

0214091435|sip|1|00|CTcpSocket::SendData TLS Sent 16 loop count 1

0214091435|sip|3|00|MakeTlsConnection: connection succeeded

0214091435|sip |0|00|>>> Data Send TLS 10.0.1.136:5061

0214091435|sip |0|00| REGISTER sip:domain.com;transport=tls SIP/2.0

0214091435|sip |0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bKde36b75d91549114

0214091435|sip |0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-5C7622E6;epid=64167f09a4fe

0214091435|sip |0|00| To: <sip:user@domain.com>

0214091435|sip |0|00| CSeq: 1 REGISTER

0214091435|sip |0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| Contact: <sip:user@10.0.5.124:41594;transport=tls>;methods="INVITE, ACK, BYE, CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER, BENOTIFY";proxy=replace;+sip.instance="<urn:uuid:98df7957-976b-5a18-b38c-4610d6d25d70>"

0214091435|sip |0|00| User-Agent: Polycom/5.6.0.17325 PolycomVVX-VVX_501-UA/5.6.0.17325

0214091435|sip |0|00| Accept-Language: en

0214091435|sip |0|00| Ms-device-info: MAC=64-16-7F-09-A4-FE, vendor=POLYCOM, version=PolycomVVX-VVX_501-5.6.0.17325

0214091435|sip |0|00| ms-keep-alive: UAC;hop-hop=yes

0214091435|sip |0|00| Supported: msrtc-event-categories,adhoclist,ms-cluster-failover,ms-userservices-state-notification,gruu-10,gruu

0214091435|sip |0|00| Event: registration

0214091435|sip |0|00| ms-subnet: 10.0.5.0

0214091435|sip |0|00| Max-Forwards: 70

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |0|00|>>> End of data send

0214091435|sip |1|00|CTcpSocket::SendData TLS queuedTxData = 101 TotalLen 967 loop count 1 maxQueueDepth 40000

0214091435|sip |1|00|CTcpSocket::SendData TLS Sent 967 loop count 1

0214091435|sip |0|00|<<< Data received TLS

0214091435|sip |0|00| SIP/2.0 401 Unauthorized

0214091435|sip |0|00| Date: Wed, 14 Feb 2018 17:14:31 GMT

0214091435|sip |0|00| WWW-Authenticate: NTLM realm="SIP Communications Service", targetname="Skype.domain.com", version=4

0214091435|sip |0|00| WWW-Authenticate: Kerberos realm="SIP Communications Service", targetname="sip/Skype.domain.com", version=4

0214091435|sip |0|00| WWW-Authenticate: TLS-DSK realm="SIP Communications Service", targetname="Skype.domain.com", version=4, sts-uri="https://skype.domain.com:443/CertProv/CertProvisioningService.svc"

0214091435|sip |0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-5C7622E6;epid=64167f09a4fe

0214091435|sip |0|00| To: <sip:user@domain.com>;tag=FBDB1100B72ABAD2B29B6E50A0786578

0214091435|sip |0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| CSeq: 1 REGISTER

0214091435|sip |0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bKde36b75d91549114;ms-received-port=41594;ms-received-cid=66DE00

0214091435|sip |0|00| Server: RTC/6.0

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |1|00|MsgSipTcpPacket

0214091435|sip |3|00|CTcpSocket::OnRecvData

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER matches user 1 of 1 'user'

0214091435|sip |3|00|UA Client Non-INVITE REGISTER trans state 'callingTrying'->'completed' by 401 resp 10 timeout(0xb62013c8)

0214091435|sip |2|00|[CTrans::ResponseProcess] REGISTER NonInv reTrans ALREADY stopped in 'completed' state at retryCount 0 code 401, timeout=10 (0xb62013c8)

0214091435|sip |3|00|401 challenge received

0214091435|sip |2|00|SipCallState is not Idle, So send Re-INVITE

0214091435|sip |2|00|new UA Client Non-INVITE trans state 'callingTrying', timeout=0 (0xb6203688)

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip|2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled
0214091435|sip|2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled
0214091435|sip|1|00|TLS-DSK authentication
0214091435|sip|1|00|TLS-DSK: Setting of Client Certificate failed due to (33558530)
error:02001002:system library:fopen:No such file or directory
0214091435|sip|1|00|TLS-DSK: Setting of Client Private key failed due to (537346050)
error:20074002: BIO routines:FILE_CTRL:system lib
0214091435|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/private.key doesn't
exist or is empty
0214091435|sip|3|00|getUserCertInfo: sip.usr[user@domain.com] result[-1] validUntil[0]
0214091435|sip|2|00|[ParseMessageHeader]:[540],SIPURI=[user@domain.com]
0214091435|sip|2|00|[ParseMessageHeader]:[555] Calling UC Fetch through Service FrameWork
0214091435|sip|1|00|NTLM authentication
0214091435|sip|1|00|Fall-back to NTLM
0214091435|sip|1|00|CStkAuth::ParseAuthenticateHeader bTlsDskParseResult[0]
bNtlmParseResult[1] m_credType[2] m_bIsOnlyTlsDsk[0]
0214091435|sip|2|00|CTrans::ResponseProcess: For Lync authentication transaction setting proxy to
'10.0.1.136' port 5061 Transport 'tls'
0214091435|sip|2|00|CTrans:: SendCommand | ProxyList NOT empty.
0214091435|sip|1|00|CTrans:: SendCommand | this=0xb6203688, bVQMonMessage=0, m_pCall-
>m_pUser->m_bOBFailOverReRegOn=0, m_pCall->m_pUser->m_bVQMonFailoverEnabled=1
0214091435|sip|1|00|CTcp::Send(TLS) entry for address 10.0.1.136 port 5061 can Connect 1
canFailOver 0
0214091435|sip|1|00|CTcp::Send(TLS) address 10.0.1.136 port 5061 can Connect 1
0214091435|sip|0|00|>>> Data Send TLS 10.0.1.136:5061
0214091435|sip|0|00| REGISTER sip:domain.com;transport=tls SIP/2.0
0214091435|sip|0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bK1d24a00bA56FD442
0214091435|sip|0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-
5C7622E6;epid=64167f09a4fe
0214091435|sip|0|00| To: <sip:user@domain.com>
0214091435|sip|0|00| CSeq: 2 REGISTER
0214091435|sip|0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| Contact: <sip:user@10.0.5.124:41594;transport=tls>;methods="INVITE, ACK, BYE, CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER, BENOTIFY";proxy=replace;+sip.instance="<urn:uuid:98df7957-976b-5a18-b38c-4610d6d25d70>"

0214091435|sip |0|00| User-Agent: Polycom/5.6.0.17325 PolycomVVX-VVX_501-UA/5.6.0.17325

0214091435|sip |0|00| Accept-Language: en

0214091435|sip |0|00| Ms-device-info: MAC=64-16-7F-09-A4-FE, vendor=POLYCOM, version=PolycomVVX-VVX_501-5.6.0.17325

0214091435|sip |0|00| ms-keep-alive: UAC;hop-hop=yes

0214091435|sip |0|00| Supported: msrtc-event-categories,adhoclist,ms-cluster-failover,ms-userservices-state-notification,gruu-10,gruu

0214091435|sip |0|00| Event: registration

0214091435|sip |0|00| ms-subnet: 10.0.5.0

0214091435|sip |0|00| Authorization: NTLM qop="auth", realm="SIP Communications Service", targetname="Skype.domain.com", gssapi-data=""

0214091435|sip |0|00| Max-Forwards: 70

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |0|00|>>> End of data send

0214091435|sip |1|00|CTcpSocket::SendData TLS queuedTxData = 0 TotalLen 1093 loop count 1 maxQueueDepth 40000

0214091435|sip |1|00|CTcpSocket::SendData TLS Sent 1093 loop count 1

0214091435|sip |0|00|<<< Data received TLS

0214091435|sip |0|00| SIP/2.0 401 Unauthorized

0214091435|sip |0|00| Date: Wed, 14 Feb 2018 17:14:31 GMT

0214091435|sip |0|00| WWW-Authenticate: NTLM opaque="ADFCB546", gssapi-data="TIRMTVNTUAACAAAAAAAADgAAADzgpjieOcJa0VBB7wAAAAAAAAAANIA0gA4AAAAABgOAJQAAA A8CABoARgBJAFIARQBfAEQASQBTAFAQXwBPAAE4ARQABAAoAUwBLAFkAUABFAAQAKgBzAHAAbwBrAGEAbgBIAHYAYQBAGwAZQB5AGYAAQByAGUALgBjAG8AbQADADYAUwBrAHkAcABIAC4AcwBwAG8AawBhAG4AZQB2AGEAbABsAGUAeQBmAGkAcgBIAC4AYwBvAG0ABQAqAHMAcABvAGsAYQBUAGUAdgBhAgwAbABIAHkAZgBpAHIAZQAuAGMABwBtAAACABaqiFHT6XTAQAAAAA=", targetname="Skype.domain.com", realm="SIP Communications Service", version=4

0214091435|sip |0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-5C7622E6;epid=64167f09a4fe

0214091435|sip |0|00| To: <sip:user@domain.com>;tag=FBDB1100B72ABAD2B29B6E50A0786578

0214091435|sip |0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| CSeq: 2 REGISTER

0214091435|sip |0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bK1d24a00bA56FD442;ms-received-port=41594;ms-received-cid=66DE00

0214091435|sip |0|00| Server: RTC/6.0

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |1|00|MsgSipTcpPacket

0214091435|sip |3|00|CTcpSocket::OnRecvData

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER matches user 1 of 1 'user'

0214091435|sip |3|00|UA Client Non-INVITE REGISTER trans state 'callingTrying'->'completed' by 401 resp 10 timeout(0xb6203688)

0214091435|sip |2|00|[CTrans::ResponseProcess] REGISTER NonInv reTrans ALREADY stopped in 'completed' state at retryCount 0 code 401, timeout=10 (0xb6203688)

0214091435|sip |3|00|401 challenge received

0214091435|sip |2|00|SipCallState is not Idle, So send Re-INVITE

0214091435|sip |2|00|new UA Client Non-INVITE trans state 'callingTrying', timeout=0 (0xb6205c48)

0214091435|sip |1|00|NTLM authentication

0214091435|sip |1|00|Fall-back to NTLM

0214091435|sip |1|00|CStkAuth::ParseAuthenticateHeader bTlsDskParseResult[0]
bNtlmParseResult[1] m_credType[2] m_bIsOnlyTlsDsk[0]

0214091435|sip |2|00|CTrans::ResponseProcess: For Lync authentication transaction setting proxy to '10.0.1.136' port 5061 Transport 'tls'

0214091435|sip |2|00|CTrans:: SendCommand | ProxyList NOT empty.

0214091435|sip |1|00|CTrans:: SendCommand | this=0xb6205c48, bVQMonMessage=0, m_pCall->m_pUser->m_bOBFailOverReRegOn=0, m_pCall->m_pUser->m_bVQMonFailoverEnabled=1

0214091435|sip |1|00|CTcp::Send(TLS) entry for address 10.0.1.136 port 5061 can Connect 1
canFailOver 0

0214091435|sip |1|00|CTcp::Send(TLS) address 10.0.1.136 port 5061 can Connect 1

0214091435|sip |0|00|>>> Data Send TLS 10.0.1.136:5061

0214091435|sip |0|00| REGISTER sip:domain.com;transport=tls SIP/2.0

0214091435|sip |0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bKb1731db952DF6C70

0214091435|sip |0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-5C7622E6;epid=64167f09a4fe

0214091435|sip |0|00| To: <sip:user@domain.com>

0214091435|sip |0|00| CSeq: 3 REGISTER

0214091435|sip |0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| Contact: <sip:user@10.0.5.124:41594;transport=tls>;methods="INVITE, ACK, BYE, CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER, BENOTIFY";proxy=replace;+sip.instance="<urn:uuid:98df7957-976b-5a18-b38c-4610d6d25d70>"

0214091435|sip |0|00| User-Agent: Polycom/5.6.0.17325 PolycomVVX-VVX_501-UA/5.6.0.17325

0214091435|sip |0|00| Accept-Language: en

0214091435|sip |0|00| Ms-device-info: MAC=64-16-7F-09-A4-FE, vendor=POLYCOM, version=PolycomVVX-VVX_501-5.6.0.17325

0214091435|sip |0|00| ms-keep-alive: UAC;hop-hop=yes

0214091435|sip |0|00| Supported: msrtc-event-categories,adhoclist,ms-cluster-failover,ms-userservices-state-notification,gruu-10,gruu

0214091435|sip |0|00| Event: registration

0214091435|sip |0|00| ms-subnet: 10.0.5.0

0214091435|sip |0|00| Authorization: NTLM qop="auth", opaque="ADFCB546", realm="SIP Communications Service", targetname="Skype.domain.com", gssapi-data="TIRMTVNTUAADAAAAGAAAYAEAAAAD+AP4AWAAAAAAAAABWAQAADAAMAFYBAAAUAQBQAYgEA ABAAEAB2AQAAVYKYYOoxcAgU4VS2tAwC10CXAFgQMzdwsuRJAJoNdmq9vqMRjA69nodpUsIBAQAAAAA AAFKbaUm3pdMBEDM3cLLkSQAAAAAAAgAaAEYASQBSAEUAXwBEAEkAUwBUAF8ATwBOAEUAAQAKAF MASwBZAFARQAEACoAcwBwAG8AawBhAG4AZQB2AGEAbABsAGUAeQBmAGkAcgBIAC4AYwBvAG0AA wA2AFMAawB5AHAZQAuAHMAcABvAGsAYQBwAGUAdgBhAGwAbABIAHkAZgBpAHIAZQAuAG

0214091435|sip |0|00| MAbwBtAAUAKgBzAHAAbwBrAGEAbgBIAHYAYQBsAGwAZQB5AGYAaQByAGUALgBjAG8AbQAHAAGAWq ohR7el0wEAAAAaawBIAGkAdABoAHMAMQAwAC4AMAAuADUALgAxADIANADe6o/W1b0o5XuS6puA8A 6EAAAAA=="

0214091435|sip |0|00| Max-Forwards: 70

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |0|00|>>> End of data send

0214091435|sip |1|00|CTcpSocket::SendData TLS queuedTxData = 0 TotalLen 1640 loop count 1
maxQueueDepth 40000

0214091435|sip |1|00|CTcpSocket::SendData TLS Sent 1640 loop count 1

0214091435|sip |0|00|<<< Data received TLS

0214091435|sip |0|00| SIP/2.0 401 Unauthorized

0214091435|sip |0|00| Date: Wed, 14 Feb 2018 17:14:31 GMT

0214091435|sip |0|00| WWW-Authenticate: NTLM realm="SIP Communications Service",
targetname="Skype.domain.com", version=4

0214091435|sip |0|00| WWW-Authenticate: Kerberos realm="SIP Communications Service",
targetname="sip/Skype.domain.com", version=4

0214091435|sip |0|00| WWW-Authenticate: TLS-DSK realm="SIP Communications Service",
targetname="Skype.domain.com", version=4, sts-
uri="https://skype.domain.com:443/CertProv/CertProvisioningService.svc"

0214091435|sip |0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-
5C7622E6;epid=64167f09a4fe

0214091435|sip |0|00| To: <sip:user@domain.com>;tag=FBDB1100B72ABAD2B29B6E50A0786578

0214091435|sip |0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| CSeq: 3 REGISTER

0214091435|sip |0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bKb1731db952DF6C70;ms-
received-port=41594;ms-received-cid=66DE00

0214091435|sip |0|00| ms-diagnostics: 1000;reason="Final handshake
failed";HRESULT="0xC3E93EC3(SIP_E_AUTH_UNAUTHORIZED)";source="Skype.domain.com"

0214091435|sip |0|00| Server: RTC/6.0

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |1|00|MsgSipTcpPacket

0214091435|sip |3|00|CTcpSocket::OnRecvData

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER matches user 1 of 1 'user'

0214091435|sip |3|00|UA Client Non-INVITE REGISTER trans state 'callingTrying'->'completed' by 401 resp 10 timeout(0xb6205c48)

0214091435|sip |2|00|[CTrans::ResponseProcess] REGISTER NonInv reTrans ALREADY stopped in 'completed' state at retryCount 0 code 401, timeout=10 (0xb6205c48)

0214091435|sip |3|00|401 challenge received

0214091435|sip |2|00|SipCallState is not Idle, So send Re-INVITE

0214091435|sip |2|00|new UA Client Non-INVITE trans state 'callingTrying', timeout=0 (0xb62085a8)

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip |2|00|CStkAuth::ParseAuthenticateHeader: TLS-DSK parsing enabled

0214091435|sip |1|00|TLS-DSK authentication

0214091435|sip |1|00|TLS-DSK: Setting of Client Certificate failed due to (33558530) error:02001002:system library:fopen:No such file or directory

0214091435|sip |1|00|TLS-DSK: Setting of Client Private key failed due to (537346050) error:20074002: BIO routines:FILE_CTRL:system lib

0214091435|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/private.key doesn't exist or is empty

0214091435|sip |3|00|getUserCertInfo: sip.usr[user@domain.com] result[-1] validUntil[0]

0214091435|sip |2|00|[ParseMessageHeader]:[540],SIPURI=[user@domain.com]

0214091435|sip |2|00|[ParseMessageHeader]:[555] Calling UC Fetch through Service FrameWork

0214091435|sip |1|00|NTLM authentication

0214091435|sip |1|00|Fall-back to NTLM

0214091435|sip |1|00|CStkAuth::ParseAuthenticateHeader bTlsDskParseResult[0] bNtlmParseResult[1] m_credType[2] m_blsOnlyTlsDsk[0]

0214091435|sip |2|00|CTrans::ResponseProcess: For Lync authentication transaction setting proxy to '10.0.1.136' port 5061 Transport 'tls'

0214091435|sip |2|00|CTrans:: SendCommand | ProxyList NOT empty.

0214091435|sip |1|00|CTrans:: SendCommand | this=0xb62085a8, bVQMonMessage=0, m_pCall->m_pUser->m_bOBFailOverReRegOn=0, m_pCall->m_pUser->m_bVQMonFailoverEnabled=1

0214091435|sip |1|00|CTcp::Send(TLS) entry for address 10.0.1.136 port 5061 can Connect 1
canFailOver 0

0214091435|sip |1|00|CTcp::Send(TLS) address 10.0.1.136 port 5061 can Connect 1

0214091435|sip |0|00|>>> Data Send TLS 10.0.1.136:5061

0214091435|sip |0|00| REGISTER sip:domain.com;transport=tls SIP/2.0

0214091435|sip |0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bK8cd9b067FAFAD99E

0214091435|sip |0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-5C7622E6;epid=64167f09a4fe

0214091435|sip |0|00| To: <sip:user@domain.com>

0214091435|sip |0|00| CSeq: 4 REGISTER

0214091435|sip |0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| Contact: <sip:user@10.0.5.124:41594;transport=tls>;methods="INVITE, ACK, BYE, CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER, BENOTIFY";proxy=replace;+sip.instance="<urn:uuid:98df7957-976b-5a18-b38c-4610d6d25d70>"

0214091435|sip |0|00| User-Agent: Polycom/5.6.0.17325 PolycomVVX-VVX_501-UA/5.6.0.17325

0214091435|sip |0|00| Accept-Language: en

0214091435|sip |0|00| Ms-device-info: MAC=64-16-7F-09-A4-FE, vendor=POLYCOM, version=PolycomVVX-VVX_501-5.6.0.17325

0214091435|sip |0|00| ms-keep-alive: UAC;hop-hop=yes

0214091435|sip |0|00| Supported: msrtc-event-categories,ad hoclist,ms-cluster-failover,ms-userservices-state-notification,gruu-10,gruu

0214091435|sip |0|00| Event: registration

0214091435|sip |0|00| ms-subnet: 10.0.5.0

0214091435|sip |0|00| Authorization: NTLM qop="auth", realm="SIP Communications Service", targetname="Skype.domain.com", gssapi-data=""

0214091435|sip |0|00| Max-Forwards: 70

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |0|00|>>> End of data send

0214091435|sip |1|00|CTcpSocket::SendData TLS queuedTxData = 0 TotalLen 1093 loop count 1
maxQueueDepth 40000

0214091435|sip |1|00|CTcpSocket::SendData TLS Sent 1093 loop count 1

0214091435|sip |0|00|<<< Data received TLS

0214091435|sip |0|00| SIP/2.0 401 Unauthorized

0214091435|sip |0|00| Date: Wed, 14 Feb 2018 17:14:31 GMT

0214091435|sip |0|00| WWW-Authenticate: NTLM opaque="74D6CC3C", gssapi-data="TIRMTVNTUAACAAAAAAdgAAADzgpjiOLWYpEMUzMUAAAAAAAAANIA0gA4AAAAABgOAJQA AAA8CABoARgBJAFIARQBfAEQASQBTAFAQXwBPAAE4ARQABAAoAUwBLAFkAUABFAAQAKgBzAHAAbwBr AGEAbgBIAHYAYQBsAGwAZQB5AGYAaQByAGUALgBjAG8AbQADADYAUwBrAHkAcABIAC4AcwBwAG8Aa wBhAG4AZQB2AGEAbABsAGUAeQBmAGkAcgBIAC4AYwBvAG0ABQAqAHMAcABvAGsAYQBuAGUAdgBh AGwAbABIAHkAZgBpAHIAZQAuAGMAbwBtAAcACAAoEyhHt6XTAQAAAAA=", targetname="Skype.domain.com", realm="SIP Communications Service", version=4

0214091435|sip |0|00| From: "user" <sip:user@domain.com>;tag=3A31E3AF-5C7622E6;epid=64167f09a4fe

0214091435|sip |0|00| To: <sip:user@domain.com>;tag=FBDB1100B72ABAD2B29B6E50A0786578

0214091435|sip |0|00| Call-ID: a86d45c727d488548434e1a19c09a4fe

0214091435|sip |0|00| CSeq: 4 REGISTER

0214091435|sip |0|00| Via: SIP/2.0/TLS 10.0.5.124:41594;branch=z9hG4bK8cd9b067FAFAD99E;ms-received-port=41594;ms-received-cid=66DE00

0214091435|sip |0|00| Server: RTC/6.0

0214091435|sip |0|00| Content-Length: 0

0214091435|sip |0|00|

0214091435|sip |1|00|MsgSipTcpPacket

0214091435|sip |3|00|CTcpSocket::OnRecvData

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER

0214091435|sip |1|00|SipOnCommand: response 401,REGISTER matches user 1 of 1 'user'

0214091435|sip |3|00|UA Client Non-INVITE REGISTER trans state 'callingTrying'->'completed' by 401 resp 10 timeout(0xb62085a8)

0214091435|sip |2|00|[CTrans::ResponseProcess] REGISTER NonInv reTrans ALREADY stopped in 'completed' state at retryCount 0 code 401, timeout=10 (0xb62085a8)

0214091435|sip |3|00|CTrans::ResponseProcess max retries 4 reached. Created Conn 1

0214091435|sip |2|00|CTrans::AbandonSockets server 1 entry 0xb62085a8

0214091435|sip |2|00|CTrans::AbandonSocket '10.0.1.136:5061;transport=tls

0214091435|sip |3|00|CTcp::AbandonSockets socket for '10.0.1.136':5061

0214091435|sip|3|00|CTcp::AbandonSockets 1 of 1 socket 205 (0xb62024c8) Abandoned
directClosure 0

0214091435|sip|4|00|CTcpSocket::Abandon - TLS Listen Thread has exited. Process further to
abandon this socket

0214091435|sip|4|00|CTcpSocket::Abandon connected socket. Send Message 0xb62024c8

0214091435|sip|3|00|CTrans::AbandonSockets return OK

0214091435|cfg|4|00|RT|SIP is setting Login Credentials to invalid

0214091435|so|4|00|[soRegistrationC] Login Credentials invalid causing SoRegEventLine Deleted

0214091435|sip|3|00|Login Credentials are invalid on 480 response

0214091435|sip|1|00|Dialog 'id01fcfc55' State 'Trying' -> 'Confirmed'

0214091435|sip|4|00|Registration failed User: user, Error Code:480 Temporarily not available

0214091435|sip|3|00|CUser::OnRegistered Entry for call 0x29b4130 with expires 0 ticks Transport
'TLS' inval Method 2 RROFO 0

0214091435|sip|3|00|CUser::NewWorkingServer user 0 oldServer 0 newServer 0 expires 0

0214091435|sip|3|00|SipOnEvNewWorkingServer User 0, old 0, new 0, expire 0

0214091435|sip|3|00|SipOnEvRegistrarUpdate User 0, index 0, state 0, expire 0, working 1 blsOcs 0

0214091435|sip|3|00|CUser::HasNoCallCallInState for User user, Index 0, total calls 1 state
'SubscribeAddressBook' rc 0 of type Not Applicable

0214091435|sip|1|00|removeContactUrlForO365User: O365Enabled='0'
removeContactUrlForO365User='(nil)'

0214091435|sip|3|00|CUser::HasNoCallCallInState for User user, Index 0, total calls 1 state
'ServiceSoap' rc 0 of type Not Applicable

0214091435|sip|1|00|Dialog 'id01fcfc55' State 'Confirmed' -> 'Terminated'

0214091435|sip|2|00|CStkDialog::CStkDialog SetAddressLocal Config 'user' <user@domain.com:0>

0214091435|sip|2|00|CStkDialog::CStkDialog AddressLocal set to Config

0214091435|sip|3|00|CStkDialog::SetAddressLocal localTag set to ''

0214091435|sip|3|00|CStkDialog::SetAddressLocal new address added of 1

0214091435|sip|2|00|CStkDialog::CStkDialog TAG 'B84FD815-86599BCC' generated

0214091435|sip|2|00|CStkDialog::CStkDialog local addr 'user' <user@domain.com:0> Tag 'B84FD815-
86599BCC'

0214091435|sip|2|00|CStkDialog::CStkDialog exit 0x29ce09c local list size 1

0214091435|sip |2|00|CStkDialogList::CreateDialogObject localTarg usr 'user'

0214091435|sip |3|00|Reg UAC Response: code 480 consecutive Attempts 1 baseTimeOut 10
maxTimeOut 180 exponTimeOut 20 randomTimeOut 15

0214091435|sip |3|00|Reg UAC Response: code 480 new m_nExpire 30 m_nOverlap 0 Trans
0xb62085a8

0214091435|sip |1|00|MsgSipTcpSocketStatus socket 205 status 0 m_bIsReconnectNeeded 0

0214091435|sip |2|00|CTcpSocket::OnSocketStatus socket 205(0xb62024c8) bStatus 0

0214091435|sip |3|00|CTcpSocket::~CTcpSocket socket 205 abandoned entry for 0xb62024c8

0214091435|sip |3|00|CTcpSocket::~CTcpSocket socket 205(0xb62024c8) SSL_shutdown rc=0, ltf(0)

0214091435|sip |3|00|CTcpSocket::~CTcpSocket socket 205(0xb62024c8) close

0214091435|sip |5|00|SSL_get_error nLen 0 errno 0 nError 5 =
(0)error:00000000:lib(0):func(0):reason(0)

0214091435|sip |4|00|TLS Listen Thread Exit

0214091435|sip |3|00|CTcpSocket::~CTcpSocket Got lock

0214091435|sip |3|00|SipStartFailOver 0

0214091435|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Enter

0214091435|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Default

0214091435|brow |4|00|CWebLayoutMgr::handleProxyConfiguration Exit

0214091435|sip |1|00|Client State finished REGISTER (0x29cdd20)

0214091437|so |4|00|[SoNcasC]: appncascontext termination:1

0214091437|so |4|00|[SoNcasC]: Case Handling termination:1

0214091437|app1 |*|00|SoRegistrationEventLineDeleted - new AppRegLineC, Default user

0214091437|so |4|00|[SoNcasC]: appncascontext termination:1

0214091437|so |4|00|[SoNcasC]: Case Handling termination:1

0214091437|app1 |5|00|AppPhoneLockC::Init - bPhoneLockState [0]

0214091437|sip |3|00|SipSetOption nIndex 91, nParam 1

0214091437|sip |3|00|SipReloadMediaConfig: video disabled

0214091437|sip |*|00|Sip UnRegister Usr:user@domain.com Dsp:user Auth:" Inx:0

0214091437|sip |*|00|SipUserRemove: user 0 being removed.

0214091437|sip |3|00|CUser::HasNoCallCallInState for User user,Index 0, total calls 1 state 'SubscribeAddressBook' rc 0 of type Not Applicable

0214091437|sip |3|00|CUser::ActionOnSubscribeCalls for User user,Index 0, total calls 1

0214091437|sip |3|00|CUser::UnRegisterAll Entry for User user,Index 0, total calls 1

0214091437|sip |2|00|[svcClearAll]:[8218]: SipUri[user@domain.com]
User[],Dom[],STS[https://skype.domain.com:443/CertProv/CertProvisioningService.svc] Expiry[-1],
force[0], ClearLocalInfo[1], PreserveUsrKey[0]

0214091437|sip |3|00|CUser::handleSignout entry

0214091437|sip |3|00|SipSetOption nIndex 47, nParam 4

0214091437|sip |3|00|SipSetOption nIndex 48, nParam 1

0214091437|sip |3|00|SipSetOption nIndex 49, nParam 80

0214091437|sip |3|00|SipSetOption nIndex 91, nParam 1

0214091437|sip |3|00|SipReloadMediaConfig: video disabled

0214091437|sip |*|00|Sip Register Usr:VVX501 Dsp:VVX 501 Auth:'Using Login Cred' Inx:0

0214091437|sip |3|00|[clearCallLabelList] - Size of Call Label List is 0

0214091437|utilm|4|00|uBLFUnCompressed: File /ffs0/Config/Local/WebTicket/0/sip.usr doesn't exist
or is empty

0214091437|sip |3|00|SipOnEvProxyList 0,Total proxy 0

0214091437|sip |3|00|[clearCallLabelList] - Size of Call Label List is 0

0214091437|sip |3|00|SipSetOption nIndex 57, nParam 0

0214091439|sip |1|00|Client State finished REGISTER (0x29cdd20)

0214091439|sip |1|00|Client State finished REGISTER (0x29cdd20)

0214091439|sip |1|00|Client State finished REGISTER (0x29cdd20)

0214091441|sip |3|00|Destroying object CCallNoCall

0214091441|sip |3|00|[clearCallLabelList] - Size of Call Label List is 0

0214091441|sip |*|00|User removed